



RUBI



Building Together



01		4 16	
02		17 20	
03		21 30	
04		31 35	
05		36 39	
06		40 42	

07



43
46



08



47
54



09



55
57



10



58
65



11



66




12



67
69



13



70
72






TZ-850
TZ-1020



TZ-1300
TZ-1550



	REF								
TZ-850	17952	✓	33 7/16" 85 cm	24x24" 60x60 cm	1/8-13/16" 3-21 mm	3307 Lb 1500 kg	49.4 Lb 22.4 kg	1	12
TZ-1020	17951	✓	40 3/16" 102 cm	27 9/16x27 9/16" 70x70 cm	1/8-13/16" 3-21 mm	3307 Lb 1500 kg	54.2 Lb 24.6 kg	1	12
TZ-1300	17953	✓	51 3/16" 130 cm	35 7/16x35 7/16" 90x90 cm	1/8-13/16" 3-21 mm	3307 Lb 1500 kg	66 Lb 30 kg	1	9
TZ-1550	17954	✓	61 1/16" 155 cm	43 5/16x43 5/16" 110x110 cm	1/8-13/16" 3-21 mm	3307 Lb 1500 kg	73 Lb 33 kg	1	6
TZ-850 INCH	17956	✓	33 7/16" 85 cm	24x24" 60x60 cm	1/8-13/16" 3-21 mm	3307 Lb 1500 kg	49.4 Lb 22.4 kg	1	12
TZ-1020 INCH	17955	✓	40 3/16" 102 cm	27 9/16x27 9/16" 70x70 cm	1/8-13/16" 3-21 mm	3307 Lb 1500 kg	54.2 Lb 24.6 kg	1	12
TZ-1300 INCH	17957	✓	51 3/16" 130 cm	35 7/16x35 7/16" 90x90 cm	1/8-13/16" 3-21 mm	3307 Lb 1500 kg	66 Lb 30 kg	1	9
TZ-1550 INCH	17958	✓	61 1/16" 155 cm	43 5/16x43 5/16" 110x110 cm	1/8-13/16" 3-21 mm	3307 Lb 1500 kg	73 Lb 33 kg	1	6



TX-900 N

	REF								
TX-700 N	17970	✓	27 15/16" 71 cm	20x20" 50x50 cm	1/4-13/16" 6-20 mm	2205 Lb 1000 kg	48.9 Lb 22.2 kg	1	10
TX-900 N	17971	✓	36 5/8" 93 cm	25 9/16x25 9/16" 65x65 cm	1/4-13/16" 6-20 mm	2205 Lb 1000 kg	52.7 Lb 23.9 kg	1	10
TX-1200 N	17974	✓	49 3/16" 125 cm	33 7/16x33 7/16" 85x85 cm	1/4-13/16" 6-20 mm	2205 Lb 1000 kg	73.9 Lb 33.5 kg	1	10
TX-700 N INCH	17975	✓	27 15/16" 71 cm	20x20" 50x50 cm	1/4-13/16" 6-20 mm	2205 Lb 1000 kg	48.9 Lb 22.2 kg	1	10
TX-900 N INCH	17976	✓	36 5/8" 93 cm	25 9/16x25 9/16" 65x65 cm	1/4-13/16" 6-20 mm	2205 Lb 1000 kg	52.7 Lb 23.9 kg	1	10
TX-1200 N INCH	17977	✓	49 3/16" 125 cm	33 7/16x33 7/16" 85x85 cm	1/4-13/16" 6-20 mm	2205 Lb 1000 kg	73.9 Lb 33.5 kg	1	10



TX-710 MAX

	REF								
TX-710 MAX	17909	✓	27 15/16" 71 cm	20x20" 50x50 cm	1/8-13/16" 3-21 mm	2646 Lb 1200 kg	29.3 Lb 13.3 kg	1	10
TX-1020 MAX	17915	✓	40 3/16" 102 cm	27 9/16x27 9/16" 70x70 cm	1/8-13/16" 3-21 mm	2646 Lb 1200 kg	42.8 Lb 19.4 kg	1	10
TX-1250 MAX	17921	✓	49 3/16" 125 cm	33 7/16x33 7/16" 85x85 cm	1/8-13/16" 3-21 mm	2646 Lb 1200 kg	57 Lb 26 kg	1	10
TX-710 MAX INCH	17910	✓	27 15/16" 71 cm	20x20" 50x50 cm	1/8-13/16" 3-21 mm	2646 Lb 1200 kg	29.3 Lb 13.3 kg	1	10
TX-1020 MAX INCH	17916	✓	40 3/16" 102 cm	27 9/16x27 9/16" 70x70 cm	1/8-13/16" 3-21 mm	2646 Lb 1200 kg	42.8 Lb 19.4 kg	1	10
TX-1250 MAX INCH	17922	✓	49 3/16" 125 cm	33 7/16x33 7/16" 85x85 cm	1/8-13/16" 3-21 mm	2646 Lb 1200 kg	57 Lb 26 kg	1	10



TR-600 MAGNET

	REF								
TR-600 MAGNET	17905	✓	24" 60 cm	16 9/16x16 9/16" 42x42 cm	1/8-9/16" 3-15 mm	1764 Lb 800 kg	30.6 Lb 13.9 kg	2	18
TR-710 MAGNET	17906	✓	27 15/16" 71 cm	20x20" 50x50 cm	1/8-9/16" 3-15 mm	1764 Lb 800 kg	34.2 Lb 15.5 kg	1	15
TR-600 MAGNET INCH	17907	✓	24" 60 cm	16 9/16x16 9/16" 42x42 cm	1/8-9/16" 3-15 mm	1764 Lb 800 kg	30.6 Lb 13.9 kg	2	18
TR-710 MAGNET INCH	17908	✓	27 15/16" 71 cm	20x20" 50x50 cm	1/8-9/16" 3-15 mm	1764 Lb 800 kg	34.2 Lb 15.5 kg	1	15



TP-102 S



TP-66 S

TP-75 S



	REF								
TP-66 S	12954		26" 66 cm	18 1/8x18 1/8" 46x46 cm	3/16-13/16" 5-20 mm	2205 Lb 1000 kg	25.4 Lb 11.5 kg	1	12
TP-75 S	12956		29 1/2" 75 cm	20 7/8x20 7/8" 53x53 cm	3/16-13/16" 5-20 mm	2205 Lb 1000 kg	26 Lb 12 kg	1	12
TP-102 S	11900		40 3/16" 102 cm	27 9/16x27 9/16" 70x70 cm	3/16-13/16" 5-20 mm	2205 Lb 1000 kg	36.3 Lb 16.5 kg	1	12
TP-125 S	11973		49 3/16" 125	33 7/16x33 7/16" 85x85 cm	3/16-13/16" 5-20 mm	2205 Lb 1000 kg	50.7 Lb 23 kg	1	12
TP-26 S INCH	12914		26" 66 cm	18 1/8x18 1/8" 46x46 cm	3/16-13/16" 5-20 mm	2205 Lb 1000 kg	25.4 Lb 11.5 kg	1	12
TP-29 S INCH	12928		29 1/2" 75 cm	20 7/8x20 7/8" 53x53 cm	3/16-13/16" 5-20 mm	2205 Lb 1000 kg	26 Lb 12 kg	1	12
TP-40 S INCH	11902		40 3/16" 102 cm	27 9/16x27 9/16" 70x70 cm	3/16-13/16" 5-20 mm	2205 Lb 1000 kg	36.3 Lb 16.5 kg	1	12
TP-49 S INCH	11975		49 3/16" 125	33 7/16x33 7/16" 85x85 cm	3/16-13/16" 5-20 mm	2205 Lb 1000 kg	50.7 Lb 23 kg	1	12



TP-66 T
TP-75 T



TP-102 T



	REF							
TP-66 T	12955	26" 66 cm	18 1/8x18 1/8" 46x46 cm	3/16-13/16" 5-20 mm	2205 Lb 1000 kg	25.4 Lb 11.5 kg	1	12
TP-75 T	12957	29 1/2" 75 cm	20 7/8x20 7/8" 53x53 cm	3/16-13/16" 5-20 mm	2205 Lb 1000 kg	26 Lb 12 kg	1	12
TP-102 T	11901	40 3/16" 102 cm	27 9/16x27 9/16" 70x70 cm	3/16-13/16" 5-20 mm	2205 Lb 1000 kg	35.9 Lb 16.3 kg	1	12
TP-125 T	11974	49 3/16" 125	33 7/16x33 7/16" 85x85 cm	3/16-13/16" 5-20 mm	2205 Lb 1000 kg	50.7 Lb 23 kg	1	12
TP-26 T INCH	12917	26" 66 cm	18 1/8x18 1/8" 46x46 cm	3/16-13/16" 5-20 mm	2205 Lb 1000 kg	25.4 Lb 11.5 kg	1	12
TP-29 T INCH	12929	29 1/2" 75 cm	20 7/8x20 7/8" 53x53 cm	3/16-13/16" 5-20 mm	2205 Lb 1000 kg	26 Lb 12 kg	1	12
TP-40 T INCH	11903	40 3/16" 102 cm	27 9/16x27 9/16" 70x70 cm	3/16-13/16" 5-20 mm	2205 Lb 1000 kg	35.9 Lb 16.3 kg	1	12



TS-66 MAX



	REF								
TS-43 MAX	18920	✓	16 15/16" 43 cm	12x12" 30x30 cm	1/4-9/16" 6-15 mm	1764 Lb 800 kg	19.4 Lb 8.8 kg	1	24
TS-57 MAX	18921	✓	22 7/16" 57 cm	16x16" 40x40 cm	1/4-9/16" 6-15 mm	1764 Lb 800 kg	21.8 Lb 9.9 kg	1	24
TS-66 MAX	18922	✓	26" 66 cm	18 1/8x18 1/8" 46x46 cm	1/4-9/16" 6-15 mm	1764 Lb 800 kg	29.5 Lb 13.4 kg	1	20
TS-75 MAX	18923	✓	29 1/2" 75 cm	20 7/8x20 7/8" 53x53 cm	1/4-9/16" 6-15 mm	1764 Lb 800 kg	33.3 Lb 15.1 kg	1	20



TS-66 MAX

	REF								
TS-43 MAX (GREY)	18972	✓	16 15/16" 43 cm	12x12" 30x30 cm	1/4-9/16" 6-15 mm	1764 Lb 800 kg	19.4 Lb 8.8 kg	1	24
TS-57 MAX (GREY)	18973	✓	22 7/16" 57 cm	16x16" 40x40 cm	1/4-9/16" 6-15 mm	1764 Lb 800 kg	21.8 Lb 9.9 kg	1	24
TS-66 MAX (GREY)	18974	✓	26" 66 cm	18 1/8x18 1/8" 46x46 cm	1/4-9/16" 6-15 mm	1764 Lb 800 kg	29.5 Lb 13.4 kg	1	20
TS-75 MAX (GREY)	18975	✓	29 1/2" 75 cm	20 7/8x20 7/8" 53x53 cm	1/4-9/16" 6-15 mm	1764 Lb 800 kg	33.3 Lb 15.1 kg	1	20



TF-66 MAX

	REF								
TF-66 MAX	15930	-	26" 66 cm	18 1/8x18 1/8" 46x46 cm	1/4-9/16" 6-15 mm	1764 Lb 800 kg	24 Lb 11 kg	-	20
TF-66 MAX	15931	✓	26" 66 cm	18 1/8x18 1/8" 46x46 cm	1/4-9/16" 6-15 mm	1764 Lb 800 kg	24 Lb 11 kg	32 Lb 14.5 kg	12
TF-93 MAX	15932	-	36 5/8" 93 cm	25 9/16x25 9/16" 65x65 cm	1/4-9/16" 6-15 mm	1764 Lb 800 kg	32.8 Lb 14.9 kg	-	15



SPEED-62 MAGNET

SPEED-72 MAGNET
SPEED-92 MAGNET



	REF								
SPEED-62 MAGNET	14988	✓	24 7/16" 62 cm	17 5/16x17 5/16" 44x44 cm	1/8-9/16" 3-15 mm	1764 Lb 800 kg	18 Lb 8 kg	25.4 Lb 11.5 kg	2 24
SPEED-72 MAGNET	14989	✓	28 3/8" 72 cm	20 1/16x20 1/16" 51x51 cm	1/8-9/16" 3-15 mm	1764 Lb 800 kg	20.9 Lb 9.5 kg	30 Lb 13.6 kg	2 18
SPEED-92 MAGNET	14990	✓	36 1/4" 92 cm	25 9/16x25 9/16" 65x65 cm	1/8-9/16" 3-15 mm	1764 Lb 800 kg	26 Lb 12 kg	37 Lb 16.8 kg	1 18
SPEED-62 MAGNET	14980	-	24 7/16" 62 cm	17 5/16x17 5/16" 44x44 cm	1/8-9/16" 3-15 mm	1764 Lb 800 kg	18 Lb 8 kg	-	2 30
SPEED-72 MAGNET	14981	-	28 3/8" 72 cm	20 1/16x20 1/16" 51x51 cm	1/8-9/16" 3-15 mm	1764 Lb 800 kg	20.9 Lb 9.5 kg	-	1 35
SPEED-92 MAGNET	14982	-	36 1/4" 92 cm	25 9/16x25 9/16" 65x65 cm	1/8-9/16" 3-15 mm	1764 Lb 800 kg	26 Lb 12 kg	-	1 28



SPEED-62 N

SPEED-72 N
SPEED-92 N



		REF								
SPEED-62 N		14985	✓	24 7/16" 62 cm	17 5/16x17 5/16" 44x44 cm	3/16-9/16" 5-15 mm	15 Lb 7 kg	23.4 Lb 10.6 kg	2	24
SPEED-72 N		14986	✓	28 3/8" 72 cm	20 1/16x20 1/16" 51x51 cm	3/16-9/16" 5-15 mm	18.1 Lb 8.2 kg	27.6 Lb 12.5 kg	2	18
SPEED-92 N		14987	✓	36 1/4" 92 cm	25 9/16x25 9/16" 65x65 cm	3/16-9/16" 5-15 mm	24 Lb 11 kg	35.1 Lb 15.9 kg	1	18
SPEED-62 N		14975	-	24 7/16" 62 cm	17 5/16x17 5/16" 44x44 cm	3/16-9/16" 5-15 mm	15 Lb 7 kg	-	2	30
SPEED-72 N		14976	-	28 3/8" 72 cm	20 1/16x20 1/16" 51x51 cm	3/16-9/16" 5-15 mm	18.1 Lb 8.2 kg	-	1	40
SPEED-92 N		14977	-	36 1/4" 92 cm	25 9/16x25 9/16" 65x65 cm	3/16-9/16" 5-15 mm	24 Lb 11 kg	-	1	28



FAST-65

	REF								
FAST-65	13932		✓	25 9/16" 65 cm	17 11/16x17 11/16" 45x45 cm	1/2" 12 mm	13.9 Lb 6.3 kg	15.4 Lb 7.0 kg	4 48
FAST-85	13939		✓	33 7/16" 85 cm	24x24" 60x60 cm	1/2" 12 mm	16.5 Lb 7.5 kg	18.7 Lb 8.5 kg	2 32
FAST-65	13940		-	25 9/16" 65 cm	17 11/16x17 11/16" 45x45 cm	1/2" 12 mm	13.9 Lb 6.3 kg	-	4 48
FAST-85	13941		-	33 7/16" 85 cm	24x24" 60x60 cm	1/2" 12 mm	16.5 Lb 7.5 kg	-	2 32



STAR-51 MAX

	REF								
STAR-51 MAX	13937		✓	20 1/16" 51 cm	14 3/16x14 3/16" 36x36 cm	1/2" 12 mm	8.4 Lb 3.8 kg	9.3 Lb 4.2 kg	6 72
STAR-65 MAX	13938		✓	25 9/16" 65 cm	17 11/16x17 11/16" 45x45 cm	1/2" 12 mm	10.6 Lb 4.8 kg	11.7 Lb 5.3 kg	6 72
STAR-51 MAX	13934		-	20 1/16" 51 cm	14 3/16x14 3/16" 36x36 cm	1/2" 12 mm	8.4 Lb 3.8 kg	-	6 72
STAR-65 MAX	13935		-	25 9/16" 65 cm	17 11/16x17 11/16" 45x45 cm	1/2" 12 mm	10.6 Lb 4.8 kg	-	6 72



STAR-42




	REF								
STAR-42	14946	✓	16 9/16" 42 cm	12x12" 30x30 cm	1/2" 12 mm	7.5 Lb 3.4 kg	10.6 Lb 4.8 kg	4	48
STAR-51	14947	✓	20 1/16" 51 cm	14 3/16x14 3/16" 36x36 cm	1/2" 12 mm	8.2 Lb 3.7 kg	12.3 Lb 5.6 kg	4	48
STAR-63	14948	✓	24 13/16" 63 cm	17 11/16x17 11/16" 45x45 cm	1/2" 12 mm	9.5 Lb 4.3 kg	14.3 Lb 6.5 kg	4	48
STAR-42	14943	-	16 9/16" 42 cm	12x12" 30x30 cm	1/2" 12 mm	7.5 Lb 3.4 kg	0 Lb - kg	6	72
STAR-51	14944	-	20 1/16" 51 cm	14 3/16x14 3/16" 36x36 cm	1/2" 12 mm	8.2 Lb 3.7 kg	0 Lb - kg	6	72
STAR-63	14945	-	24 13/16" 63 cm	17 11/16x17 11/16" 45x45 cm	1/2" 12 mm	9.5 Lb 4.3 kg	0 Lb - kg	6	72



POCKET-40



	REF								
POCKET-40	12981	✓	16 9/16" 42 cm	12x12" 30x30 cm	1/2" 12 mm	6.4 Lb 2.9 kg	7.5 Lb 3.4 kg	4	128
POCKET-50	12986	✓	20 1/16" 51 cm	14 3/16x14 3/16" 36x36 cm	1/2" 12 mm	7.5 Lb 3.4 kg	8.6 Lb 3.9 kg	4	96




PRACTIC-51





	REF						
PRACTIC-51	24984	20 1/16" 51 cm	14 3/16x14 3/16" 36x36 cm	3/8" 10 mm	6.4 Lb 2.9 kg	6	72
PRACTIC-61	24985	24 1/16" 61 cm	16 15/16x16 15/16" 43x43 cm	3/8" 10 mm	10.8 Lb 4.9 kg	6	72



BASIC-50





	REF						
BASIC-50	25955	✓	20 1/16" 51 cm	14 3/16x14 3/16" 36x36 cm	3/8" 10 mm	5.51 Lb 2.5 kg	6 72
BASIC-60	25956	✓	24 1/16" 61 cm	16 15/16x16 15/16" 43x43 cm	3/8" 10 mm	7.72 Lb 3.5 kg	6 72





	REF				
TEN-BRIC	05975	3/8" 10 mm	0.4 Lb 0.2 kg	5	765

TS MAX, TR MAGNET, TF MAX, SPEED MAGNET



REF



Ø1/4" (6MM)

01945

10



REF



Ø5/16" (8MM)

01958

10



REF



Ø13/32" (10MM)

01946

10



REF



Ø13/32" (10MM) GOLD

01949

10



REF



Ø3/4" (18MM)

01950

10



REF



Ø3/4" (18MM) GOLD

01952

10



REF



Ø7/8" (22MM)

01961

10



REF



Ø7/8" (22MM) GOLD

01964

10



REF



2 X Ø1/4" (6MM) SET

01947

10



REF



Ø1/4" (6MM) & Ø13/32" (10MM) SET

01948

10

KITS



REF



SET 1: Ø1/4" & Ø13/32 (6, 10 MM)

01995

5



REF



SET 2: Ø1/4", 5/16", 13/32", 3/4" & 7/8" (6, 8, 10, 18, 22MM)

01996

5

TX & TZ



REF



8MM PLUS (Ø5/16")

01959

10



REF



10MM PLUS (Ø13/32")

01991

10



REF



10MM PLUS GOLD (Ø13/32")

01993

10



REF



18MM PLUS (Ø3/4")

01992

10



REF



18MM PLUS GOLD (Ø3/4")

01994

10



REF



22MM PLUS (Ø7/8")

01962

10



REF



22MM PLUS GOLD (Ø7/8")

01965

10



REF



22MM PLUS EXTREME (Ø7/8")

01900

5

TP & TQ



REF



22MM (Ø7/8")

18914

10



REF



22MM PLUS EXTREME (Ø7/8")

01901

5

TI



REF



10MM (Ø13/32") TI

01975

10



REF



10MM GOLD (Ø13/32") TI

01978

10



REF



18MM (Ø3/4") TI

01976

10



REF



18MM GOLD (Ø3/4") TI

01974

10



REF



22MM (Ø7/8") TI

01977

10



REF



22MM GOLD (Ø7/8") TI

01979

10

SPEED, FAST, STAR-MAX, STAR, RAPID, POCKET, PRACTIC



REF



6MM (Ø1/4")

01945

10



REF



8MM (Ø5/16")

01958

10



REF



10MM (Ø13/32")

01946

10



REF



6MM SET (Ø 1/4")

01947

10



REF



6MM (Ø1/4") & 10MM (Ø13/32") SET

01948

10

BASIC, TEN-BRIC



REF



14MM (Ø9/16")

01960

10



REF



T-51

05910

1

10



REF



18980

1



REF



FOR TS-MAX/TF-MAX

15749

1



REF



FOR POCKET

12924

1



REF

FOR STAR, STAR-N, STAR-N PLUS
AND STAR MAX

12923

1



REF



70930

1



REF



83942

5



REF



65925

5



REF



65952

5



REF



65926

5



REF



71970

5



REF



65924

1



	REF						
SLIM SYSTEM CUTTER	18911	✓	126" 320 cm	1/8-1/4" 3-6 mm	15.2 Lb 6.9 kg	1	32



	REF	
SLAB SYSTEM CUTTER GUIDE 110CM.	18913	3.7 Lb 1.7 kg
		1



	REF	
SLIM SEPARATOR	18917	1



	REF	
22MM (Ø7/8")	18914	10



	REF	
22MM PLUS EXTREME (Ø 7/8")	01901	5




	REF									
KIT TC-125	51901	✓	126" 320 cm	13/16-1" 20-25 mm	9/16-11/16" 14-18 mm	4 1/2-5" 115-125 mm	7/8" 22.2 mm	129 15/16x94 1/8x81 1/8" 330x239x206 cm	31 Lb 14 kg	2
KIT TC-125 USA	51902	✓	126" 320 cm	13/16-1" 20-25 mm	9/16-11/16" 14-18 mm	4 1/2-5" 115-125 mm	7/8" 22.2 mm	129 15/16x94 1/8x81 1/8" 330x239x206 cm	31 Lb 14 kg	2
KIT TC-125 UK	51903	✓	126" 320 cm	13/16-1" 20-25 mm	9/16-11/16" 14-18 mm	4 1/2-5" 115-125 mm	7/8" 22.2 mm	129 15/16x94 1/8x81 1/8" 330x239x206 cm	31 Lb 14 kg	2
KIT TC-125 UK	51904	✓	126" 320 cm	13/16-1" 20-25 mm	9/16-11/16" 14-18 mm	4 1/2-5" 115-125 mm	7/8" 22.2 mm	129 15/16x94 1/8x81 1/8" 330x239x206 cm	31 Lb 14 kg	2

KIT TC-125	REF.	51901	
	Voltage / RPM	230V-50hz / 13800	
KIT TC-125 UK	REF.	51902	51904
	Voltage / RPM	230V-50hz / 13800	110V-50hz / 13800
KIT TC-125 USA	REF.	51903	
	Voltage / RPM	120V-60hz / 13800	



SLAB
SYSTEM

	REF			RPM							
TC-125	50953	✓	230V-50hz.	13800	13/16-1" 20-25 mm	9/16-11/16" 14-18 mm	4 1/2-5" 115-125 mm	7/8" 22.2 mm	129 15/16x94 1/8x81 1/8" 330x239x206 cm	31 Lb 14 kg	1
TC-125 USA	51957	✓	120V-60hz.	13800	13/16-1" 20-25 mm	9/16-11/16" 14-18 mm	4 1/2-5" 115-125 mm	7/8" 22.2 mm	129 15/16x94 1/8x81 1/8" 330x239x206 cm	31 Lb 14 kg	1
TC-125 UK	51959	✓	230V-50hz.	13800	13/16-1" 20-25 mm	9/16-11/16" 14-18 mm	4 1/2-5" 115-125 mm	7/8" 22.2 mm	129 15/16x94 1/8x81 1/8" 330x239x206 cm	31 Lb 14 kg	1
TC-125 UK	51961	✓	110V-50hz.	13800	13/16-1" 20-25 mm	9/16-11/16" 14-18 mm	4 1/2-5" 115-125 mm	7/8" 22.2 mm	129 15/16x94 1/8x81 1/8" 330x239x206 cm	31 Lb 14 kg	1



SLAB
SYSTEM

	REF		
SLIM SYSTEM EASY TRANS	18910	36.6 Lb 16.6 kg	1



SLAB
SYSTEM

	REF	
BEAM SET SLIM EASY TRANS	18819	1



slab
system

	REF	
SLAB TRANS HEAVY DUTY	18936	1



slab
system

	REF	
VACUUM SUCTION CUP SLAB TRANS HEAVY DUTY	18827	1



	REF	
TILE BEATING BLOCK 40 X 14,5 CM. WITH RUBBER	72980	1



	REF	
SUCTION CUP ROUGH SURFACE RM	66929	1



	REF	
DOUBLE SUCTION CUP ROUGH SURFACE RM	66952	1



	REF	
SUCTION CUP WITH VACUUM PUMP	18919	1



									
DX-350 N 1000 LASERLEVEL ZERO DUST	46 5/8" 118.5 cm	32 7/8x32 7/8" 83.5x83.5 cm	2 9/16" 65 mm	4 1/8 / 8 11/16" 105 / 220 mm	1" 25.4 mm	12-14" 300-350 mm	66 15/16x33 7/8x56 5/16" 170x86x143 cm	216 Lb 98 kg	1 **1
DX-350 N 1300 LASERLEVEL ZERO DUST	58 7/16" 148.5 cm	41 5/16x41 5/16" 105x105 cm	2 9/16" 65 mm	4 1/8 / 8 11/16" 105 / 220 mm	1" 25.4 mm	12-14" 300-350 mm	78x33 7/8x56 5/16" 200x86x143 cm	214.9 Lb 97.5 kg	1 **1

DX-350 N 1000 LASERLEVEL ZERO DUST	REF.	52905	52906			
	Voltage / RPM	230V-50 Hz. / 2800	220V-60 Hz. / 3400			
DX-350 N 1300 LASERLEVEL ZERO DUST	REF.	52915	52916	52917	52918	52919
	Voltage / RPM	230V-50 Hz. / 2800	230V-60 Hz. / 3400	120V-50 Hz. / 2800	120V-60 Hz.Inch. / 3400	380V/50 Hz.3F / 2800



WARRANTY



DS-250 N 1000	40 3/16"	28 3/8x28 3/8"	2 1/16"	1"	1"	10"	66 15/16x33 7/8x50"	201.7 Lb	243 Lb	1	**1
LASERLEVEL ZERO DUST	102 cm	72x72 cm	51 mm	25 mm	25.4 mm	250 mm	170x86x127 cm	91.5 kg	110 kg		
DS-250 N 1300	51 15/16"	36 13/16x36 13/16"	2 1/16"	1"	1"	10"	78x33 7/8x50"	212.7 Lb	265 Lb	1	**1
LASERLEVEL ZERO DUST	132 cm	93.5x93.5 cm	51 mm	25 mm	25.4 mm	250 mm	200x86x127 cm	96.5 kg	120 kg		
DS-250 N 1500	59 13/16"	42 5/16x42 5/16"	2 1/16"	1"	1"	10"	86 5/8x33 7/8x50"	220 Lb	276 Lb	1	**1
LASERLEVEL ZERO DUST	152 cm	107.5x107.5 cm	51 mm	25 mm	25.4 mm	250 mm	220x86x127 cm	100 kg	125 kg		

DS-250 N 1000 LASERLEVEL ZERO DUST	REF.	52920	52921	52922	52925		
	Voltage / RPM	230V-50 Hz. / 2800	230V-50 UK Hz. / 2800	220V-60 Hz. / 3400	380V-50 Hz. 3F / 2800		
DS-250 N 1300 LASERLEVEL ZERO DUST	REF.	52930	52931	52933	52934	52935	
	Voltage / RPM	230V-50 Hz. / 2800	230V-50 Hz. UK. / 2800	110V-50 Hz. / 2800	120V-60 Hz.inch. / 3400	380V-50 Hz. 3F / 2800	
DS-250 N 1500 LASERLEVEL ZERO DUST	REF.	52940	52941	52942	52943	52944	52945
	Voltage / RPM	230V-50 Hz. / 2800	230V-50 Hz. UK. / 2800	220V-60 Hz. / 3400	110V-50 Hz. / 2800	120V-60 Hz.inch. / 3400	380V-50 Hz. 3F / 2800

* Refs. 52921, 52931 & 52941 (UK): 2,6 cv/hp

Refs. 52925, 52935, 52945 (3F): 4 cv/hp



											
DX-250 PLUS 1000 LASERLEVEL ZERO DUST	44 1/8" 112 cm	31 1/8x31 1/8" 79x79 cm	23/4 / 5 11/16" 70 / 145 mm	1 3/8" 35 mm	1" 25.4 mm	10" 250 mm	66 15/16x33 7/8x50 13/16" 170x86x129 cm	174 Lb 79 kg	✓	1	**1
DX-250 PLUS 1400 LASERLEVEL ZERO DUST	59 13/16" 152 cm	42 5/16x42 5/16" 107.5x107.5 cm	23/4 / 5 11/16" 70 / 145 mm	1 3/8" 35 mm	1" 25.4 mm	10" 250 mm	78x33 7/8x50 13/16" 200x86x129 cm	197.3 Lb 89.5 kg	✓	1	**1

DX-250 PLUS 1000 LASERLEVEL ZERO DUST	REF.	52900	52902
	Voltage / RPM	230V-50Hz. / 2800	110V-50Hz. / 2800
DX-250 PLUS 1400 LASERLEVEL ZERO DUST	REF.	52910	52912
	Voltage / RPM	230V-50Hz. / 2800	110V-50Hz. / 2800



DC-250 850 ZERO DUST	38 9/16" 98 cm	33 11/16" 85.5 cm	27 3/8x27 3/8" 69.5x69.5 cm	2 3/8 / 3 9/16" 61 / 90 mm	1 15/16" 50 mm	✓	10" 250 mm	53 15/16x23 1/4x51 9/16" 137x59x131 cm	121 Lb 55 kg	154 Lb 70 kg	✓	1	**1
DC-250 1200 ZERO DUST	47 7/16" 120.5 cm	42 1/2" 108 cm	33 7/16x33 7/16" 85x85 cm	2 3/8 / 3 9/16" 61 / 90 mm	1 15/16" 50 mm	✓	10" 250 mm	63x32 5/16x51 9/16" 160x82x131 cm	132 Lb 60 kg	165 Lb 75 kg	✓	1	**1

	REF.	54933	54934	54935	54997
DC-250 850 ZERO DUST	Voltage / RPM	230V-50Hz. / 2790	220V-60Hz. / 2790	110V-50Hz. / 2790	230V-50Hz. / 2790 + CPA SUPER PRO
	REF.	55941	55942	55943	54998
DC-250 1200 ZERO DUST	Voltage / RPM	230V-50 Hz. / 2790	220V-60 Hz. / 2790	110V-50 Hz. / 2790	230V-50 Hz. / 2790 + CPA SUPER PRO



									
DV-200 1000	41 3/4" 106 cm	30 1/8x30 1/8" 76.5x76.5 cm	1 3/8" 35 mm	9/16" 15 mm	✓	8" 200 mm	63x23 1/4x46 1/16" 160x59x117 cm	133.4 Lb 60.5 kg	1 **1

DV-200 1000	REF.	54911	54912	54913	54914
	Voltage / RPM	230V-50 Hz. / 2790	220V-60Hz. / 2790	110V-50Hz. / 2790	120V-60Hz. / 2790



DU-200 EVO 650	25 9/16" 65 cm	17 11/16x17 11/16" 45x45 cm	1 3/8" 35 mm	13/16" 20 mm	√	8" 200 mm	46 1/16x15 3/8x40 3/16" 117x39x102 cm	49.6 Lb 22.5 kg	1	9
DU-200 EVO 850	33 7/16" 85 cm	24x24" 60x60 cm	1 3/8" 35 mm	13/16" 20 mm	√	8" 200 mm	53 9/16x15 3/8x40 3/16" 136x39x102 cm	60 Lb 27.2 kg	1	6

	REF.	55903	55905	55906	55989	55907*	55938	55939	55949*
DU-200 EVO 650	Voltage / RPM	230V-50Hz. / 2915	230V-50Hz UK / 2915	110V-50Hz UK / 2670	220V-60Hz UK / 3490	120V-60Hz USA / 3200	220V-60Hz. / 3490	240V-50Hz AUS. / 2915	230V-50Hz. / 2915
	REF.	54975*	54976*	54977*	54974*	54979*			
DU-200 EVO 850	Voltage / RPM	230V-50Hz. / 2915	120V-60Hz USA / 3490	230V-50Hz UK / 2915	110V 50Hz UK / 2915	220V-60Hz UK / 3490			

*With CEV-SUPERPRO blade



ND-200	∞	∞	9" 23 cm	1 9/16" 40 mm	√	8" 200 mm	20 1/16x20 11/16x9 7/16" 51x52.5x24 cm	37.9 Lb 17.2 kg	1 8

	REF.	45910	45915	45911	45916	45918
ND-200	Voltage / RPM	230V-50 Hz. / 2770	230V-50 Hz UK / 2770	220V-60 Hz. / 2770	110V-50 Hz UK / 2770	120V-60 Hz / 2770



	REF			RPM									
ND-180	25925	-	230V-50 Hz.	2800	∞	∞	8"	1 3/8"	7"	15 9/16x15 3/16x9 5/8"	26 Lb	1	24
							20 cm	35 mm	180 mm	39.5x38.5x24.5 cm	11.8 kg		
ND-180	25926	-	120V-60 Hz.	2800	∞	∞	8"	1 3/8"	7"	15 9/16x15 3/16x9 5/8"	26 Lb	1	24
							20 cm	35 mm	180 mm	39.5x38.5x24.5 cm	11.8 kg		
ND-180	25927	-	220V-60 Hz.	2800	∞	∞	8"	1 3/8"	7"	15 9/16x15 3/16x9 5/8"	26 Lb	1	24
							20 cm	35 mm	180 mm	39.5x38.5x24.5 cm	11.8 kg		
ND-180 USA	25963	-	120V-60 Hz.	2800	∞	∞	8"	1 3/8"	7"	15 9/16x15 3/16x9 5/8"	26 Lb	1	24
							20 cm	35 mm	180 mm	39.5x38.5x24.5 cm	11.8 kg		
ND-180	25945	✓	230V-50 Hz.	2800	∞	∞	8"	1 3/8"	7"	15 9/16x15 3/16x9 5/8"	29.01 Lb	1	12
							20 cm	35 mm	180 mm	39.5x38.5x24.5 cm	13.16 kg		
ND-180	25964	✓	120V-60 Hz.	2800	∞	∞	8"	1 3/8"	7"	15 9/16x15 3/16x9 5/8"	29.01 Lb	1	12
							20 cm	35 mm	180 mm	39.5x38.5x24.5 cm	13.16 kg		
ND-180 UK	24956	✓	230V-50 Hz.	2800	∞	∞	8"	1 3/8"	7"	15 9/16x15 3/16x9 5/8"	29.01 Lb	1	12
							20 cm	35 mm	180 mm	39.5x38.5x24.5 cm	13.16 kg		



DR-350 ZERO DUST	33 1/16"	17 1/8x17 1/8"	3 3/4 / 5 7/8"	12-14"	45 1/4x27 3/16x52 3/16"	139 Lb	✓	1	**1			
	84 cm	43.5x43.5 cm	95 / 150 mm	300-350 mm	115x69x132.5 cm	63 kg						

	REF.			
DR-350 ZERO DUST	56940	56948		
	Voltage / RPM	230V-50 Hz. / 2800	380V-50 Hz.3F. / 2800	



	REF	
N-CLEANING BLOCK	05974	5



	REF	
CLEANING BLOCK	05973	5



	REF	
ND-200 WATER TRAY	45434	5



	REF	
SET OF FLANGES DX-350	51915	1



	REF	
SET OF FLANGES DX-350	54939	1




	REF	
ROLLER TABLE EXTENSION DU/DC/DS/DX (FROM 2013)	51914	1

	REF	
SET OF FLANGES DU/DV/DC/DX-250	57991	1



	REF	
BASE LATERAL STOP DV/DC/DS/DX	51910	1



	REF	
TABLE EXTENSION DS/DX (FROM 2014)	54991	1
TABLE EXTENSION DV/DC	54993	1



	REF	
LONGITUDINAL LATERAL STOP FOR DV-200	54994	1




	REF	
ADJUSTABLE LENGTH LATERAL STOP DC/DS/DX	54844	1



	REF	
LASER & LEVEL KIT DV/DC/DX	54999	1



	REF		
230/50 EUR	58850	230V - 50 Hz EUR	1
380/50 EUR	58851	380V - 50 Hz EUR	1
110/50 UK	58852	110V - 50 Hz UK	1
230/50 UK	58853	230V - 50 Hz UK	1
120/60 15A 12AWG USA	58854	120V - 60 Hz 15 A 12AWG USA	1
220/60 15A 12AWG USA	58856	220V - 60 Hz 15 A 12AWG USA	1
220/60 20A 12AWG USA	58857	220V - 60 Hz 20 A 12AWG USA	1
230/50 10A AUS	58863	230V - 50 Hz 10 A AUSTR.	1



	REF	
TILE FIXER DV/DC/DS/DX	51916	1



	REF	
LATERAL STOP FOR DC/DS/DX	54822	1



	REF	
EC1 82 FT. (25 M.J.) / 13.9A PLUS	83991	1
EC2 164 FT. (50 M.J.) / 13.9A PLUS	83949	1



	REF		RPM	W										
TC 180	50939	✓	5800	1800 W	230V / 50-60Hz	2 3/16" 55 mm	7" 180 mm	7/8" 22.2 mm	13x17 11/16x14 15/16" 33x45x38 cm	✓	14.8 Lb 6.7 kg	24 Lb 11 kg	1	10



	REF		
KIT TC-180 230V/50-60HZ	50994	1	8



	REF			
80CM (31 1/2")	50956	32 5/16x7 5/16x13/16" 82x18.5x2 cm	2.78 Lb 1.26 kg	1
120CM (47 1/4")	50959	47 5/8x7x13/16" 121x18x2 cm	4 Lb 1.8 kg	1

REF	
50957	1

REF	
50958	1




	REF				
AS-30 PRO VACUUM CLEANER	50962	25 3/16x14 15/16x14 15/16" 64x38x38 cm	210-240V/50-60 Hz	1	9



REF	
50964	1



REF	
50998	1



REF	
50999	1



REF					
STT 115 SUPERPRO 30974	4 1/2" 115 mm	7/8" 22.2 mm	0.085" 2.2 mm	3/8" 10 mm	1
STT 125 SUPERPRO 30975	5" 125 mm	7/8" 22.2 mm	0.085" 2.2 mm	3/8" 10 mm	1
STT 230 SUPERPRO 30976	9" 230 mm	7/8" 22.2 mm	0.095" 2.4 mm	3/8" 10 mm	1



REF					
SEV 115 PRO 25915	4 1/2" 115 mm	7/8" 22.2 mm	0.060" 1.6 mm	5/16" 8 mm	1
SEV 125 PRO 32940	5" 125 mm	7/8" 22.2 mm	0.060" 1.6 mm	5/16" 8 mm	1
SEV 180 PRO 25938	7" 180 mm	7/8" 22.2 mm	0.080" 2 mm	5/16" 8 mm	1
SEV 230 PRO 25916	9" 230 mm	7/8" 22.2 mm	0.090" 2.3 mm	5/16" 8 mm	1

REF					
TSV 115 PRO 25917	4 1/2" 115 mm	7/8" 22.2 mm	0.080" 2 mm	5/16" 8 mm	1
TSV 125 PRO 31980	5" 125 mm	7/8" 22.2 mm	0.085" 2.2 mm	5/16" 8 mm	1
TSV 230 PRO 25918	9" 230 mm	7/8" 22.2 mm	0.095" 2.5 mm	5/16" 8 mm	1
TSV 125 SUPERPRO 31982	5" 125 mm	7/8" 22.2 mm	0.080" 2 mm	5/16" 8 mm	1

REF					
CSV 115 PRO 25910	4 1/2" 115 mm	7/8" 22.2 mm	0.060" 1.6 mm	1/4" 7 mm	1
CSV 125 PRO 31915	5" 125 mm	7/8" 22.2 mm	0.060" 1.6 mm	1/4" 7 mm	1
CSV 115 SUPERPRO 30882	4 1/2" 115 mm	7/8" 22.2 mm	0.060" 1.6 mm	1/4" 7 mm	1
CSV 125 SUPERPRO 30883	5" 125 mm	7/8" 22.2 mm	0.060" 1.6 mm	1/4" 7 mm	1
CSV 230 SUPERPRO 30888	9" 230 mm	7/8" 22.2 mm	0.075" 1.9 mm	1/4" 7 mm	1

REF					
TSA 115 PRO 31952	4 1/2" 115 mm	7/8" 22.2 mm	0.080" 2 mm	5/16" 8 mm	1
TSA 125 PRO 31953	5" 125 mm	7/8" 22.2 mm	0.085" 2.2 mm	5/16" 8 mm	1
TSA 180 PRO 31956	7" 180 mm	7/8" 22.2 mm	0.085" 2.2 mm	5/16" 8 mm	1
TSA 230 PRO 31958	9" 230 mm	7/8" 22.2 mm	0.095" 2.5 mm	5/16" 8 mm	1



EAC



	REF					
TVA 115 SUPERPRO	31932	4 1/2" 115 mm	7/8" 22.2 mm	0.055" 1.4 mm	3/8" 10 mm	1
TVA 125 SUPERPRO	31933	5" 125 mm	7/8" 22.2 mm	0.055" 1.4 mm	3/8" 10 mm	1
TVA 180 SUPERPRO	31934	7" 180 mm	7/8" 22.2 mm	0.060" 1.6 mm	3/8" 10 mm	1
TVA 230 SUPERPRO	31935	9" 230 mm	7/8" 22.2 mm	0.060" 1.6 mm	3/8" 10 mm	1

	REF					
SHA 115 PRO	32922	4 1/2" 115 mm	7/8" 22.2 mm	0.085" 2.2 mm	5/16" 8 mm	1
SHA 230 PRO	32928	9" 230 mm	7/8" 22.2 mm	0.110" 2.8 mm	5/16" 8 mm	1
SHA 180 SUPERPRO	32926	7" 180 mm	7/8" 22.2 mm	0.095" 2.4 mm	5/16" 8 mm	1

	REF					
SCA 230 SUPERPRO	30904	9" 230 mm	7/8" 22.2 mm	0.120" 3 mm	1/2" 12 mm	1

	REF					
CPR 115 SUPERPRO	30972	4 1/2" 115 mm	7/8" 22.2 mm	0.060" 1.7 mm	5/16" 8 mm	1
CPR 125 SUPERPRO	30973	5" 125 mm	7/8" 22.2 mm	0.060" 1.7 mm	5/16" 8 mm	1

	REF					
TCR 115 SUPERPRO	31972	4 1/2" 115 mm	7/8" 22.2 mm	0.055" 1.4 mm	5/16" 8 mm	1
TCR 125 SUPERPRO	31973	5" 125 mm	7/8" 22.2 mm	0.055" 1.4 mm	5/16" 8 mm	1
TCR 180 SUPERPRO	31975	7" 180 mm	7/8" 22.2 mm	0.055" 1.6 mm	5/16" 8 mm	1
TCR 230 SUPERPRO	31978	9" 230 mm	7/8" 22.2 mm	0.055" 2 mm	5/16" 8 mm	1



EAC



	REF					
CPJ 115 SUPERPRO	32932	4 1/2" 115 mm	7/8" 22.2 mm	0.055" 1.4 mm	5/16" 8 mm	1
CPJ 125 SUPERPRO	32933	5" 125 mm	7/8" 22.2 mm	0.055" 1.4 mm	5/16" 8 mm	1



	REF					
SON 125 SUPERPRO	32903	5" 125 mm	7/8" 22.2 mm	0.085" 2.2 mm	5/16" 8 mm	1
SON 230 SUPERPRO	32908	9" 230 mm	7/8" 22.2 mm	0.100" 2.6 mm	5/16" 8 mm	1



	REF					
EMG 115 SUPERPRO	30995	4 1/2" 115 mm	7/8" 22.2 mm	0.085" 2.2 mm	1/8" 3 mm	1
EMG 125 SUPERPRO	30996	5" 125 mm	7/8" 22.2 mm	0.085" 2.2 mm	1/8" 3 mm	1
EMG 230 SUPERPRO	30997	9" 230 mm	7/8" 22.2 mm	0.120" 3 mm	1/8" 3 mm	1



	REF					
RSQ 115 SUPERPRO	30900	4 1/2" 115 mm	7/8" 22.2 mm	0.110" 2.8 mm	3/16" 4 mm	1
RSQ 125 SUPERPRO	30901	5" 125 mm	7/8" 22.2 mm	0.110" 2.8 mm	3/16" 4 mm	1
RSQ 230 SUPERPRO	30902	9" 230 mm	7/8" 22.2 mm	0.120" 3.0 mm	3/16" 4 mm	1



	REF					
ECD 115 2IN1 SUPERPRO	31964	4 1/2" 115 mm	0" M14 mm	0.070" 1.8 mm	1/4" 5.6 mm	1
ECD 125 2IN1 SUPERPRO	31965	5" 125 mm	0" M14 mm	0.070" 1.8 mm	1/4" 5.6 mm	1



EAC



	REF					
SHR 250 PRO	32974	10" 250 mm	1" 25.4 mm	0.100" 2.6 mm	3/8" 10 mm	1
SHR 300 PRO	32972	12" 300 mm	1" 25.4 mm	0.100" 2.6 mm	3/8" 10 mm	1
SHR 300 SUPERPRO	32970	12" 300 mm	1" 25.4 mm	0.100" 2.6 mm	3/8" 10 mm	1
SHR 350 SUPERPRO	32971	14" 350 mm	1" 25.4 mm	0.120" 3 mm	3/8" 10 mm	1

	REF					
CEV 180 PRO	25912	7" 180 mm	7/8-1" 22.2 - 25.4 mm	0.060" 1.7 mm	5/16" 8 mm	1
CEV 200 PRO	25913	8" 200 mm	1" 25.4 mm	0.060" 1.7 mm	5/16" 8 mm	1
CEV 250 PRO	25934	10" 250 mm	1" 25.4 mm	0.085" 2.2 mm	5/16" 8 mm	1
CEV 180 SUPERPRO	30945	7" 180 mm	7/8-1" 22.2 - 25.4 mm	0.060" 1.7 mm	5/16" 8 mm	1
CEV 200 SUPERPRO	30946	8" 200 mm	1" 25.4 mm	0.060" 1.7 mm	5/16" 8 mm	1
CEV 230 SUPERPRO	30948	9" 230 mm	7/8-1" 22.2 - 25.4 mm	0.060" 2 mm	5/16" 8 mm	1
CEV 250 SUPERPRO	30949	10" 250 mm	1" 25.4 mm	0.085" 2.2 mm	5/16" 8 mm	1
CEV 300 SUPERPRO	30950	12" 300 mm	1" 25.4 mm	0.085" 2.2 mm	3/8" 10 mm	1
CEV 350 SUPERPRO	30951	14" 350 mm	1" 25.4 mm	0.100" 2.6 mm	3/8" 10 mm	1


	REF					
CPA 180 SUPERPRO	30925	7" 180 mm	7/8" 22.2 mm	0.060" 1.7 mm	5/16" 8 mm	1
CPA 200 SUPERPRO	30926	8" 200 mm	1" 25.4 mm	0.060" 1.7 mm	5/16" 8 mm	1
CPA 230 SUPERPRO	30928	9" 230 mm	7/8" 22.2 mm	0.080" 2 mm	5/16" 8 mm	1
CPA 250 SUPERPRO	30929	10" 250 mm	1" 25.4 mm	0.085" 2.2 mm	5/16" 8 mm	1
CPA 300 SUPERPRO	30930	12" 300 mm	1" 25.4 mm	0.085" 2.2 mm	3/8" 10 mm	1
CPA 350 SUPERPRO	30931	14" 350 mm	1" 25.4 mm	0.100" 2.6 mm	3/8" 10 mm	1

	REF					
CPC 180 PRO	30955	7" 180 mm	7/8-1" 22.2 - 25.4 mm	0.060" 1.7 mm	5/16" 8 mm	1
CPC 200 PRO	30956	8" 200 mm	1" 25.4 mm	0.060" 1.7 mm	5/16" 8 mm	1
CPC 230 PRO	30958	9" 230 mm	7/8-1" 22.2 - 25.4 mm	0.080" 2 mm	5/16" 8 mm	1
CPC 250 PRO	30959	10" 250 mm	1" 25.4 mm	0.085" 2.2 mm	5/16" 8 mm	1
CPC 300 PRO	30960	12" 300 mm	1" 25.4 mm	0.085" 2.2 mm	3/8" 10 mm	1
CPC 350 PRO	30961	14" 350 mm	1" 25.4 mm	0.100" 2.6 mm	3/8" 10 mm	1



REF					
CPX 200 PRO 30964	8" 200 mm	1" 25.4 mm	0.060" 1.6 mm	5/16" 8 mm	1
CPX 250 PRO 30962	10" 250 mm	1" 25.4 mm	0.060" 1.6 mm	5/16" 8 mm	1
CPX 300 PRO 30963	12" 300 mm	1" 25.4 mm	0.060" 1.6 mm	5/16" 8 mm	1

INGLETES
MITER
ONGLETS



REF					
TPI 200 SUPERPRO 31966	8" 200 mm	1" 25.4 mm	0.095" 2.5 mm	5/16" 8 mm	1
TPI 230 SUPERPRO 31967	9" 230 mm	1" 25.4 mm	0.095" 2.5 mm	5/16" 8 mm	1
TPI 250 SUPERPRO 31969	10" 250 mm	1" 25.4 mm	0.095" 2.5 mm	5/16" 8 mm	1



REF					
TVH 200 SUPERPRO 31936	8" 200 mm	1" 25.4 mm	0.060" 1.6 mm	3/8" 10 mm	1
TVH 250 SUPERPRO 31937	10" 250 mm	1" 25.4 mm	0.060" 1.6 mm	3/8" 10 mm	1
TVH 300 SUPERPRO 31938	12" 300 mm	1" 25.4 mm	0.080" 2 mm	3/8" 10 mm	1
TVH 350 SUPERPRO 31939	14" 350 mm	1" 25.4 mm	0.095" 2.4 mm	3/8" 10 mm	1



REF					
TON 200 SUPERPRO 31906	8" 200 mm	1" 25.4 mm	0.095" 2.5 mm	5/16" 7.5 mm	1
TON 250 SUPERPRO 31909	10" 250 mm	1" 25.4 mm	0.095" 2.5 mm	5/16" 7.5 mm	1
TON 300 SUPERPRO 31910	12" 300 mm	1" 25.4 mm	0.120" 3 mm	5/16" 7.5 mm	1



REF



04992

1



REF



HEAD Ø 1", 1 3/8", 1 3/4", 2 1/4", 2 1/2", 2 3/4", 3 1/4",
(27, 35, 45, 55, 65, 70, 85 MM)

04995

1



REF



1" (27 MM.)

04960

5

1 3/8" (35 MM.)

04962

5

1 3/4" (45 MM.)

04964

5

2 1/4" (55 MM.)

04965

5

2 1/2" (65 MM.)

04966

5

2 3/4" (70 MM.)


04967

5

3 1/4" (85 MM.)

04968

5



REF



DRYGRES Ø 1/4" (6 MM.)

05988

1

DRYGRES Ø 2/7" (7 MM.)

05994

1

DRYGRES Ø 5/16" (8 MM.)

05989

1

DRYGRES Ø 3/8" (10 MM.)

05990

1

DRYGRES Ø 1/2" (12 MM.)

05991

1

DRYGRES Ø 3/4" (20 MM.)

04910

1

DRYGRES Ø 1 1/8" (28 MM.)

04911

1

DRYGRES Ø 1 3/8" (35 MM.)

04912

1

DRYGRES Ø 1 3/4" (43 MM.)

04913

1

DRYGRES Ø 2" (50 MM.)

04914

1

DRYGRES Ø 2 3/8" (60 MM.)

04915

1

DRYGRES Ø 2 1/2" (65 MM.)

04916

1

DRYGRES Ø 2 11/16" (68 MM.)

04917

1

DRYGRES Ø 3" (75 MM.)

05992

1

M 14 ADAPTER FOR ELECTRIC DRILL

05976

1

MULTIDRILL GUIDE (MÁX. Ø 83 MM.)

50944

1

DRYGRES Ø 1/4" - THREAD 5/8" USA (6 MM.)

05993

1

DRYGRES Ø 5/16" - THREAD 5/8" USA (8 MM.)

05932

1

DRYGRES Ø 3/8" - THREAD 5/8" USA (10 MM.)

05901

1

DRYGRES Ø 1/2" - THREAD 5/8" USA (12 MM.)

05933

1

DRYGRES Ø 3/4" - THREAD 5/8" USA (20 MM.)

05934

1

DRYGRES Ø 1 1/8" - THREAD 5/8" USA (28 MM.)

05902

1

DRYGRES Ø 1 3/8" - THREAD 5/8" USA (35 MM.)

05987

1

DRYGRES Ø 1 3/4" - THREAD 5/8" USA (43 MM.)

05936

1

DRYGRES Ø 2" - THREAD 5/8" USA (50 MM.)

05903

1

DRYGRES Ø 2 1/2" - THREAD 5/8" USA (65 MM.)

05937

1

DRYGRES Ø 3" - THREAD 5/8" USA 75 MM.)

05938

1



	REF	
KIT 4 BITS DRYGRES	50917	1
KIT 5 BITS DRYGRES	50936	1
KIT 6 BITS DRYGRES	50996	1
KIT 5 BITS DRYGRES 5/8" USA	05996	



	REF	
KIT MINI DRYGRES	50938	1



	REF	
KIT TCR BLADE AND DRYGRES DRILL BITS	68923	1



	REF	
KIT DRYGRES 4DRILL Ø 1/4", 5/16", 3/8", 1/2" (6, 8, 10, 12 MM.)	05911	1



	REF	
DRYGRES Ø 1/4" (6 MM.)	05904	1
DRYGRES Ø 5/16" (8 MM.)	05905	1
DRYGRES Ø 3/8" (10 MM.)	05906	1
DRYGRES Ø 1/2" (12 MM.)	05907	1
DRYGRES Ø 9/16" (14 MM.)	05908	1
DRYGRES Ø 3/4" (20 MM.)	05909	1



	REF	
MINIGRES REPLACEMENT 1/4" (6 MM.)	04930	1
MINIGRES REPLACEMENT 5/16" (8 MM.)	04931	1
MINIGRES REPLACEMENT 3/8" (10 MM.)	04932	1



	REF	
DETACHABLE MINIGRES HEAD Ø 1/4" TO 9/16" (6 - 14MM.).	04937	1



	REF	
KIT FORAGRES	50903	1



	REF	
EASY GRES 7/32" (6 MM.)	04922	10
EASY GRES 1/4" (6.5 MM.)	04920	10
EASY GRES 5/16" (8 MM.)	04923	10
EASY GRES 3/8" (10 MM.)	04924	10
EASY GRES 1/2" (12 MM.)	04921	10



	REF	
FORAGRES 3/4" (20 MM.)	04970	1
FORAGRES 1 1/8" (28 MM.)	04971	1
FORAGRES 1 3/8" (35 MM.)	04972	1
FORAGRES 1 5/8" (40 MM.)	04963	1
FORAGRES 1 3/4" (43 MM.)	04981	1
FORAGRES 2" (50 MM.)	04973	1
FORAGRES 2 1/2" (65 MM.)	04974	1
FORAGRES 2 11/16" (68 MM.)	04918	1
FORAGRES 3" (75 MM.)	04975	1
FORAGRES 4" (100 MM.)	04976	1
FORAGRES 4 3/4" (120 MM.)	04977	1



	REF	
EASY GRES 7/32" (6 MM.) SET	04927	10
EASY GRES 1/4" (6.5 MM.) SET	04925	10
EASY GRES 5/16" (8 MM.) SET	04928	10
EASY GRES 3/8" (10 MM.) SET	04929	10
EASY GRES 1/2" (12 MM.) SET	04926	10
EASY GRES 7/32" AND 3/8" (6 AND 10 MM.) SET	04919	10
EASY GRES 1/4" AND 3/8" (6.5 AND 10 MM.) SET	04909	10
KIT EASY Ø 6, 8, 10 AND 12 MM .	04904	10
REPLACEMENT ADHESIVES 20 U.	04999	10



	REF	
EASY GRES 3/4" (20 MM.)	05961	1
EASY GRES 1 1/8" (28 MM.)	05962	1
EASY GRES 1 3/8" (35 MM.)	05963	1
EASY GRES 1 5/8" (40 MM.)	05964	1
EASY GRES 1 3/4" (43 MM.)	05965	1
EASY GRES 2" (50 MM.)	05966	1
EASY GRES 2 1/4" (55 MM.)	05967	1
EASY GRES 2 1/2" (65 MM.)	05969	1
EASY GRES 2 11/16" (68 MM.)	05978	1
EASY GRES 3" (75 MM.)	05979	1
EASY GRES 4" (100 MM.)	05981	1
EASY GRES 4 3/4" (120 MM.)	05982	1



	REF		RPM	
KIT EASY GRES DRILL BIT Ø 1 3/8" (35 MM.)	50921	1 1/16" 27 mm	500 max.	1



REF	
50944	1



	REF		RPM	
KIT EASY GRES PLUS	50937	1 1/16" 27 mm	500 max.	1



REF	
50907	1



REF	
50947	1



HEX-M14

REF	
05976	1



ERC



	REF					RPM	
DOUBLE ROW Ø100	05917	4" 100 mm	7/8" 22.2 mm	1/4" 6 mm	3/4" 19 mm	15300	1
DOUBLE ROW Ø125	05918	5" 125 mm	7/8" 22.2 mm	1/4" 6 mm	3/4" 19 mm	12250	1

	REF					RPM	
FAN CUP Ø100	05919	4" 100 mm	7/8" 22.2 mm	3/16" 5 mm	15/16" 23.5 mm	15300	1
FAN CUP Ø125	05920	5" 125 mm	7/8" 22.2 mm	3/16" 5 mm	15/16" 23.5 mm	12250	1

	REF					RPM	
TURBO Ø100	05921	4" 100 mm	0" M14 mm	1/4" 7 mm	3/4" 19.5 mm	15300	1

	REF					RPM	
PCD Ø125	05922	5" 125 mm	7/8" 22.2 mm	1/16" 2 mm	7/16" 10.5 mm	12250	1

	REF				
ECD 115 2IN1 SUPERPRO	31964	4 1/2" 115 mm	0" M14 mm	1/16" 1.8 mm	1
ECD 125 2IN1 SUPERPRO	31965	5" 125 mm	0" M14 mm	1/16" 1.8 mm	1