



REVESTIMIENTO: MADISON PLATA 31,6x90cm

MADISON

Revestimiento Monoporosa Rectificado / Wall Tiles Rectified




MADISON NÁCAR

31,6x90x0,9 cm

P3470563 / 100099090

G271

Butech recomienda junta / Butech recommends joint: Colorstuk Rapid n Blanco B21522247/100236463



MADISON ANTRACITA

31,6x90x0,9 cm

P3470574 / 100099872

G271

Butech recomienda junta / Butech recommends joint: Colorstuk Rapid n Negro B21522251/100236475



MADISON PLATA

31,6x90x0,9 cm

P3470601 / 100111752

G287

Butech recomienda junta / Butech recommends joint: Colorstuk Rapid n Antracita B21522250/100236481

MADISON PLATA

- ADHESIVO RECOMENDADO · RECOMMENDED ADHESIVE · Fr-one n
- ÁMBITO DE USO · FIELD OF USE · Revestimiento de paredes interiores · Interior wall covering.

• ATENCIÓN: PRODUCTO ESPECIAL
La manipulación indebida durante la colocación y rejuntado, puede causar rayados y rozaduras de los que PORCELANOSA S.A. no se hace responsable · No utilizar para la retirada de material de rejuntado y la limpieza del producto agentes abrasivos · Evitar contactos prolongados de la superficie decorada con ácidos y álcalis · Se recomienda usar como agentes de limpieza únicamente agua y jabón neutro · Al tratarse de un material delicado, su manipulación ha de ser cuidadosa. Adoptar métodos de colocación específicos del tipo de material (utilizar adhesivos y material de rejuntado apropiados) · Evitar, durante la instalación, el uso de utensilios que puedan dañar el material cerámico · Utilizar técnica de doble encolado (aplicando material de agarre en la pieza y el soporte a embaldosar) para evitar las indeseables zonas vacías · No prolongar en exceso el secado del material de rejuntado en la superficie · Para el corte de las piezas, utilizar cortadoras e ingleteadoras eléctricas con disco refrigerado con agua.

• WARNING: SPECIALS PRODUCTS
Improper manipulation during fixing and grouting can cause scratches for which PORCELANOSA S.A. will not take responsibility · Do not use abrasive agents to clean this product · Avoid long contact of the decorated surface with acids ands alkalins · Use only hot water and mild soap as cleaning agents ·This is a delicate material that must be handled with care. Use specific installation methods (use the proper bonding material) · Do not use tools that could damage material during installation · Use the floating and buttering method, applying the bonding material to both the back of the piece and the substrate, so as to ensure that there are no unwanted voids · Grouting material should not be left to dry for a too long time in the surface ·To cut pieces, use electric water-cooled cutters and mitring saw

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
31,6x90cm	4	1,14	57	64,84	18,17	1077	Fr-one n / One-flex Premium
31,6x90 M. Plata	3	0,85	36	30,71	13,87	517,37	Fr-one n / One-flex Premium

*valores aproximados. *approximated values.



SAFARI

Revestimiento Monoporosa Rectificado / Wall Tiles Rectified



SAFARI ARENA		
31,6x90x0,9 cm	P3470822 / 100172733	G261
PERFIL SAFARI ARENA		
1,5x31,6 cm	P6209121 / 100173563	G77
Butech recomienda junta / Butech recommends joint: Colorstuk Rapid n Beige B21522252/100236808		



SAFARI CALIZA		
31,6x90x0,9 cm	P3470824 / 100172734	G261
PERFIL SAFARI CALIZA		
1,5x31,6 cm	P6209120 / 100173570	G77
Butech recomienda junta / Butech recommends joint: Colorstuk Rapid n Marfil B21522257/100236794		

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING							
FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
31,6x90cm	4	1,14	57	64,84	16,2	923,4	Fr-one n / One-flex Premium
1,5x31,6cm	30	0,28	42	11,94	3,72	156,24	Fr-one n / One-flex Premium

*valores aproximados. *approximated values.



PAVIMENTO COMBINABLE: SERIE SAFARI 59,6x59,6cm ·
FLOOR TILES COMBINATIONS: SAFARI SERIE 59,6x59,6cm



YAKARTA

Revestimiento Monoporosa Rectificado / Wall Tiles Rectified



YAKARTA BLANCO		
31,6x90x0,93 cm	P3470502 / 100096156	G261
PERFIL YAKARTA BLANCO		
1,5x31,6 cm	P6200371 / 100029155	G77
Butech recomienda junta / Butech recommends joint: Colorstuk Rapid n Beige B21522252/100236808		

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING							
FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
31,6x90cm	4	1,14	57	64,84	18,56	1055	Fr-one n / One-flex Premium
1,5x31,6cm	30	0,28	42	11,94	3,83	160,93	Fr-one n / One-flex Premium

*valores aproximados. *approximated values.

REVESTIMIENTO

Singulares diseños en relieve y materiales naturales inspiran las colecciones de revestimientos, ofreciendo múltiples posibilidades decorativas en cualquier espacio.

WALL TILES

Unique embossed designs and natural materials inspire our collections of coverings, providing multiple decorative opportunities for any space.

ÍNDICE

DE PRODUCTO

INDEX

PRODUCT

NEW

STONES & CONCRETES

31,6 x 59,2 cm

20 x 31,6 cm

ARIZONA	147
MARBELLA . SPIGA BOTTEGA . BOTTEGA	148
DOVER ANTIQUE . DOVER MODERN LINE . DOVER	151
NATAL	153
MOMBASA PRADA . PRADA	154
RODANO LINEAL . MOSAICO RODANO . RODANO	156

170 PARK . PARK LINEAL

MARBLES

MÁRMOL CARRARA BLANCO	160
SENA	161

WHITES

OXO DECO BLANCO . CHINA BLANCO	162
GLASS BLANCO	163

171	MÁLAGA . RONDA . SEVILLA
178	MÓNACO
179	OXON
179	TECNOS

TEXTURES

FOREST	165
JAPAN	167
MATRIX . JAMAICA . KINGSTON	168
SAFARI	169

180	AQUA
180	JAPAN
181	JERSEY
181	SAFARI

WALL TILES



REVESTIMIENTO: MOSAICO ARIZONA CALIZA 31,6x59,2cm

ARIZONA

Revestimiento Monoporosa / Wall Tiles



ARIZONA CALIZA
31,6x59,2x0,9 cm P3219306 / 100217840 G226

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834



MOSAICO ARIZONA CALIZA
31,6x59,2x0,9 cm P3219308 / 100217911 G233

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
31,6x59,2cm	6	1,13	72	81,22	17,4	1252,48	Tixocem + / One-flex Premium

*valores aproximados. *approximated values.



PAVIMENTO COMBINABLE: SERIE ARIZONA 44,3x44,3cm ·
FLOOR TILES COMBINATIONS: ARIZONA SERIE 44,3x44,3cm



BOTTEGA SPIGA BOTTEGA

Revestimiento Monoporosa / Wall Tiles




BOTTEGA ACERO
31,6x59,2x0,87 cm P3219316 / 100225102 G226

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464



BOTTEGA CALIZA
31,6x59,2x0,87 cm P3219319 / 100225103 G226

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834



SPIGA BOTTEGA ACERO
31,6x59,2x0,87 cm P3219317 / 100225056 G233

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464



SPIGA BOTTEGA CALIZA
31,6x59,2x0,87 cm P3219318 / 100225104 G233

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING



FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
31,6x59,2cm	6	1,13	72	81,22	16,32	1210,29	Tixocem + / One-flex Premium

*valores aproximados. *approximated values.

BOTTEGA SPIGA BOTTEGA MARBELLA

Revestimiento Monoporosa / Wall Tiles



BOTTEGA WHITE
31,6x59,2x0,87 cm P3219330 / 100242771 G226

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834



MARBELLA STONE
31,6x59,2x0,87 cm P3219321 / 100241404 G233

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464



- MARBELLA STONE ESTÁ FORMADA POR 6 DECORADOS DISTINTOS ALEATORIOS.
- MARBELLA STONE IS MADE IN 6 DIFFERENT RANDOM PATTERNS.



SPIGA BOTTEGA WHITE
31,6x59,2x0,87 cm P3219329 / 100242747 G233

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING



FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
31,6x59,2cm	6	1,13	72	81,22	16,32	1210,29	Tixocem + / One-flex Premium

*valores aproximados. *approximated values.



PAVIMENTO COMBINABLE: SERIE BOTTEGA 44,3x44,3cm
FLOOR TILES COMBINATIONS: BOTTEGA SERIE 44,3x44,3cm





REVESTIMIENTO: DOVER ACERO 31,6x59,2cm · DOVER MODERN LINE ACERO 31,6x59,2cm | PAVIMENTO: OXFORD ACERO 14,3x90cm/22x90cm

DOVER DOVER MODERN LINE DOVER ANTIQUE

Revestimiento Monoporosa / Wall Tiles



DOVER ACERO
31,6x59,2x0,9 cm P3219280 / 100157353 G226

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834



DOVER CALIZA
31,6x59,2x0,9 cm P3219283 / 100157356 G226

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834



DOVER MODERN LINE ACERO
31,6x59,2x1,14 cm P3219281 / 100157373 G233

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834



DOVER MODERN LINE CALIZA
31,6x59,2x1,14 cm P3219282 / 100157374 G233

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834



DOVER ANTIQUE
31,6x59,2x0,9 cm P3219277 / 100157355 G233

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449

i
· DOVER ANTIQUE ESTÁ FORMADO POR 9 DECORADOS DISTINTOS ALEATORIOS.
· DOVER ANTIQUE RANGE IS MADE IN 9 DIFFERENT RANDOM PATTERNS.

i
PAVIMENTO COMBINABLE: SERIE DOVER 44,3x44,3cm ·
FLOOR TILES COMBINATIONS: DOVER SERIE 44,3x44,3cm

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING								Adhesivo
FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL		
31,6x59,2cm	6	1,13	72	81,22	15,72	1131,84		Tixocem + / One-flex Premium
31,6x59,2cm Modern	5	0,94	72	67,68	14,35	1033,2		Tixocem + / One-flex Premium

*valores aproximados. *approximated values.



REVESTIMIENTO: NATAL MARFIL

NATAL

Revestimiento Monoporosa / Wall Tiles



NATAL MARFIL
31,6x59,2x0,9 cm P3219257 / 100110469 G226

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Marfil B21522257/100236794

WALL TILES

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
31,6x59,2cm	6	1,13	72	81,22	17,25	1242,32	Tixocem + / One-flex Premium

*valores aproximados. *approximated values.

i PAVIMENTO COMBINABLE: SERIE NATAL 44,3x44,3cm ·
FLOOR TILES COMBINATIONS: NATAL SERIE 44,3x44,3cm



PRADA MOMBASA PRADA

Revestimiento Monoporosa / Wall Tiles



PRADA ACERO

31,6x59,2x0,87 cm P3219324 / 100242652 G226

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464



MOMBASA PRADA ACERO

31,6x59,2x1,13 cm P3219328 / 100242710 G233

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464



TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING



FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
31,6x59,2cm	6	1,13	72	81,22	18,3	1305,07	Tixocem + / One-flex Premium
31,5x59,2 Mombasa	5	0,94	72	67,68	15,25	1098	Tixocem + / One-flex Premium

*valores aproximados. *approximated values.

PRADA MOMBASA PRADA

Revestimiento Monoporosa / Wall Tiles



PRADA CALIZA

31,6x59,2x0,87 cm P3219326 / 100242661 G226

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Beige B21522252/100236808



MOMBASA PRADA CALIZA

31,6x59,2x1,13 cm P3219327 / 100242711 G233

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Beige B21522252/100236808



PRADA WHITE

31,6x59,2x0,87 cm P3219323 / 100242628 G226

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834



MOMBASA PRADA WHITE

31,6x59,2x1,13 cm P3219325 / 100242695 G233

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834




TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING



FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
31,6x59,2cm	6	1,13	72	81,22	18,3	1305,07	Tixocem + / One-flex Premium
31,5x59,2 Mombasa	5	0,94	72	67,68	15,25	1098	Tixocem + / One-flex Premium

*valores aproximados. *approximated values.



PAVIMENTO COMBINABLE: SERIE PRADA 44,3x44,3cm
FLOOR TILES COMBINATIONS: PRADA SERIE 44,3x44,3cm

RODANO MOSAICO RODANO

Revestimiento Monoporosa / Wall Tiles



RODANO TAUPE
31,6x59,2x0,9 cm P2310704 / 100123785 G226

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834



MOSAICO RODANO TAUPE
31,6x59,2x1,13 cm P2310709 / 100124084 G233


Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
31,6x59,2cm	6	1,13	72	81,22	15,72	1131,84	Tixocem + / One-flex Premium
31,6x59,2cm Mosaico	5	0,94	72	67,68	14,35	1033,2	Tixocem + / One-flex Premium
31,6x59,2 Lineal	6	1,13	72	81,22	17,45	1256,2	Tixocem + / One-flex Premium

*valores aproximados. *approximated values.



PAVIMENTO COMBINABLE: SERIE RODANO 44,3x44,3cm
FLOOR TILES COMBINATIONS: RODANO SERIE 44,3x44,3cm

RODANO MOSAICO RODANO RODANO LINEAL

Revestimiento Monoporosa / Wall Tiles



RODANO ACERO
31,6x59,2x0,9 cm P2310706 / 100123783 G226

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464



MOSAICO RODANO ACERO
31,6x59,2x1,13 cm P2310708 / 100124082 G233

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464



RODANO LINEAL ACERO
31,6x59,2x0,95 cm P2310716 / 100177522 G233

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464



RODANO CALIZA
31,6x59,2x0,9 cm P2310705 / 100123784 G226

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834



MOSAICO RODANO CALIZA
31,6x59,2x1,13 cm P2310707 / 100124083 G233

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834



RODANO LINEAL CALIZA
31,6x59,2x0,95 cm P2310715 / 100177523 G233

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834



REVESTIMIENTO: RODANO ACERO 31,6x59,2cm - MOSAICO RODANO ACERO 31,6x59,2cm

MÁRMOL CARRARA BLANCO

Revestimiento Monoporosa / Wall Tiles



MÁRMOL CARRARA BLANCO

31,6x59,2x0,9 cm P3219300 / 100200370 G226

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Blanco B21522247/100236463

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
31,6x59,2cm	6	1,13	72	81,22	17,25	1242,32	Tixocem + / One-flex Premium

*valores aproximados. *approximated values.



PAVIMENTO COMBINABLE: SERIE MARMOL CARRARA 44,3x44,3cm -
FLOOR TILES COMBINATIONS: MARMOL CARRARA SERIE 44,3x44,3cm



SENA

Revestimiento Monoporosa / Wall Tiles



SENA ACERO

31,6x59,2x0,9 cm P3219310 / 100217829 G226

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464



SENA TAUPE

31,6x59,2x0,9 cm P3219309 / 100217860 G226

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834



SENA CALIZA

31,6x59,2x0,9 cm P3219314 / 100217850 G226

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834

TECHNICAL SPECS · INFORMACIÓN TÉCNICA


EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
31,6x59,2cm	6	1,128	72	81,22	18,558	1336,18	Tixocem + / One-flex Premium

*valores aproximados. *approximated values.

CHINA BLANCO OXO DECO BLANCO

Revestimiento Monoporosa / Wall Tiles



CHINA BLANCO

31,6x59,2x0,9 cm

P3219284 / 100157410

G226

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Blanco B21522247/100236463



OXO DECO BLANCO

31,6x59,2x1 cm

P3219278 / 100157375

G233

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Blanco B21522247/100236463



TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING



FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
31,6x59,2cm China	6	1,13	72	81,22	17,4	1252,48	Tixocem + / One-flex Premium
31,6x59,2cm Oxo Deco	5	0,94	72	67,88	14,91	1073,47	Tixocem + / One-flex Premium

*valores aproximados. *approximated values.

GLASS BLANCO

Revestimiento Monoporosa / Wall Tiles



GLASS BLANCO

31,6x59,2x0,9 cm

P3219307 / 100217769

G226

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Blanco B21522247/100236463

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING



FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
31,6x59,2cm	6	1,13	72	81,22	17,37	1250,34	Tixocem + / One-flex Premium

*valores aproximados. *approximated values.



REVESTIMIENTO: FOREST SLATE 31,6x90cm

FOREST

Revestimiento Monoporosa / Wall Tiles



FOREST SILVER

31,6x59,2x1,1 cm

P3219286 / 100173319



G287

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449



FOREST SLATE

31,6x59,2x1,1 cm

P3219290 / 100173335



G235

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Antracita B21522250/100236481



FOREST CARRARA BLANCO

31,6x59,2x1,1 cm

P3219288 / 100173324



G235

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Blanco B21522247/100236463

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING



FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
31,6x59,2cm	4	0,7	72	50,14	12,08	839,49	Tixocem + / One-flex Premium

*valores aproximados. *approximated values.

1 FOREST SILVER

- ADHESIVO RECOMENDADO · RECOMMENDED ADHESIVE : Fr- one n
- ÁMBITO DE USO · FIELD OF USE : Revestimiento de paredes interiores · Interior wall covering.

• ATENCIÓN: PRODUCTO ESPECIAL
La manipulación indebida durante la colocación y rejuntado, puede causar rayados y rozaduras de los que PORCELANOSA S.A. no se hace responsable · No utilizar para la retirada de material de rejuntado y la limpieza del producto agentes abrasivos · Evitar contactos prolongados de la superficie decorada con ácidos y álcalis · Se recomienda usar como agentes de limpieza únicamente agua y jabón neutro · Al tratarse de un material delicado, su manipulación ha de ser cuidadosa. Adoptar métodos de colocación específicos del tipo de material (utilizar adhesivos y material de rejuntado apropiados) · Evitar, durante la instalación, el uso de utensilios que puedan dañar el material cerámico · Utilizar técnica de doble encolado (aplicando material de agarre en la pieza y el soporte a embaldosar) para evitar las indeseables zonas vacías · No prolongar en exceso el secado del material de rejuntado en la superficie · Para el corte de las piezas, utilizar cortadoras e ingleteadoras eléctricas con disco refrigerado con agua.


• WARNING: SPECIALS PRODUCTS
Improper manipulation during fixing and grouting can cause scratches for which PORCELANOSA S.A. will not take responsibility · Do not use abrasive agents to clean this product · Avoid long contact of the decorated surface with acids ands alkalins · Use only hot water and mild soap as cleaning agents ·This is a delicate material that must be handled with care. Use specific installation methods (use the proper bonding material) · Do not use tools that could damage material during installation · Use the floating and buttering method, applying the bonding material to both the back of the piece and the substrate, so as to ensure that there are no unwanted voids · Grouting material should not be left to dry for a too long time in the surface ·To cut pieces, use electric water-cooled cutters and mitring saw.



REVESTIMIENTO: JAPAN BLANCO 31,6x59,2cm - JAPAN MARINE 31,6x59,2cm | PAVIMENTO: JAPAN BLANCO 44,3x44,3cm - JAPAN MARINE 44,3x44,3cm

JAPAN

Revestimiento Monoporosa / Wall Tiles



JAPAN BLANCO
31,6x59,2x0,9 cm P3219273 / 100141159 G226

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834
Colorstuk Rapid n Blanco B21522247/100236463




JAPAN MARINE
31,6x59,2x0,9 cm P3219275 / 100141181 G226

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING								Adhesivo
FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL		
31,6x59,2cm	6	1,13	72	81,22	16,19	1212,1		Tixocem + / One-flex Premium

*valores aproximados. *approximated values.



i PAVIMENTO COMBINABLE: SERIE JAPAN 44,3x44,3cm -
FLOOR TILES COMBINATIONS: JAPAN SERIE 44,3x44,3cm

KINGSTON JAMAICA MATRIX

Revestimiento Monoporosa / Wall Tiles



KINGSTON NÁCAR
31,6x59,2x0,9 cm P3219311 / 100217828 G226

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Blanco B21522247/100236463



JAMAICA NÁCAR
31,6x59,2x1cm P3219312 / 100217902 G233

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Blanco B21522247/100236463



MATRIX NÁCAR
31,6x59,2x0,9 cm P3219313 / 100217921 G233

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Blanco B21522247/100236463

TECHNICAL SPECS · INFORMACIÓN TÉCNICA


EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
31,6x59,2	6	1,13	72	81,22	17,37	1250,34	Tixocem + / One-flex Premium

*valores aproximados. *approximated values.

SAFARI

Revestimiento Monoporosa / Wall Tiles



SAFARI CALIZA
31,6x59,2x0,9 cm P3219293 / 100177535 G226

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Marfil B21522257/100236794

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
31,6x59,2cm	6	1,13	72	81,22	17,45	1256,2	Tixocem + / One-flex Premium

*valores aproximados. *approximated values.

PAVIMENTO COMBINABLE: SERIE SAFARI 44,3x44,3cm
FLOOR TILES COMBINATIONS: SAFARI SERIE 44,3x44,3cm

PARK PARK LINEAL

Revestimiento Monoporosa / Wall Tiles



PARK GRIS
20x31,6x0,8 cm P3149885 / 100157359 G205

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464



PARK ARENA
20x31,6x0,8 cm P3149886 / 100157371 G205

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834



PARK BLANCO
20x31,6x0,8 cm P3149857 / 100219090 G205

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834



PARK LINEAL GRIS
20x31,6x0,9 cm P3149887 / 100157376 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464



PARK LINEAL ARENA
20x31,6x0,9 cm P3149884 / 100157377 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834



PARK LINEAL BLANCO
20x31,6x0,9 cm P3149858 / 100219069 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834



TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING								
FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo	
20x31,6cm	22	1,39	56	77,86	18,17	1017,63	Tixocem + / One-flex Premium	
20x31,6cm Park Lineal	18	1,14	56	63,7	15,32	857,59	Tixocem + / One-flex Premium	

*valores aproximados. *approximated values.



PAVIMENTO COMBINABLE: SERIE PARK 44,3x44,3cm ·
FLOOR TILES COMBINATIONS: PARK SERIE 44,3x44,3cm


MÁLAGA

Revestimiento Monoporosa Brilo / Wall Tiles Gloss




MÁLAGA AQUA
20x31,6x0,93 cm P3149865 / 100214631 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk 0-4 Blanco n B21522237/ 100236442



MÁLAGA OCEAN
20x31,6x0,93 cm P3149868 / 100214621 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk 0-4 Blanco n B21522237/ 100236442



MÁLAGA WHITE
20x31,6x0,93 cm P3149861 / 100214650 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk 0-4 Blanco n B21522237/ 100236442



MÁLAGA GREEN
20x31,6x0,93 cm P3149863 / 100214640 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk 0-4 Blanco n B21522237/ 100236442



MÁLAGA ROSE
20x31,6x0,93 cm P3149866 / 100214632 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk 0-4 Blanco n B21522237/ 100236442




MÁLAGA ACERO
20x31,6x0,93 cm P3149874 / 100214630 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk 0-4 Blanco n B21522237/ 100236442



MÁLAGA GREY
20x31,6x0,93 cm P3149870 /100214619 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk 0-4 Blanco n B21522237/ 100236442



MÁLAGA BEIGE
20x31,6x0,93 cm P3149869 / 100214618 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk 0-4 Blanco n B21522237/ 100236442



MÁLAGA MOSTAZA
20x31,6 x0,93cm P3149859 / 100214723 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk 0-4 Blanco n B21522237/ 100236442

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING								
FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo	
20x31,6cm	18	1,14	56	63,705	17,87	1000,86	Tixocem + / One-flex Premium	

*valores aproximados. *approximated values.



IMPORTANTE: Para conseguir una continuidad de las juntas es necesario colocarlo con crucetas de 1mm
IMPORTANT: Use 1mm spacers to obtain continuity



REVESTIMIENTO: MÁLAGA BEIGE 20x31,6cm | PAVIMENTO: DELAWARE NATURAL 19,3x180cm/29,4x180cm



REVESTIMIENTO: RONDA MINT 20x31,6cm

RONDA

Revestimiento Monoporosa / Wall Tiles



RONDA WHITE
20x31,6 cm P3149852 / 100226430 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk 0-4 Blanco n B21522237/ 100236442



RONDA SAND
20x31,6 cm P3149853 / 100226399 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk 0-4 Blanco n B21522237/ 100236442



RONDA GREY
20x31,6 cm P3149850 / 100226437 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk 0-4 Blanco n B21522237/ 100236442



RONDA AQUA
20x31,6 cm P3149851 / 100226452 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk 0-4 Blanco n B21522237/ 100236442



RONDA MINT
20x31,6 cm P3149854 / 100226453 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk 0-4 Blanco n B21522237/ 100236442



RONDA RED
20x31,6 cm P3149855 / 100220470 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk 0-4 Blanco n B21522237/ 100236442

WALL TILES

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING									
FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo		
20x31,6cm	18	1,14	56	63,71	17,98	1006,99	Tixocem + / One-flex Premium		

*valores aproximados. *approximated values.



IMPORTANTE: Para conseguir una continuidad de las juntas es necesario colocarlo con crucetas de 1mm
IMPORTANT: Use 1mm spacers to obtain continuity



REVESTIMIENTO: SEVILLA ACERO 29,4x31,6cm

SEVILLA

Revestimiento Monoporosa / Wall Tiles



SEVILLA AQUA
20x31,6x0,93 cm P3149862 / 100214634 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk 0-4 Blanco n B21522237/ 100236442



SEVILLA GREEN
20x31,6 x0,93cm P3149867 / 100214635 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk 0-4 Blanco n B21522237/ 100236442



SEVILLA GREY
20x31,6x0,93cm P3149876 / 100214607 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk 0-4 Blanco n B21522237/ 100236442



SEVILLA OCEAN
20x31,6x0,93cm P3149873 / 100214653 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk 0-4 Blanco n B21522237/ 100236442



SEVILLA ROSE
20x31,6x0,93 cm P3149872 / 100214636 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk 0-4 Blanco n B21522237/ 100236442



SEVILLA BEIGE
20x31,6x0,93cm P3149875 / 100214652 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk 0-4 Blanco n B21522237/ 100236442



SEVILLA WHITE
20x31,6 x0,93cm P3149864 / 100214654 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk 0-4 Blanco n B21522237/ 100236442



SEVILLA ACERO
20x31,6 x0,93cm P3149860 / 100214647 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk 0-4 Blanco n B21522237/ 100236442



SEVILLA MOSTAZA
20x31,6 x0,93cm P3149871 / 100214667 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk 0-4 Blanco n B21522237/ 100236442

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
20x31,6cm	18	1,14	56	63,705	17,87	1000,86	Tixocem + / One-flex Premium


*valores aproximados. *approximated values.



IMPORTANTE: Para conseguir una continuidad de las juntas es necesario colocarlo con crucetas de 1mm
IMPORTANT: Use 1mm spacers to obtain continuity

MÓNACO

Revestimiento Monoporosa / Wall Tiles



MÓNACO BRILLO

20x31,6x0,9 cm

P3149878 / 100179679

G222

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Blanco B21522247/100236463

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING




FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
20x31,6cm Mónaco	18	1,14	56	63,7	18,52	1037,23	Tixocem + / One-flex Premium

*valores aproximados. *approximated values.

OXON

Revestimiento Monoporosa / Wall Tiles



OXON WHITE

31,6x20x0,84 cm


P3149996 / 100110470

G205

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Blanco B21522247/100236463

TECNOS

Revestimiento Monoporosa / Wall Tiles



TECNOS BLANCO

31,6x20x0,84 cm

P3149899 / 100114726

G205

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Blanco B21522247/100236463

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING




FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
20x31,6cm	22	1,39	56	77,86	19,36	1084,16	Tixocem + / One-flex Premium

*valores aproximados. *approximated values.

AQUA

Revestimiento Monoporosa / Wall Tiles



AQUA BLANCO
31,6x20x0,8 cm P3149897 / 100115570 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Blanco B21522247/100236463

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING							
FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
20x31,6cm	22	1,39	56	77,86	19,36	1084,16	Tixocem + / One-flex Premium

*valores aproximados. *approximated values.

JAPAN

Revestimiento Monoporosa / Wall Tiles



JAPAN BLANCO
20x31,6x0,9 cm P3149882 / 100160371 G205

Butech recomienda junta / Butech recommends joint: :
Colorstuk Rapid n Gris B21522258/100236834
Colorstuk 0-4 Blanco n B21522237/ 100236442



JAPAN MARINE
20x31,6x0,9 cm P3149883 / 100160372 G205

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING							
FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
20x31,6 Japan	20	1,26	56	70,78	17,10	957,49	Tixocem + / One-flex Premium

*valores aproximados. *approximated values.

i PAVIMENTO COMBINABLE: SERIE JAPAN 44,3x44,3cm ·
FLOOR TILES COMBINATIONS: JAPAN SERIE 44,3x44,3cm

JERSEY

Revestimiento Monoporosa / Wall Tiles



JERSEY MIX
20x31,6x0,9 cm P3149983 / 100105160 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834



JERSEY NIEVE
20x31,6x0,9 cm P3149984 / 100105162 G222

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Blanco B21522247/100236463


TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING							
FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
20x31,6 Jersey	18	1,14	56	63,7	16,46	921,95	Tixocem + / One-flex Premium

*valores aproximados. *approximated values.

SAFARI

Revestimiento Monoporosa / Wall Tiles



SAFARI CALIZA
20x31,6x0,9 cm P3149880 / 100177499 G205

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Marfil B21522257/100236794

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING							
FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
20x31,6 Safari	20	1,26	56	70,78	18,77	1050,93	Tixocem + / One-flex Premium

*valores aproximados. *approximated values.

i PAVIMENTO COMBINABLE: SERIE SAFARI 44,3x44,3cm ·
FLOOR TILES COMBINATIONS: SAFARI SERIE 44,3x44,3cm

PAR-KER®

Los parquets cerámicos han supuesto una gran revolución en el concepto de pavimentos, fusionando el aspecto cálido y distinguido de la madera natural con las ventajas técnicas propias de un material cerámico. PAR-KER ofrece un material gres porcelánico capaz de resistir al desgaste que puede provocar un uso continuado, siendo adecuado incluso para zonas de tránsito medio, como locales de ocio y restauración o ciertas zonas de centros comerciales, donde la demanda de uso no puede ser cubierta por una madera natural.

PAR-KER®

Ceramic parquets have revolutionized the world of flooring, uniting the warm elegance of natural wood with the technical benefits of ceramic tiles. PAR-KER is porcelain flooring able to withstand the wear and tear generated by constant use. It is even suitable for areas subject to medium traffic, such as leisure facilities, catering businesses, or certain areas of shopping centres where natural wood would not perform adequately.

ÍNDICE DE PRODUCTO

INDEX PRODUCT

NEW



PAR-KER

PAR-KER

ASCOT	186
CHESTER	191
DELAWARE	192
FOREST	196
MANHATTAN	200
MOY	205
NOBU	207
ORLEANS	210
OXFORD	214

ATELIER

BOLONIA	219
HERITAGE	221
VIENA	223

ASCOT

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Colored Biscuit



ASCOT ARCE

29,4x120x1,1 cm	P1876038 / 100161044	G384
19,3x120x1,1 cm	P1880286 / 100161043	G384

Butech recomienda junta / Butech recommends joint:
Colorstuk Especial Oak B21522235/100204255

ASCOT ARCE ANTISLIP

19,3x120x1,1cm	P1880287 / 100161045	G384
----------------	----------------------	------

R12

SRV class 3

ANTISLIP

NANO-KER

STER / RAP



ASCOT OLIVO

29,4x120x1,1 cm	P1876041 / 100161121	G384
19,3x120x1,1 cm	P1880290 / 100161027	G384

Butech recomienda junta / Butech recommends joint:
Colorstuk Especial Elm B24302052/100234451

ASCOT OLIVO ANTISLIP

19,3x120x1,1cm	P1880291 / 100161028	G384
----------------	----------------------	------

R12

SRV class 3

ANTISLIP

NANO-KER

STER / RAP

ASCOT

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Colored Biscuit



ASCOT ROBLE

29,4x120x1,1 cm	P1876039 / 100161122	G384
19,3x120x1,1 cm	P1880292 / 100161029	G384

Butech recomienda junta / Butech recommends joint:
Colorstuk Especial Iroko B51201054/100243281

ASCOT ROBLE ANTISLIP

19,3x120x1,1cm	P1880293 / 100161037	G384
----------------	----------------------	------

R12

SRV class 3

ANTISLIP

NANO-KER

STER / RAP



ASCOT TECA

29,4x120x1,1 cm	P1876040 / 100161123	G384
19,3x120x1,1 cm	P1880295 / 100161038	G384

Butech recomienda junta / Butech recommends joint:
Colorstuk Especial Doussie B21522233/100204260

ASCOT TECA ANTISLIP

19,3x120x1,1cm	P1880294 / 100161039	G384
----------------	----------------------	------

R12

SRV class 3

ANTISLIP

NANO-KER

STER / RAP

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
29,4x120cm	3	1,06	40	42,33	29,2	1169	One-flexPremium/Super-flex2
19,3x120cm	5	1,16	48	55,58	31,73	1523	One-flexPremium/Super-flex2
10x44,3cm Zócalo	20	0,89	68	60,25	18,80	1278,40	One-flexPremium/Super-flex2
9,5x120cm Zócalo	6	0,68	28	19,15	17,48	489,53	One-flexPremium/Super-flex2
29,4x120cm Huella Tec.	2	0,84	26	20,4	20,67	537,47	One-flexPremium/Super-flex2
29,4x120cm Huella Tec. Esq.	1	0,43	26	10,48	10,34	268,74	One-flexPremium/Super-flex2

*valores aproximados. *approximated values.

· HUELLA TÉCNICA 29,4x120cm			ESQUINA DERECHA			ESQUINA IZQUIERDA		
ASCOT TECA	P1876063 / 100178670	G171	P1876064 / 100178680	G185	P1876075 / 100178684	G185		
ASCOT TECA ANT.	P1876058 / 100178627	G171	P1876065 / 100178681	G185	P1876076 / 100178663	G185		
ASCOT ROBLE	P1876061 / 100178660	G171	P1876082 / 100178657	G185	P1876072 / 100178674	G185		
ASCOT ROBLE ANT.	P1876060 / 100178652	G171	P1876083 / 100178678	G185	P1876073 / 100178655	G185		
ASCOT OLIVO	P1876062 / 100178638	G171	P1876080 / 100178664	G185	P1876070 / 100178654	G185		
ASCOT OLIVO ANT.	P1876054 / 100178619	G171	P1876081 / 100178686	G185	P1876071 / 100178673	G185		
ASCOT ARCE	P1876056 / 100178646	G171	P1876074 / 100178656	G185	P1876066 / 100178672	G185		
ASCOT ARCE ANT.	P1876055 / 100178637	G171	P1876077 / 100178675	G185	P1876067 / 100178653	G185		

 INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO MEDIO
INTENSITY OF PEDESTRIAN TRANSIT: MEDIUM TRANSIT

ZÓCALO	9,5x120cm	
ASCOT TECA	P9201799 / 100229659	G78
ASCOT ROBLE	P9202194 / 100242240	G78
ASCOT OLIVO	P9201970 / 100236058	G78
ASCOT ARCE	P9201804 / 100229799	G78

ZÓCALO	10x44,3cm	
ASCOT TECA	P8270058 / 100146783	G11
ASCOT ROBLE	P8270056 / 100146782	G11
ASCOT OLIVO	P8270055 / 100146781	G11
ASCOT ARCE	P8270060 / 100146779	G11

CORTE 9,5		120
		G72

ZÓCALO PRO-SKIRTING	10x180cm	
ASCOT ARCE	B71142022 / 100178480	
ASCOT OLIVO	B71142024 / 100178483	
ASCOT ROBLE	B71142021 / 100178484	
ASCOT TECA	B71142029 7 100178466	



PAVIMENTO ASCOT ARCE 19,3x120cm/29,4x120cm



PAVIMENTO: CHESTER LEÑO 22x90cm

CHESTER

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Colored Biscuit



CHESTER LEÑO
22x90x1,1 cm P1140040 / 100155609 G372
Butech recomienda junta / Butech recommends joint: Colorstuk Rapid n Cemento B21522249/100236449



CHESTER ACERO
22x90x1,1 cm P1140041 / 100155601 G372
Butech recomienda junta / Butech recommends joint: Colorstuk Rapid n Manhattan B21522248/100236464

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
22x90cm	6	1,19	52	61,78	30	1510	Fr-one n / One-flex Premium
10x44,3cm Zócalo	20	0,89	68	60,25	18,80	1252,56	Fr-one n / One-flex Premium
31,6x90cm Huella Tec.	2	0,63	26	16,33	17,08	446,68	Fr-one n / One-flex Premium
31,6x90cm Huella Tec. Esq.	1	0,31	26	8,17	8,54	223,31	Fr-one n / One-flex Premium

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x90cm		ESQUINA DERECHA			ESQUINA IZQUIERDA		
CHESTER LEÑO	P8660157 / 100156506	G146	P8660163 / 100156701	G172	P8660167 / 100156664	G172	
CHESTER ACERO	P8660153 / 100156502	G146	P8660158 / 100156663	G172	P8660162 / 100156702	G172	



ZÓCALO 10x44,3cm	
CHESTER LEÑO	P8270067 / 100156532 G11
CHESTER ACERO	P8270065 / 100156508 G11

1
INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO MEDIO
INTENSITY OF PEDESTRIAN TRANSIT: MEDIUM TRANSIT

DELAWARE

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Colored Biscuit



DELAWARE ACERO			DELAWARE ACERO ANTISLIP		
29,4x180x1,2 cm	P1680055 / 100214823	G386	19,3x180 cm	P1670037 / 100214697	G386
19,3x180x1,2 cm	P1670041 / 100214787	G386			
29,4x120x1,1 cm	P1876189 / 100214797	G384			
19,3x120x1,1 cm	P1880342 / 100214775	G384			

Butech recomienda junta / Butech recommends joint:
Colorstuk Especial Ash B21522231/100204245



DELAWARE ARCE			DELAWARE ARCE ANTISLIP		
29,4x180x1,2 cm	P1680053 / 100214699	G386	19,3x180 cm	P1670040 / 100214688	G386
19,3x180x1,2 cm	P1670036 / 100214698	G386			
29,4x120x1,1 cm	P1876188 / 100214720	G384			
19,3x120x1,1 cm	P1880344 / 100214805	G384			

Butech recomienda junta / Butech recommends joint:
Colorstuk Especial Iroko B51201054/1002043281

DELAWARE

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Colored Biscuit



DELAWARE NATURAL			DELAWARE NATURAL ANTISLIP		
29,4x180x1,2 cm	P1680054 / 100214666	G386	19,3 x 180 cm	P1670043 / 100214721	G386
19,3x180x1,2 cm	P1670042 / 100214732	G386			
29,4x120x1,1 cm	P1876187 / 100214715	G384			
19,3x120x1,1 cm	P1880345 / 100214776	G384			

Butech recomienda junta / Butech recommends joint:
Colorstuk Especial Maple B51201055/100243271



DELAWARE NOGAL			DELAWARE NOGAL ANTISLIP		
29,4x180x1,2 cm	P1680052 / 100214616	G386	19,3 x 180 cm	P1670034 / 100214625	G386
19,3x180x1,2 cm	P1670035 / 100214599	G386			
29,4x120x1,1 cm	P1876185 / 100214569	G384			
19,3x120x1,1 cm	P1880341 / 100214655	G384			

Butech recomienda junta / Butech recommends joint:
Colorstuk Especial Doussie B21522233/100204260

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING							
FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
29,4x180cm	2	1,06	50	52,92	31,11	1555,3	One-flexPremium/Super-flex2
19,3x180cm	3	1,04	54	56,28	29,97	1618,4	One-flexPremium/Super-flex2
29,4x120cm	3	1,06	40	42,34	29,05	1161,96	One-flexPremium/Super-flex2
19,3x120cm	5	1,16	48	55,58	31,75	1524,48	One-flexPremium/Super-flex2
9,5x180cm Zócalo	6	1,03	28	28,73	28,53	798,93	One-flexPremium/Super-flex2
9,5x120cm Zócalo	6	0,68	28	17,48	17,48	489,53	One-flexPremium/Super-flex2
29,4x120cm Huella Tec.	2	0,78	26	20,4	20,67	537,74	One-flexPremium/Super-flex2
29,4x120cm Huella Tec.Esq.	1	0,4	26	10,48	10,34	268,74	One-flexPremium/Super-flex2

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 29,4x120cm		ESQUINA DERECHA			ESQUINA IZQUIERDA		
DELAWARE NOGAL	P1876190/ 100217912	G171	P1876192 / 100217925	G185	P1876195 / 100217901	G185	
DELAWARE NOGAL ANT.	P1876191 / 100217875	G171	P1876194 / 100217893	G185	P1876193 / 100217881	G185	
DELAWARE ACERO	P1876212 / 100219166	G171	P1876197 / 100219208	G185	P1876202 / 100219230	G185	
DELAWARE ACERO ANT.	P1876213 / 100219186	G171	P1876196 / 100219209	G185	P1876200 / 100219196	G185	
DELAWARE NATURAL	P1876218 / 100219167	G171	P1876204 / 100219221	G185	P1876210 / 100219197	G185	
DELAWARE NATURAL ANT.	P1876219 / 100219198	G171	P1876201 / 100219179	G185	P1876211 / 100219185	G185	
DELAWARE ARCE	P1876214 / 100219212	G171	P1876198/ 100219210	G185	P1876206/ 100219223	G185	
DELAWARE ARCE AT.	P1876215 / 100219213	G171	P1876203/ 100219195	G185	P1876207 / 100219184	G185	
· HUELLA TÉCNICA 29,4x180cm		G193	· HUELLA TÉCNICA ESQ. DER/IZQ. 29,4x180cm			G196	



INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO MEDIO
INTENSITY OF PEDESTRIAN TRANSIT: MEDIUM TRANSIT



ZÓCALO	9,5x180cm	
DELAWARE NOGAL	P9201925 / 100233650	G89
DELAWARE NATURAL	P9201786 / 100227179	G89
DELAWARE ARCE	P9201800 / 100229718	G89
DELAWARE ACERO	P9201965 / 100235950	G89



ZÓCALO	9,5x120cm	
DELAWARE NOGAL	P9201906 / 100233144	G78
DELAWARE NATURAL	P9201957 / 100234991	G78
DELAWARE ARCE	P9202159 / 100240562	G78
DELAWARE ACERO	P9202259 / 100242835	G78

CORTE 9,5	180	120
	G88	G72



ZÓCALO PRO-SKIRTING	10x180cm
DELAWARE NOGAL	B79999077 / 100222027
DELAWARE NATURAL	B79999076 / 100222010
DELAWARE ARCE	B79999074 / 100221950
DELAWARE ACERO	B79999073 / 100221931



PAVIMENTO DELAWARE NOGAL 19,3x180cm/29,4x180cm

FOREST

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Colored Biscuit



FOREST COGNAC		
22x90 cm	P1140072 / 100234777	G340
14,3x90 cm	P1780099 / 100234776	G340
FOREST COGNAC ANT.		
14,3x90 cm	P1780100 / 100234749	G340

Butech recomienda junta / Butech recommends joint:
Colorstuk Especial Doussie B21522233/100204260

R12

SRV class 3

ANTI-SLIP

NANO-KER



FOREST COLONIAL		
22x90 cm	P1140071 / 100234755	G340
14,3x90 cm	P1780102 / 100234769	G340
FOREST COLONIAL ANT.		
14,3x90 cm	P1780103 / 100234784	G340

Butech recomienda junta / Butech recommends joint:
Colorstuk Especial Elm B24302052/100234451

R12

SRV class 3

ANTI-SLIP

NANO-KER



FOREST MAPLE		
22x90 cm	P1140070 / 100234778	G340
14,3x90 cm	P1780101 / 100234795	G340
FOREST MAPLE ANT.		
14,3x90 cm	P1780104 / 100234796	G340

Butech recomienda junta / Butech recommends joint:
Colorstuk Especial Elm B24302052/100234451

R12

SRV class 3

ANTI-SLIP

NANO-KER



FOREST ACERO		
22x90 cm	P1140069 / 100226122	G340
14,3x90 cm	P1780094 / 100226120	G340
FOREST ACERO ANT.		
14,3x90 cm	P1780097 / 100226107	G340

Butech recomienda junta / Butech recommends joint:
Colorstuk Especial Ash B21522231/100204245

R12

SRV class 3

ANTI-SLIP

NANO-KER



FOREST FRESNO		
22x90 cm	P1140065 / 100226140	G340
14,3x90 cm	P1780093 / 100226109	G340
FOREST FRESNO ANT.		
14,3x90 cm	P1780095 / 100226116	G340

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834

R12

SRV class 3

ANTI-SLIP

NANO-KER



FOREST ARCE		
22x90 cm	P1140066 / 100225554	G340
14,3x90 cm	P1780090 / 100226132	G340
FOREST ARCE ANT.		
14,3x90 cm	P1780092 / 100226133	G340

Butech recomienda junta / Butech recommends joint:
Colorstuk Especial Maple B51201055/100243271

R12

SRV class 3

ANTI-SLIP

NANO-KER



FOREST NATURAL		
22x90 cm	P1140068 / 100225538	G340
14,3x90 cm	P1780098 / 100226112	G340
FOREST NATURAL ANT.		
14,3x90 cm	P1780091 / 100225539	G340

Butech recomienda junta / Butech recommends joint:
Colorstuk Especial Iroko B51201054/100243281

R12

SRV class 3

ANTI-SLIP

NANO-KER

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
22x90cm	6	1,19	52	61,78	30,00	1510,00	Fr-one n / One-flex Premium
14,3x90cm	8	1,03	60	61,78	26	1514	Fr-one n / One-flex Premium
10x44,3cm Zócalo	20	0,89	68	60,25	19	1292	Fr-one n / One-flex Premium
31,6x90cmHuella Tec.	2	0,63	26	16,33	17,73	460,98	Fr-one n / One-flex Premium
31,6x90cmHuella Tec. Esq.	1	0,33	26	8,47	8,87	230,49	Fr-one n / One-flex Premium

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6X90cm

	ESQUINA DERECHA			ESQUINA IZQUIERDA		
FOREST NATURAL	P8660245 / 100227360	G146	P8660215 / 100227309	G172	P8660226 / 100227319	G172
FOREST NATURAL ANT.	P8660213 / 100227329	G146	P8660225 / 100227334	G172	P8660244 / 100227350	G172
FOREST ACERO	P8660229 / 100227333	G146	P8660220 / 100227323	G172	P8660234 / 100227306	G172
FOREST ACERO ANT.	P8660233 / 100227297	G146	P8660221 / 100227317	G172	P8660242 / 100227340	G172
FOREST FRESNO	P8660239 / 100227299	G146	P8660217 / 100227308	G172	P8660232 / 100227307	G172
FOREST FRESNO ANT.	P8660230 / 100227328	G146	P8660240 / 100227298	G172	P8660235 / 100227343	G172
FOREST ARCE	P8660214 / 100227342	G146	P8660222 / 100227341	G172	P8660241 / 100227325	G172
FOREST ARCE ANT.	P8660223 / 100227327	G146	P8660219 / 100227318	G172	P8660218 / 100227326	G172
FOREST COGNAC	P8660264 / 100238375	G146	P8660003 / 100121683	G172	P8660252 / 100238373	G172
FOREST COGNAC ANT.	P8660263 / 100238398	G146	P8660250 / 100238258	G172	P8660253 / 100238401	G172
FOREST COLONIAL	P8660265 / 100238259	G146	P8660261 / 100238396	G172	P8660256 / 100238384	G172
FOREST COLONIAL ANT.	P8660254 / 100238393	G146	P8660257 / 100238397	G172	P8660260 / 100238374	G172
FOREST MAPLE	P8660255 / 100238394	G146	P8660262 / 100238402	G172	P8660266 / 100238399	G172
FOREST MAPLE ANT.	P8660251 / 100238383	G146	P8660258 / 100238386	G172	P8660267 / 100238420	G172



CONTENIDO EN MATERIAL RECICLADO >95%
CONTENT IN RECYCLED MATERIAL >95%



ZÓCALO	10x44,3cm	
FOREST ACERO	P8270081 / 100227310	G11
FOREST ARCE	P8270084 / 100227288	G11
FOREST FRESNO	P8270082 / 100227289	G11
FOREST NATURAL	P8270085 / 100227259	G11
FOREST COGNAC	P8270086 / 100238430	G11
FOREST COLONIAL	P8270088 / 100238405	G11
FOREST MAPLE	P8270087 / 100238434	G11



PAVIMENTO FOREST ARCE 14,3x90cm/22x90cm

MANHATTAN

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Colored Biscuit



MANHATTAN COGNAC

29,4x180x1,2 cm	P1680020 / 100190048	G386
19,3x180x1,2 cm	P1670025 / 100190050	G386
29,4x120x1,1 cm	P1876117 / 100190034	G384
19,3x120x1,1 cm	P1880325 / 100190027	G384

MANHATTAN COGNAC ANTISLIP

19,3x180x1,2cm	P1670019 / 100190054	G386
R12 SRV class 3 ANTISLIP NANO-KER HIGH PERFORMANCE CERAMIC TECHNOLOGY STICK / MAP		

Butech recomienda junta / Butech recommends joint:
Colorstuk Especial Doussie B21522233/100204260



MANHATTAN COLONIAL

29,4x180x1,2 cm	P1680022 / 100190061	G386
19,3x180x1,2 cm	P1670020 / 100190055	G386
29,4x120x1,1 cm	P1876116 / 100190052	G384
19,3x120x1,1 cm	P1880329 / 100190042	G384

MANHATTAN COLONIAL ANTISLIP

19,3x180x1,2cm	P1670024 / 100190062	G386
R12 SRV class 3 ANTISLIP NANO-KER HIGH PERFORMANCE CERAMIC TECHNOLOGY STICK / MAP		

Butech recomienda junta / Butech recommends joint:
Colorstuk Especial Elm B24302052/100234451

MANHATTAN

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Colored Biscuit



MANHATTAN MAPLE

29,4x180x1,2 cm	P1680019 / 100190039	G386
19,3x180x1,2 cm	P1670016 / 100190038	G386
29,4x120x1,1 cm	P1876119 / 100190060	G384
19,3x120x1,1 cm	P1880326 / 100190043	G384

MANHATTAN MAPLE ANTISLIP

19,3x180x1,2cm	P1670023 / 100190071	G386
R12 SRV class 3 ANTISLIP NANO-KER HIGH PERFORMANCE CERAMIC TECHNOLOGY STICK / MAP		

Butech recomienda junta / Butech recommends joint:
Colorstuk Especial Elm B24302052/100234451



MANHATTAN NATURAL

29,4x180x1,2 cm	P1680018 / 100190064	G386
19,3x180x1,2 cm	P1670018 / 100190063	G386
29,4x120x1,1 cm	P1876118 / 100190045	G384
19,3x120x1,1 cm	P1880328 / 100190044	G384

MANHATTAN NATURAL ANTISLIP

19,3x180x1,2cm	P1670017 / 100190072	G386
R12 SRV class 3 ANTISLIP NANO-KER HIGH PERFORMANCE CERAMIC TECHNOLOGY STICK / MAP		

Butech recomienda junta / Butech recommends joint:
Colorstuk Especial Maple B51201055/100243271

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
29,4x180cm	2	1,06	50	52,92	29,48	1474	One-flexPremium/Super-flex2
19,3x180cm	3	1,04	54	56,28	29,17	1575	One-flexPremium/Super-flex2
29,4x120cm	3	1,06	40	42,34	28,29	1132	One-flexPremium/Super-flex2
19,3x120cm	5	1,16	48	55,58	30,79	1524	One-flexPremium/Super-flex2
9,5x180cm Zócalo	6	1,03	28	28,73	28,53	798,93	One-flexPremium/Super-flex2
9,5x120cm Zócalo	6	0,68	28	19,15	17,48	489,53	One-flexPremium/Super-flex2
29,4x120cm Huella Tec.	2	0,78	26	20,4	20,80	541	One-flexPremium/Super-flex2
29,4x120cm Huella Tec.Esq.	1	0,4	26	10,48	10,40	270,37	One-flexPremium/Super-flex2

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 29,4x120cm			ESQUINA DERECHA			ESQUINA IZQUIERDA		
MANHATTAN COGNAC	P1876149 / 100191335	G171	P1876141 / 100191269	G185	P1876145 / 100191341	G185		
MANHATTAN COGNAC ANT.	P1876151 / 100191360	G171	P1876142 / 100191294	G185	P1876146 / 100191323	G185		
MANHATTAN MAPLE	P1876150 / 100191351	G171	P1876144 / 100191309	G185	P1876147 / 100191345	G185		
MANHATTAN MAPLE ANT.	P1876152 / 100191336	G171	P1876143 / 100191299	G185	P1876148 / 100191332	G185		
MANHATTAN NATURAL	P1876122 / 100190906	G171	P1876125 / 100190940	G185	P1876126 / 100190933	G185		
MANHATTAN NATURAL ANT.	P1876123 / 100190934	G171	P1876124 / 100190941	G185	P1876121 / 100190928	G185		
MANHATTAN COLONIAL	P1876130 / 100191061	G171	P1876127 / 100191038	G185	P1876128 / 100191027	G185		
MANHATTAN COLONIAL ANT.	P1876132 / 100191071	G171	P1876129 / 100191026	G185	P1876131 / 100191060	G185		

· HUELLA TÉCNICA 29,4x180cm	G193	· HUELLA TÉCNICA ESQ. DER/IZQ. 29,4x180cm	G196
-----------------------------	------	---	------



INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO MEDIO
INTENSITY OF PEDESTRIAN TRANSIT: MEDIUM TRANSIT



ZÓCALO	9,5x180cm	
MANHATTAN COLONIAL	P9201326 / 100201667	G89
MANHATTAN NATURAL	P9201565 / 100211819	G89
MANHATTAN MAPLE	P9201312 / 100201029	G89
MANHATTAN COGNAC	P9201374 / 100206795	G89



ZÓCALO	9,5x120cm	
MANHATTAN COLONIAL	P9201325 / 100201698	G78
MANHATTAN NATURAL	P9201563 / 100211715	G78
MANHATTAN MAPLE	P9201530 / 100211022	G78
MANHATTAN COGNAC	P9201393 / 100208774	G78

	180	120
CORTE 9,5	G88	G72



ZÓCALO PRO-SKIRTING	10x180cm
MANHATTAN COLONIAL	B79999020 / 100189248
MANHATTAN NATURAL	B79999018 / 100191490
MANHATTAN MAPLE	B79999017 / 100191461
MANHATTAN COGNAC	B79999016 / 100191470



PAVIMENTO: MANHATTAN COLONIAL 19,3x180cm / 29,4x180cm



PAVIMENTO: MOY MOKA 14,3x90 cm

MOY

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Colored Biscuit



MOY MOKA
14,3x90x1,1 cm P1780020 / 100113363 G372
Butech recomienda junta / Butech recommends joint: Colorstuk Rapid n Negro B21522251/100236475

MOY MOKA
1,2x90 cm P9201647 / 100222655 G95
Butech recomienda junta / Butech recommends joint: Colorstuk Rapid n Negro B21522251/100236475

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
14,3x90cm	8	1,03	60	63,8	25,34	1520,2	Fr-one n / One-flex Premium
10x44,3cm Zócalo	20	0,89	72	60,25	17	1368	Fr-one n / One-flex Premium
31,6x90cm Huella Tec.	2	0,63	26	16,33	17,08	446,68	Fr-one n / One-flex Premium
31,6x90cm Huella Tec. Esq.	1	0,31	26	8,17	8,54	223,34	Fr-one n / One-flex Premium

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x90cm			ESQUINA DERECHA		ESQUINA IZQUIERDA	
MOY MOKA	P8660008 / 100121848	G146	P8660049 / 100123032	G172	P8660057 / 100123053	G172

1
INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO MEDIO
INTENSITY OF PEDESTRIAN TRANSIT: MEDIUM TRANSIT



ZÓCALO		10x44,3cm	
MOY MOKA	P8035362 / 100140113	G11	



PAVIMENTO: NOBU ROBLE 19,3x180cm/29,4x180cm

NOBU

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Colored Biscuit



NOBU ARCE			NOBU ARCE ANTISLIP		
29,4x180x1,2 cm	P1680080 / 100240011	G386	19,3x180x1,2 cm	P1670057 / 100240780	G386
19,3x180x1,2 cm	P1670059 / 100240770	G386			

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Tabaco B21522255/100236823



NOBU ROBLE			NOBU ROBLE ANTISLIP		
29,4x180x1,2 cm	P1680077 / 100240004	G386	19,3x180x1,2cm	P1857106 / 100240755	G386
19,3x180x1,2 cm	P1670058 / 100240781	G386			

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Tabaco B21522255/100236823





TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
29,4x180cm	2	1,06	50	52,92	29,48	1474	One-flexPremium/Super-flex2
19,3x180cm	3	1,04	54	56,28	29,17	1574,96	One-flexPremium/Super-flex2
9,5x180cm Zócalo	6	1,03	28	28,73	28,71	803,88	One-flexPremium/Super-flex2
29,4x180cm Huella Tec.	1	0,59	36	21,19	14,74	530,64	One-flexPremium/Super-flex2
29,4x180cm Huella Tec.Esq.	1	0,6	36	21,58	14,74	530,64	One-flexPremium/Super-flex2

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 29,4x180cm

		ESQUINA DERECHA		ESQUINA IZQUIERDA	
NOBU ARCE	P1680092 / 100242297	G193	P1680091 / 100242295	C196	P1680082 / 100242266
NOBU ARCE ANT. P-R	P1680089 / 100242331	G193	P1680090 / 100242312	G196	P1680084 / 100242292
NOBU ROBLE	P1680086 / 100242298	G193	P1680088 / 100242306	C196	P1680093 / 100242304
NOBU ROBLE ANT. P-R	P1680087 / 100242323	G193	P1680083 / 100242285	G196	P1680085 / 100242267



1
INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO MEDIO
INTENSITY OF PEDESTRIAN TRANSIT: MEDIUM TRANSIT



ZÓCALO	9,5x180cm	
NOBU ARCE	P92022031 / 100242354	G89
NOBU ROBLE	P92022021 / 100242374	G89

	180	
CORTE 9,5	G88	



ZÓCALO PRO-SKIRTING	10x180cm
NOBU ARCE	B70104255 / 100243412
NOBU ROBLE	B70104256 / 100243420

PAVIMENTO: NOBU ARCE 19,3x180cm / 29,4x180cm

ORLEANS

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Colored Biscuit



ORLEANS ARCE	ORLEANS ARCE ANTISLIP
19,3x120x1,1 cm P1880355 / 100242763 G387	19,3x120x1,1cm P1880357 / 100243010 G387

Butech recomienda junta / Butech recommends joint:
Colorstuk Especial Oak B21522235/100204255





ORLEANS GREY	ORLEANS GREY ANTISLIP
19,3x120x1,1 cm P1880356 / 100242745 G387	19,3x120x1,1cm P1880359 / 100242988 G387

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449



ORLEANS

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Colored Biscuit



ORLEANS NATURAL	ORLEANS NATURAL ANTISLIP
19,3x120x1,1 cm P1880354 / 100242772 G387	19,3x120x1,1cm P1880361 / 100242969 G387

Butech recomienda junta / Butech recommends joint:
Colorstuk Especial Oak B21522235/100204255





ORLEANS NUT	ORLEANS NUT ANTISLIP
19,3x120x1,1 cm P1880352 / 100242753 G387	19,3x120x1,1cm P1880360 / 100242993 G387

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Moka: B21522260/100236824





ORLEANS ROBLE	ORLEANS ROBLE ANTISLIP
19,3x120x1,1 cm P1880353 / 100242746 G387	19,3x120x1,1cm P1880358 / 100243001 G387

Butech recomienda junta / Butech recommends joint:
Colorstuk Especial Iroko B51201054/100243281



TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
19,3x120cm	5	1,16	48	55,58	31,75	1524,48	One-flexPremium/Super-flex2
9,5x120cm Zócalo	6	0,68	28	19,15	19,14	535,92	One-flexPremium/Super-flex2
29,4x120cm Huella Tec.	2	0,79	26	21,78	22,22	577,7	One-flexPremium/Super-flex2
29,4x120cm Huella Tec.Esq.	1	0,4	26	11,19	10,56	292,2	One-flexPremium/Super-flex2

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 19,3x120cm

			ESQUINA DERECHA		ESQUINA IZQUIERDA	
ORLEANS GREY	P18762531 / 100242961	G171	P18762561 / 100242933	G185	P18762631 / 100242964	G185
ORLEANS GREY ANT.	P18762741 / 100242975	G171	P18762781 / 100242899	G185	P18762701 / 100242986	G185
ORLEANS ROBLE	P18762581 / 100242952	G171	P18762611 / 100242970	G185	P18762541 / 100242928	G185
ORLEANS ROBLE ANT.	P18762681 / 100242976	G171	P18762751 / 100242967	G185	P18762771 / 100242974	G185
ORLEANS NUT	P18762551 / 100242951	G171	P18762651 / 100242955	G185	P18762571 / 100242957	G185
ORLEANS NUT ANT.	P18762721 / 100242984	G171	P18762691 / 100242985	G185	P18762671 / 100242991	G185
ORLEANS ARCE	P18762621 / 100242960	G171	P18762591 / 100242931	G185	P18762641 / 100242971	G185
ORLEANS ARCE ANT.	P18762731 / 100242937	G171	P18762761 / 100242936	G185	P18762811 / 100242939	G185
ORLEANS NATURAL	P18762521 / 100242932	G171	P18762601 / 100242963	G185	P18762661 / 100242956	G185
ORLEANS NATURAL ANT.	P18762801 / 100242938	G171	P18762711 / 100242990	G185	P18762791 / 100242946	G185



INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO MEDIO
INTENSITY OF PEDESTRIAN TRANSIT: MEDIUM TRANSIT



ZÓCALO	9,5x120cm	
ORLEANS GREY	P9202272 / 100242953	G78
ORLEANS ROBLE	P9202271 / 100242942	G78
ORLEANS NUT	P9202269 / 100242897	G78
ORLEANS ARCE	P9202270 / 100242962	G78
ORLEANS NATURAL	P9202268 / 100242954	G78



ZÓCALO PRO-SKIRTING	10x180cm
ORLEANS GREY	B70104253 / 100243409
ORLEANS ROBLE	B70104268 / 100243453
ORLEANS NUT	B70104266 / 100243425
ORLEANS ARCE	B70104263 / 100243443
ORLEANS NATURAL	B70104265 / 100243446



PAVIMENTO ORLEANS NUT 19,3x120cm

OXFORD

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Colored Biscuit



OXFORD ACERO
22x90x1,1 cm P1140001 / 100104705 G372
14,3x90x1,1 cm P1780001 / 100104696 G372

Butech recomienda junta / Butech recommends joint: Colorstuk Rapid n Manhattan B21522248/100236464

OXFORD ACERO ANTISLIP
14,3x90x1,2 cm P1780004 / 100105007 G372



OXFORD BLANCO
22x90x1,1 cm P1140006 / 100105234 G372
14,3x90x1,1 cm P1780012 / 100105233 G372

Butech recomienda junta / Butech recommends joint: Colorstuk Rapid n Gris B21522258/100236834

OXFORD BLANCO ANTISLIP*
14,3x90x1,1 cm P1780010 / 100105235 G372



**Para la confección del acabado antislip y con el objetivo de mejorar las propiedades higiénicas, se han eliminado las imágenes más claras de la serie original.
For the preparation of the antislip finish and to improve the hygienic properties, the clearest images of the original range have been removed.

OXFORD

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Colored Biscuit



OXFORD COGNAC
22x90x1,1 cm P1140013 / 100115861 G372
14,3x90x1,1 cm P1780022 / 100115860 G372

Butech recomienda junta / Butech recommends joint: Colorstuk Rapid n Tabaco B21522255/100236823

OXFORD COGNAC ANTISLIP
14,3x90x1,2 cm P1780023 / 100115862 G372



OXFORD SILVER
22x90x1,1 cm P1140009 / 100113365 G372
14,3x90x1,1 cm P1780015 / 100113364 G372

Butech recomienda junta / Butech recommends joint: Colorstuk Rapid n Cemento B21522249/100236449

OXFORD SILVER ANTISLIP
14,3x90x1,2 cm P1780016 / 100113366 G372



OXFORD NATURAL
22x90x1,1 cm P1140016 / 100127105 G372
14,3x90x1,1 cm P1780026 / 100127104 G372

Butech recomienda junta / Butech recommends joint: Colorstuk Especial Honey B21522234/100204261

OXFORD NATURAL ANTISLIP
14,3x90x1,2 cm P1780028 / 100130896 G372



OXFORD CASTAÑO
22x90x1,1 cm P1140002 / 100105010 G372
14,3x90x1,1 cm P1780002 / 100105009 G372

Butech recomienda junta / Butech recommends joint: Colorstuk Rapid n Moka B24302056/100238261

OXFORD CASTAÑO ANTISLIP
14,3x90x1,2 cm P1780005 / 100105011 G372



TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
22x90cm	6	1,19	52	61,78	30	1510	Fr-one n / One-flex Premium
14,3x90cm	8	1,03	60	61,78	26	1514	Fr-one n / One-flex Premium
10x44,3cm Zócalo	20	0,89	68	60,25	18,80	1278,40	Fr-one n / One-flex Premium
31,6x90cm Huella Tec.	2	0,63	26	16,33	17,08	443,96	Fr-one n / One-flex Premium
31,6x90cm Huella Tec. Esq.	1	0,31	26	8,17	8,54	222	Fr-one n / One-flex Premium

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x90cm			ESQUINA DERECHA			ESQUINA IZQUIERDA		
OXFORD ACERO	P8660011 / 100122057	G146	P8660073 / 100123033	G172	P8660068 / 100123054	G172		
OXFORD ACERO ANT.	P8660007 / 100121849	G146	P8660079 / 100123034	G172	P8660067 / 100123055	G172		
OXFORD ANTRACITA	P8660012 / 100122058	G146	P8660069 / 100123035	G172	P8660066 / 100123056	G172		
OXFORD ANTRACITA ANT.	P8660013 / 100122059	G146	P8660080 / 100123036	G172	P8660071 / 100123057	G172		
OXFORD BLANCO	P8660014 / 100122060	G146	P8660032 / 100122193	G172	P8660075 / 100123058	G172		
OXFORD BLANCO ANT.	P8660016 / 100122061	G146	P8660077 / 100123037	G172	P8660072 / 100123059	G172		
OXFORD CASTAÑO	P8660019 / 100122062	G146	P8660064 / 100123038	G172	P8660034 / 100122777	G172		
OXFORD CASTAÑO ANT.	P8660000 / 100121360	G146	P8660076 / 100123039	G172	P8660074 / 100123060	G172		
OXFORD COGNAC	P8660002 / 100121685	G146	P8660003 / 100121683	G172	P8660001 / 100121684	G172		
OXFORD COGNAC ANT.	P8660006 / 100121834	G146	P8660004 / 100121832	G172	P8660005 / 100121833	G172		
OXFORD NATURAL	P8660089 / 100136280	G146	P8660096 / 100136272	G172	P8660085 / 100136276	G172		
OXFORD NATURAL ANT.	P8660094 / 100136281	G146	P8660091 / 100136273	G172	P8660095 / 100136277	G172		
OXFORD SILVER	P8660015 / 100122063	G146	P8660065 / 100123040	G172	P8660078 / 100123061	G172		
OXFORD SILVER ANT.	P8660018 / 100122064	G146	P8660070 / 100123041	G172	P8660063 / 100123062	G172		



INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO MEDIO
INTENSITY OF PEDESTRIAN TRANSIT: MEDIUM TRANSIT



ZÓCALO	10x44,3cm	
OXFORD ACERO	P8270031 / 100124211	G11
OXFORD ANTRACITA	P8270034 / 100124231	G11
OXFORD BLANCO	P8270036 / 100124232	G11
OXFORD CASTAÑO	P8270042 / 100127005	G11
OXFORD COGNAC	P8270051 / 100139710	G11
OXFORD NATURAL	P8270049 / 100136284	G11
OXFORD SILVER	P8270037 / 100124233	G11



ZÓCALO PRO-SKIRTING	10x180cm	
OXFORD ACERO	B71142020 / 100178475	
OXFORD ANTRACITA	B71142031 / 100178471	
OXFORD BLANCO	B71142013 / 100178436	
OXFORD CASTAÑO	B71142015 / 100178435	
OXFORD COGNAC	B71142012 / 100178437	
OXFORD NATURAL	B71142023 / 100178462	
OXFORD SILVER	B71142028 / 100178463	



PAVIMENTO: BOLONIA COLONIAL 80x80cm

Atelier
Collection
BOLONIA

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Colored Biscuit



BOLONIA COLONIAL
80x80x1,1 cm P1760115 / 100202554 G373

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464



BOLONIA COGNAC
80x80x1,1 cm P1760117 / 100202553 G373

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Tabaco B21522255/100236823

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING								Adhesivo
FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL		
80x80cm	2	1,28	40	51,2	33,32	1332,9		One-flex Premium / Super-flex s2

*valores aproximados. *approximated values.



PAVIMENTO: HERITAGE NATURAL 80x80cm

Atelier
Collection

HERITAGE

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Colored Biscuit



HERITAGE COGNAC
80x80x1,1 cm P1760112 / 100190915 G373

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Tabaco B21522255/100236823



HERITAGE COLONIAL
80x80x1,1 cm P1760113 / 100190902 G373

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Tabaco B21522255/100236823



HERITAGE NATURAL
80x80x1,1 cm P1760114 / 100190916 G373

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING								Adhesivo
FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL		
80x80cm	2	1,28	40	51,2	33,32	1332,9		One-flex Premium / Super-flex s2

*valores aproximados. *approximated values.



PAVIMENTO: VIENA COLONIAL 60,2x60,2cm

Atelier
Collection
VIENA

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Colored Biscuit



VIENA COGNAC
60,2x60,2x1,03 cm P1857039 / 100202535 G366

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Tabaco B21522255/100236823



VIENA COLONIAL
60,2x60,2x1,03 cm P1857041 / 100202543 G366

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Tabaco B21522255/100236823

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
60,2x60,2cm	3	0,96	40	38,49	23,04	921,96	Fr-one n / One-flex Premium

*valores aproximados. *approximated values.

STON-KER®

El gres porcelánico STON-KER® está concebido para su utilización en suelos y paredes, tanto interiores como exteriores, gracias a sus altas prestaciones técnicas, que le permiten soportar las condiciones atmosféricas más extremas, ofreciendo al mismo tiempo una alta resistencia al desgaste.

STON-KER®


STON-KER® porcelain tiles are conceived for use on indoor or outdoor walls and floors, thanks to their high-performance properties. These allow them to withstand even the most extreme weather conditions, ensuring a high resistance to wear and tear.

ÍNDICE

DE PRODUCTO

INDEX

PRODUCT



STONES

ARIZONA	229
DECO BLUESTONE . BLUESTONE	233
BOSTON	237
CEILÁN	241
CEPPO	243
CHINA ACERO	247
DECO MOSA-RIVER . MOSA-RIVER	248
SUMATRA . PRADA	252
RIVER	257
ROCK	261
SAMOA	263
TEIDE	265

CONCRETES

ASTON	267
FORBES . MARBELLA . BOTTEGA	268
DOVER	273
HARLEM	277
MEXICO	281
MICROCEMENTO	283
BOMBAY . NANTES	285
ANTIQUE . PARK	288
RODANO	293
SOHO	297
TOSCANA	301

MONOCOLORS

EXTREME	303
MATT	305
TECHNIC	306

METALLICS

DETROIT	308
GLASGOW	309

TEXTURES

BARCELONA	311
SAFARI	313



PAVIMENTO: ARIZONA ARENA 43,5x65,9cm

ARIZONA

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



ARIZONA STONE
43,5x65,9x1,1 cm P1956630 / 100088091 G344
Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449

ARIZONA STONE ANTISLIP
43,5x65,9x1,1 cm P1956652 / 100111599 G354
R13 GT max 35 ANTISLIP STEK / RAP



ARIZONA ARENA
43,5x65,9x1,1 cm P1956629 / 100088083 G344
Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449
Colorstuk Rapid n Beige B21522252/100236808

ARIZONA ARENA ANTISLIP
43,5x65,9x1,1 cm P1956653 / 100111597 G354
R13 GT max 35 ANTISLIP STEK / RAP



ARIZONA CALIZA
43,5x65,9x1,1 cm P1956631 / 100088088 G344
Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449
Colorstuk Rapid n Gris B21522258/100236834

ARIZONA CALIZA ANTISLIP
43,5x65,9x1,1 cm P1956675 / 100125191 G354
R13 GT max 35 ANTISLIP STEK / RAP

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
43,5x65,9cm	3	0,86	60	51,6	21,18	1270,92	One-flexPremium/ Super-flexs2
9x65,9cm Zócalo	12	0,71	80	56,94	17,88	1430,79	One-flexPremium/ Super-flexs2
31,6x65,9cm Huella Tec.	2	0,46	40	18,4	12,34	479,2	One-flexPremium/ Super-flexs2
31,6x65,9cm Huella Tec. Esq.	1	0,23	40	9,2	6,17	246,79	One-flexPremium/ Super-flexs2

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x65,9 cm		ESQUINA DERECHA		ESQUINA IZQUIERDA	
ARIZONA STONE	P8680005 / 100122038	G130	P8680053 / 100122825	G150	P8680135 / 100122873
ARIZONA STONE ANT.	P8680148 / 100136663	G130	P8680170 / 100139978	G150	P8680174 / 100140102
ARIZONA CALIZA	P8680001 / 100121357	G130	P8680000 / 100121359	G150	P8680142 / 100122871
ARIZONA CALIZA ANT.	P8680145 / 100125188	G130	P8680173 / 100139977	G150	P8680169 / 100140101
ARIZONA ARENA	P8680007 / 100122034	G130	P8680052 / 100122822	G150	P8680134 / 100122869
ARIZONA ARENA ANT.	P8680166 / 100137412	G130	P8680172 / 100139976	G150	P8680168 / 100140100



INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO
INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT



ZÓCALO	9x65,9cm	
ARIZONA STONE	P4060001 / 100139704	G34
ARIZONA CALIZA	P4060000 / 100139703	G34
ARIZONA ARENA	P4060003 / 100139702	G34



PAVIMENTO: ARIZONA STONE 43,5x65,9 cm



PAVIMENTO: BLUESTONE ACERO 59,6x59,6cm · DECO BLUESTONE 59,6x59,6cm

BLUESTONE DECO BLUESTONE

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



BLUESTONE ACERO
80x80x1,2 cm P1760093 / 100173994 G369 **HIGHKER**
59,6x59,6x1,1 cm P1857003 / 100179074 G354

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464



BLUESTONE TOPO
80x80x1,2 cm P1760092 / 100173975 G369 **HIGHKER**
59,6x59,6x1,1 cm P1857001 / 100179065 G354

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464



DECO BLUESTONE
59,6x59,6x1,1 cm P1857004 / 100179076 G359

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449

i
- LA SERIE DECO BLUESTONE 59,6X59,6CM ESTÁ FORMADA POR 6 DECORADOS DISTINTOS ALEATORIOS.
- DECO BLUESTONE 59,6X59,6CM RANGE IS MADE IN 6 DIFFERENT RANDOM PATTERNS.

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
80x80cm	2	1,28	40	51,2	33,89	1355,9	One-flex Premium / Super-flex s2
59,6x59,6cm	4	1,42	32	45,47	37,49	1127,62	Fr-one n / One-flex Premium
9,x59,6cm Zócalo	18	0,97	56	54,07	23,25	1301,92	Fr-one n / One-flex Premium
9x80cm Zócalo	12	0,86	42	36,29	23,16	972,72	One-flex Premium / Super-flex s2
31,6x59,6cm Huella Tec.	2	0,42	48	19,97	11,33	543,84	One-flex Premium / Super-flex s2
31,6x59,6cm Huella Tec.Esq.	1	0,21	48	9,98	5,67	271,92	One-flex Premium / Super-flex s2

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x59,6cm		ESQUINA DERECHA		ESQUINA IZQUIERDA	
BLUESTONE ACERO	P9210335 / 100180330	G130	P9210334 / 100180350	G150	P9210341 / 100180333
BLUESTONE TOPO	P9210342 / 100180310	G130	P9210344 / 100180304	G150	P9210346 / 100180311
· HUELLA TÉCNICA 31,6x80cm		G153	· HUELLA TÉCNICA ESQ. DER/IZQ. 31,6x80cm		G181



INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO
INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT



ZÓCALO	9x80cm	
BLUESTONE ACERO	P4160020 / 100180410	G63
BLUESTONE TOPO	P4160023 / 100180404	G63



ZÓCALO	9x59,6cm	
BLUESTONE ACERO	P9210345 / 100180291	G30
BLUESTONE TOPO	P9210343 / 100180312	G30



PAVIMENTO: BLUESTONE TOPO 59,6x59,6cm · DECO BLUESTONE 59,6x59,6cm | REVESTIMIENTO: BLUESTONE TOPO 59,6x59,6cm



PAVIMENTO: BOSTON TOPO 43,5x65,9cm | REVESTIMIENTO: BOSTON TOPO 59,6x180cm

BOSTON

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



BOSTON STONE
59,6x180x1,2 cm P3570000 / 100179318 G371 HIGHER
43,5x65,9x1,1 cm P1956689 / 100179183 G344
Butech recomienda junta / Butech recommends joint:Colorstuk Rapid n Cemento B21522249/100236449

BOSTON STONE ANTISLIP
43,5x65,9x1,1 cm P1956693 / 100180941 G354
R12 GT SRV MAX 1 ANTISLIP STEX / RAF



BOSTON BONE
59,6x180x1,2 cm P3570003 / 100179347 G371 HIGHER
43,5x65,9x1,1 cm P1956688 / 100179098 G344
Butech recomienda junta / Butech recommends joint:Colorstuk Rapid n Gris B21522258/100236834



BOSTON TOPO
59,6x180x1,2 cm P3570002 / 100179326 G371 HIGHER
43,5x65,9x1,1 cm P1956690 / 100179203 G344
59,6x59,6 cm P1857006 / 100179350 G354
Butech recomienda junta / Butech recommends joint:Colorstuk Rapid n Manhattan B21522248/100236464

BOSTON TOPO ANTISLIP
43,5x65,9x1,1 cm P1956694 / 100180913 G354
R12 GT SRV MAX 1 ANTISLIP STEX / RAF



BOSTON GRAFITO
43,5x65,9x1,1 cm P1956691 / 100179191 G344
Butech recomienda junta / Butech recommends joint: Colorstuk Rapid n Negro B21522251/100236475

BOSTON GRAFITO ANTISLIP
43,5x65,9x1,1 cm P1956692 / 100180940 G354
R12 GT SRV MAX 1 ANTISLIP STEX / RAF

STON-KER

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING							
FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
59,6x180cm	2	2,15	24	51,5	58,64	1407,31	One-flexPremium/Super-flex2
59,6x59,6cm	4	1,42	32	45,47	37,24	1127,62	Fronen/One-flexPremium
43,5x65,9cm	3	0,86	60	54,6	21,15	1269,06	Fronen/One-flexPremium
9,6x65,9cm	12	0,71	80	56,94	17,88	1430,79	Fronen/One-flexPremium
9,x59,6cm Zócalo	18	0,97	56	54,07	23,25	1301,92	Fronen/One-flexPremium
31,6x65,9cm Huella Tec.	2	0,42	48	19,97	11,33	543,84	One-flexPremium/Super-flex2
31,6x65,9cm Huella Tec.Esq.	1	0,21	48	9,98	5,67	271,92	One-flexPremium/Super-flex2

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x65,9cm			ESQUINA DERECHA			ESQUINA IZQUIERDA		
BOSTON STONE	P8680245 / 100181492	G130	P8680232 / 100181466	G150	P8680239 / 100181480	G150		
BOSTON STONE ANT.	P8680246 / 100181504	G130	P8680233 / 100181472	G150	P8680240 / 100181473	G150		
BOSTON TOPO	P8680247 / 100181510	G130	P8680234 / 100181467	G150	P8680242 / 100181474	G150		
BOSTON TOPO ANT.	P8680248 / 100181485	G130	P8680235 / 100181449	G150	P8680243 / 100181481	G150		
BOSTON GRAFITO	P8680241 / 100181491	G130	P8680250 / 100181489	G150	P8680237 / 100181468	G150		
BOSTON GRAFITO ANT.	P8680244 / 100181503	G130	P8680231 / 100181471	G150	P8680238 / 100181469	G150		
BOSTON BONE	P8680230 / 100181470	G130	P8680249 / 100181487	G150	P8680236 / 100181439	G150		
· HUELLA TÉCNICA 31,6x59,6cm			G130	· HUELLA TÉCNICA ESQ. DER./IZQ. 31,6x59,6cm			G150	



INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO
INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT



ZÓCALO	9x59,6cm		9x65,9cm	
BOSTON STONE	P9210350 / 100180455	G30	P4060038 / 100180482	G34
BOSTON TOPO			P4060037 / 100180438	G34
BOSTON BONE			P4060039 / 100180470	G34
BOSTON GRAFITO			P4060040 / 100180480	G34



PAVIMENTO: BOSTON STONE 43,5x65,9cm



PAVIMENTO CEILÁN MARFIL 80x80cm

CEILÁN

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



CEILÁN MARFIL
80x80x1,2 cm P1760074 / 100153704 G369 HIGHKER
59,6x59,6x1,1 cm P1856889 / 100137603 G354
Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Beige B21522252/100236808

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
80x80cm	2	1,28	40	51,2	35,7	1427,91	One-flexPremium/Super-flex2
59,6x59,6cm	4	1,42	32	45,47	35,24	1127,62	Fronen/One-flexPremium
9x59,6cm Zócalo	18	0,97	56	54,07	23,25	1301,92	Fronen/One-flexPremium
9x80cm Zócalo	12	0,86	42	36,29	23,16	972,72	One-flexPremium/Super-flex2
31,6x59,6cm Huella Tec.	2	0,42	48	19,97	11,33	543,84	One-flexPremium/Super-flex2
31,6x59,6cm Huella Tec. Esq.	1	0,21	48	9,98	5,67	271,92	One-flexPremium/Super-flex2

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x80cm	ESQUINA DERECHA		ESQUINA IZQUIERDA	
CEILÁN MARFIL	P9200581 / 100156452	G153	P9200582 / 100156453	G181

· HUELLA TÉCNICA 31,6x59,6cm	ESQUINA DERECHA		ESQUINA IZQUIERDA	
CEILÁN MARFIL	P9210043 / 100122112	G130	P9210081 / 100122960	G150

1
INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO
INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT



ZÓCALO	9x80cm
CEILÁN MARFIL	P4160000 / 100140548



ZÓCALO	9x59,6cm
CEILÁN MARFIL	P9210162 / 100138014



PAVIMENTO: CEPPO STONE 80x80cm

CEPPO

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



CEPPO ACERO
80x80x1,1 cm P1760155 / 100226457 G369 HIGHKER
Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449



CEPPO ANTRACITA
80x80x1,1 cm P1760156 / 100226594 G369 HIGHKER
Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Antracita B21522250/100236481



CEPPO STONE
80x80x1,1 cm P1760154 / 100226448 G369 HIGHKER
Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CI	M2/CI	CI/PAL	M2/PAL	*KG/CI	*KG/PAL	Adhesivo
80x80cm	2	1,28	40	51,20	32,83	1313,04	One-flexPremium/Superflexs2
9x80cm Zócalo	12	0,86	42	36,29	24	1008	One-flexPremium/Superflexs2
31,6x80cm Huella Tec.	2	0,56	26	14,52	14,9	387,5	One-flexPremium/Superflexs2
31,6x80cm Huella Tec.Esq.	1	0,29	26	7,56	7,45	193,75	One-flexPremium/Superflexs2

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x80cm			ESQUINA DERECHA			ESQUINA IZQUIERDA		
CEPPO STONE	P9210649 / 100227256	C153	P9210653 / 100227291	G181		P9210656 / 100227287	G181	
CEPPO ACERO	P9210640 / 100227273	C153	P9210648 / 100227276	G181		P9210645 / 100227292	G181	
CEPPO ANTRACITA	P9210646 / 100227255	C153	P9210657 / 100227286	G181		P9210641 / 100227238	G181	



INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO
INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT



ZÓCALO	9x80cm	
CEPPO STONE	P4160044 / 100227247	G63
CEPPO ACERO	P4160046 / 100227234	G63
CEPPO ANTRA.	P4160045 / 100227228	G63



PAVIMENTO: CEPPO ACERO 80x80cm



PAVIMENTO: CHINA ACERO 43,5x65,9cm

CHINA ACERO

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



CHINA ACERO
43,5x65,9x1,2 cm P1956657 / 100121039 G347
Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464

CHINA ACERO ANTISLIP
43,5x65,9x1,1 cm P1956664 / 100121068 G347

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
43,5x65,9cm	3	0,86	60	51,6	21,18	1283	Fr-one n / One-flex Premium
9x65,9cm Zócalo	12	0,71	80	56,94	17,88	1430,79	Fr-one n / One-flex Premium
31,6x65,9cm Huella Tec.	2	0,46	40	18,4	12,34	479,2	Fr-one n / One-flex Premium
31,6x65,9cm Huella Tec. Esq.	1	0,23	40	9,2	6,17	246,79	Fr-one n / One-flex Premium

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x65,9cm				ESQUINA DERECHA		ESQUINA IZQUIERDA	
CHINA ACERO	P8680147 / 100134319	G130		P8680157 / 100136738	G150	P8680152 / 100136744	G150
CHINA ACERO ANT.	P8680160 / 100136733	G130		P8680161 / 100136739	G150	P8680154 / 100136745	G150

i
INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO
INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT



ZÓCALO 9x65,9cm		
CHINA ACERO	P4060006 / 100139918	G34

MOSA-RIVER

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



MOSA-RIVER ACERO				
120x120x1,15cm	P9202359 / 100245351	G392	HIGHKER	
100x100x1,11 cm	P3590014 / 100245651	G377	HIGHKER	
80x80x1,11 cm	P1760182 / 100245626	G369	HIGHKER	
43,5x65,9x1,11 cm	P1956706 / 100245347	G344		

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464

MOSA-RIVER ACERO ANT.				
120x120x1,15 cm	P9202365 / 100245605	G393	HIGHKER	
100x100x1,1 cm	P3590007 / 100245613	G382	HIGHKER	
43,5x65,9x1,11 cm	P1956704 / 100245393	G354		



MOSA-RIVER GREY				
59,6x180x1,11 cm	P3570034 / 100245383	G371	HIGHKER	
120x120x1,15cm	P9202362 / 100245400	G392	HIGHKER	
100x100x1,11 cm	P3590013 / 100245620	G377	HIGHKER	
80x80x1,11 cm	P1760183 / 100245634	G369		

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449

MOSA-RIVER GREY ANT.				
120x120x1,15 cm	P9202369 / 100245589	G393	HIGHKER	
100x100x1,1 cm	P3590006 / 100245588	G382	HIGHKER	



MOSA-RIVER DECO MOSA-RIVER

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



MOSA-RIVER CALIZA				
120x120x1,15cm	P9202361 / 100245357	G392	HIGHKER	
100x100x1,11 cm	P3590015 / 100245583	G377	HIGHKER	
80x80x1,11 cm	P1760177 / 100245606	G369	HIGHKER	
43,5x65,9x1,11 cm	P1956701 / 100245379	G344		

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Beige B21522252/100236808

MOSA-RIVER CALIZA ANT.				
120x120x1,15 cm	P9202366 / 100245607	G393	HIGHKER	
100x100x1,1 cm	P3590016 / 100245592	G382	HIGHKER	
43,5x65,9x1,11 cm	P1956702 / 100245359	G354		



DECO MOSA-RIVER		
59,6x59,6x1,03 cm	P1857122 / 100245350	G359

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464

- 1
- DECO MOSA-RIVER ESTÁ FORMADA POR 6 DECORADOS DISTINTOS ALEATORIOS.

- DECO MOSA-RIVER IS MADE IN 6 DIFFERENT RANDOM PATTERNS.

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
59,6x180	2	2,15	24	51,50	56,93	1407,31	One-flex Premium / Super-flex2
120x120	1	1,44	33,00	47,52	38,72	1277,83	One-flex Premium / Super-flex2
100x100	1	1,00	33,00	33,00	27,63	911,89	One-flex Premium / Super-flex2
80x80	2	1,28	40,00	51,20	32,40	1296,00	One-flex Premium / Super-flex2
59,6x59,6	4	1,42	32,00	45,47	34,38	1100,03	One-flex Premium / Super-flex2
43,5x65,9	3	0,86	60,00	51,60	21,39	1283,22	One-flex Premium / Super-flex2
9x120 Zócalo	6	0,65	40	25,92	8,22	328,8	One-flex Premium / Super-flex2
9x100 Zócalo	6	0,54	40	21,6	6,85	273,84	One-flex Premium / Super-flex2
9x80 Zócalo	12	0,86	42	36,29	24	1.008	One-flex Premium / Super-flex2
9x59,6 Zocalo	18	0,97	56	54,07	22,77	1.275,12	One-flex Premium / Super-flex2
9x65,6 Zocalo	12	0,71	80	56,94	18	1.440	One-flex Premium / Super-flex2
31,6x120 Huella Tec.	2	0,84	26	21,78	22,36	581,26	One-flex Premium / Super-flex2
31,6x120 Huella Tec. Esq.	1	0,43	26	11,19	11,18	290,63	One-flex Premium / Super-flex2
31,6x80 Huella Tec.	2	0,56	26	14,52	14,90	387,50	One-flex Premium / Super-flex2
31,6x80 Huella Tec. Esq.	1	0,29	26	7,56	7,45	193,75	One-flex Premium / Super-flex2
31,6x59,6 Huella Tec.	2	0,42	48	19,97	12	576	One-flex Premium / Super-flex2
31,6x59,6 Huella Tec. Esq.	1	0,22	48	10,54	6	288	One-flex Premium / Super-flex2
31,6x65,9 Huella Tec.	2	0,46	40	18,40	13,23	529,04	One-flex Premium / Super-flex2
31,6x65,9 Huella Tec. Esq.	1	0,24	40	9,66	6,61	264,52	One-flex Premium / Super-flex2

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x120cm			ESQUINA DERECHA			ESQUINA IZQUIERDA		
MOSA-RIVER ACERO	P8670300 / 100246524	G180	P8670289 / 100246408	G187	P8670284 / 100246459	G187		
MOSA-RIVER ACERO ANT.	P8670299 / 100246553	G180	P8670292 / 100246474	G187	P8670303 / 100246503	G187		
MOSA-RIVER GREY	P8670295 / 100246570	G180	P8670294 / 100246449	G187	P8670302 / 100246458	G187		
MOSA-RIVER GREY ANT.	P8670287 / 100246462	G180	P8670293 / 100246457	G187	P8670288 / 100246465	G187		
MOSA-RIVER CALIZA	P8670297 / 100246554	G180	P8670290 / 100246455	G187	P8670307 / 100246481	G187		
MOSA-RIVER CALIZA ANT.	P8670305 / 100246482	G180	P8670291 / 100246456	G187	P8670306 / 100246513	G187		
MOSA-RIVER TOPO	P8670298 / 100246547	G180	P8670285 / 100246378	G187	P8670304 / 100246512	G187		
MOSA-RIVER TOPO ANT.	P8670296 / 100246579	G180	P8670286 / 100246409	G187	P8670301 / 100246504	G187		

· HUELLA TÉCNICA 31,6x100cm			ESQUINA DERECHA			ESQUINA IZQUIERDA		
MOSA-RIVER		G164		G183			G183	

· HUELLA TÉCNICA 31,6x80cm			ESQUINA DERECHA			ESQUINA IZQUIERDA		
MOSA-RIVER ACERO	P9210805 / 100246562	G153	P9210790 / 100246379	G181	P9210817 / 100246501	G181		
MOSA-RIVER GREY	P9210818 / 100246505	G153	P9210814 / 100246475	G181	P9210816 / 100246500	G181		
MOSA-RIVER CALIZA	P9210807 / 100246526	G153	P9210788 / 100246461	G181	P9210815 / 100246491	G181		
MOSA-RIVER TOPO	P9210821 / 100246527	G153	P9210792 / 100246439	G181	P9210809 / 100246477	G181		

· HUELLA TÉCNICA 31,6x65,9cm			ESQUINA DERECHA			ESQUINA IZQUIERDA		
MOSA-RIVER ACERO	P8680295 / 100246525	G130	P8680301 / 100246506	G150	P8680302 / 100246542	G150		
MOSA-RIVER ACERO ANT.	P8670299 / 100246553	G130	P8670292 / 100246474	G150	P8670303 / 100246503	G150		
MOSA-RIVER GREY	P8670295 / 100246570	G130	P8670294 / 100246449	G150	P8670302 / 100246458	G150		
MOSA-RIVER GREY ANT.	P8670287 / 100246462	G130	P8670293 / 100246457	G150	P8670288 / 100246465	G150		
MOSA-RIVER CALIZA	P8670297 / 100246554	G130	P8670290 / 100246455	G150	P8670307 / 100246481	G150		
MOSA-RIVER CALIZA ANT.	P8670305 / 100246482	G130	P8670291 / 100246456	G150	P8670306 / 100246513	G150		
MOSA-RIVER TOPO	P8670298 / 100246547	G130	P8670285 / 100246378	G150	P8670304 / 100246512	G150		
MOSA-RIVER TOPO ANT.	P8670296 / 100246579	G130	P8670286 / 100246409	G150	P8670301 / 100246504	G150		

· HUELLA TÉCNICA 31,6x59,6cm			ESQUINA DERECHA			ESQUINA IZQUIERDA		
MOSA-RIVER ACERO	P9210819 / 100246552	G130	P9210812 / 100246493	G150	P9210811 / 100246498	G150		
MOSA-RIVER GREY	P9210799 / 100246572	G130	P9210794 / 100246494	G150	P9210810 / 100246486	G150		
MOSA-RIVER CALIZA	P9210806 / 100246546	G130	P9210813 / 100246483	G150	P9210808 / 100246533	G150		
MOSA-RIVER TOPO	P9210820 / 100246549	G130	P9210795 / 100246466	G150	P9210822 / 100246521	G150		



INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO
INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT



ZÓCALO	9x120cm		
MOSA-RIVER ACERO	P4220021 / 100246567	G78	
MOSA-RIVER GREY	P4220020 / 100246594	G78	
MOSA-RIVER CALIZA	P4220022 / 100246563	G78	
MOSA-RIVER TOPO	P4220019 / 100246586	G78	



ZÓCALO	9x100cm		
MOSA-RIVER ACERO	P9202390 / 100246604	G74	
MOSA-RIVER GREY	P9202392 / 100246593	G74	
MOSA-RIVER CALIZA	P9202393 / 100246558	G74	
MOSA-RIVER TOPO	P9202388 / 100246601	G74	



ZÓCALO	9x80cm		
MOSA-RIVER ACERO	P4160052 / 100246585	G63	
MOSA-RIVER GREY	P4160053 / 100246600	G63	
MOSA-RIVER CALIZA	P4160050 / 100246564	G63	
MOSA-RIVER TOPO	P4160051 / 100246596	G63	



ZÓCALO	9x65,9cm		
MOSA-RIVER ACERO	P4060045 / 100246622	G34	
MOSA-RIVER CALIZA	P4060047 / 100246538	G34	
MOSA-RIVER TOPO	P4060046 / 100246610	G34	



ZÓCALO	9x59,6cm		
MOSA-RIVER ACERO	P9210798 / 100246599	G30	
MOSA-RIVER GREY	P9210796 / 100246595	G30	
MOSA-RIVER CALIZA	P9210802 / 100246559	G30	
MOSA-RIVER TOPO	P9210800 / 100246539	G30	



PAVIMENTO: MOSA-RIVER ACERO 120x120cm | REVESTIMIENTO: MOSA-RIVER ACERO 45x120cm - MOSAICO MOSA-RIVER ACERO 45x120cm

PRADA

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



PRADA ACERO

120x120x1,15 cm	P9202153 / 100239993	G392	HIGHKER	PERFORADO TÉCNICO
80x80x1,1 cm	P1760184 / 100245609	G369	HIGHKER	
59,6x59,6x1,03 cm	P1857100 / 100239890	G354		

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834

PRADA ACERO ANT.

59,6x59,6x1,03 cm	P1857113 / 100243287	G359		
-------------------	----------------------	------	--	--

GT

SRV Class 1

ANTISLIP

STEK / RAF



PRADA CALIZA

120x120x1,15 cm	P9202154 / 100239986	G392	HIGHKER	PERFORADO TÉCNICO
80x80x1,1 cm	P1760178 / 100245538	G369	HIGHKER	
59,6x59,6x1,03 cm	P1857095 / 100239849	G354		

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Marfil B21522257/100236794

PRADA CALIZA ANT.

59,6x59,6x1,03 cm	P1857114 / 100243304	G359		
-------------------	----------------------	------	--	--

GT

SRV Class 1

ANTISLIP

STEK / RAF

PRADA SUMATRA

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



PRADA GREY

120x120x1,15 cm	P9202150 / 100239987	G392	HIGHKER	PERFORADO TÉCNICO
80x80x1,1 cm	P1760179 / 100245625	G369	HIGHKER	
59,6x59,6x1,03 cm	P1857104 / 100239869	G354		

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449

PRADA GREY ANT.

59,6x59,6x1,03 cm	P1857116 / 100243313	G359		
-------------------	----------------------	------	--	--

GT

SRV Class 1

ANTISLIP

STEK / RAF



PRADA WHITE

120x120x1,15 cm	P9202358 / 100245375	G392	HIGHKER	PERFORADO TÉCNICO
80x80x1,1 cm	P1760181 / 100245596	G369	HIGHKER	
59,6x59,6x1,03 cm	P1857119 / 100245380	G354		

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834



SUMATRA

59,6x59,6x1,03 cm	P1857103 / 100239900	G359		
-------------------	----------------------	------	--	--

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449

1

- SUMATRA ESTÁ FORMADA POR 12 DECORADOS DISTINTOS ALEATORIOS.

- SUMATRA IS MADE IN 12 DIFFERENT RANDOM PATTERNS.

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CI	M2/CI	CI/PAL	M2/PAL	*KG/CI	*KG/PAL	Adhesivo
120x120cm	1	1,44	33	47,52	38,72	1277,83	One-flexPremium/Super-flexs2
80x80cm	2	1,28	40	51,2	32,4	1.296	One-flexPremium/Super-flexs2
59,6x59,6cm	4	1,42	32	45,47	23,16	972,72	Froneo/One-flexPremium
9x120cm Zócalo	6	0,65	40	25,92	8,22	328,80	One-flexPremium/Super-flexs2
9x80cm Zócalo	12	0,54	40	21,60	6,61	264,24	One-flexPremium/Super-flexs2
9x59,6cm Zócalo	18	0,86	42	36,29	23,16	972,72	One-flexPremium/Super-flexs2
31,6x120cm Huella Tec.	2	0,84	26	21,78	22,36	581,26	One-flexPremium/Super-flexs2
31,6x120cm Huella Tec.Esq.	1	0,43	26	11,19	11,18	290,63	One-flexPremium/Super-flexs2
31,6x80cm Huella Tec.	2	0,56	26	14,52	14,90	387,50	One-flexPremium/Super-flexs2
31,6x80cm Huella Tec.Esq.	1	0,29	26	7,56	7,45	193,75	One-flexPremium/Super-flexs2
31,6x59,6cm Huella Tec.	2	0,42	48	19,97	12	576	One-flexPremium/Super-flexs2
31,6x59,6cm Huella Tec.Esq.	1	0,22	48	10,54	6	288	One-flexPremium/Super-flexs2

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x120cm

			ESQUINA DERECHA		ESQUINA IZQUIERDA	
PRADA ACERO	P8670266 / 100242281	G180	P8670259 / 100242260	G187	P8670270 / 100242208	G187
PRADA CALIZA	P8670257 / 100242257	G180	P8670268 / 100242253	G187	P8670249 / 100242261	G187
PRADA GREY	P8670250 / 100242247	G180	P8670267 / 100242244	G187	P8670261 / 100242270	G187
PRADA WHITE	P8670312 / 100255024	G180	P8670313 / 100254998	G187	P8670314 / 100255023	G187

· HUELLA TÉCNICA 31,6x80cm

			ESQUINA DERECHA		ESQUINA IZQUIERDA	
PRADA ACERO	P9210786 / 100246418	G180	P9210783 / 100246446	G187	P9210801 / 100246582	G187
PRADA CALIZA	P9210787 / 100246447	G180	P9210785 / 100246453	G187	P9210797 / 100246577	G187
PRADA GREY	P9210791 / 100246470	G180	P9210789 / 100246460	G187	P9210803 / 100246584	G187
PRADA WHITE	P9210793 / 100246471	G180	P9210784 / 100246463	G187	P9210804 / 100246543	G187

· HUELLA TÉCNICA 31,6x59,6cm

			ESQUINA DERECHA		ESQUINA IZQUIERDA	
PRADA ACERO	P9210728 / 100242313	G130	P9210707 / 100242268	G150	P9210703 / 100242284	G150
PRADA ACERO ANT.	P9210779 / 100246590	G130	P9210763 / 100246485	G150	P9210762 / 100246623	G150
PRADA CALIZA	P9210709 / 100242287	G130	P9210716 / 100242307	G150	P9210711 / 100242293	G150
PRADA CALIZA ANT.	P9210776 / 100246556	G130	P9210765 / 100246469	G150	P9210777/ 100246583	G150
PRADA GREY	P9210713 / 100242314	G130	P9210705 / 100242273	G150	P9210724 / 100242321	G150
PRADA GREY ANT.	P92107781 / 100246591	G130	P9210764 / 100246531	G150	P9210768 / 100246523	G150
PRADA WHITE	P9210780 / 100246592	G130	P9210766 / 100246540	G150	P9210767 / 100246561	G150



INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO
INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT



ZÓCALO

	9x120cm	
PRADA ACERO	P4220009 / 100242347	G78
PRADA CALIZA	P4220015 / 100242327	G78
PRADA GREY	P4220016 / 100242365	G78
PRADA WHITE	P4220018 / 100246602	G78



ZÓCALO

	9x80cm	
PRADA ACERO	P4160054 / 100251904	G63
PRADA CALIZA	P4160056 / 100251928	G63
PRADA GREY	P4160055 / 100252031	G63
PRADA WHITE	P4160049 / 100246603	G63



ZÓCALO

	9x59,6cm	
PRADA ACERO	P9210735 / 100242375	G30
PRADA CALIZA	P9210737 / 100242356	G30
PRADA GREY	P9210734 / 100242328	G30
PRADA WHITE	P9210781 / 100246620	G30



PAVIMENTO: PRADA ACERO 120x120cm | REVESTIMIENTO: MOSAICO PRADA ACERO 45x120cm



PAVIMENTO: RIVER STONE 59,6x120cm | REVESTIMIENTO: RIVER STONE 59,6x120cm

RIVER

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



RIVER STONE
59,6x120x1,15 cm P1976891 / 100222368 G369 HIGHKER
Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464

RIVER STONE ANTISLIP
59,6x120x1,15 cm P1976898 / 100226571 G373 HIGHKER



RIVER SILVER
59,6x120x1,15 cm P1976894 / 100222385 G369 HIGHKER
Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449

RIVER SILVER ANTISLIP
59,6x120x1,15 cm P1976893 / 100220070 G373 HIGHKER



RIVER ANTRACITA
59,6x120x1,15 cm P1976892 / 100222367 G369 HIGHKER
Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Antracita B21522250/100236481

RIVER ANTRACITA ANTISLIP
59,6x120x1,15 cm P1976899 / 100226552 G373 HIGHKER



TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
59,6x120cm	2	1,43	28	40,05	38,54	1079,01	One-flexPremium/Super-flexs2
9x120cm Zócalo	12	1,3	48	62,62	16,44	789,12	One-flexPremium/Super-flexs2
31,6x120cm Huella Tec.	2	0,84	26	21,78	22,36	581,26	One-flexPremium/Super-flexs2
31,6x120cm Huella Tec. Esq.	1	0,43	26	11,19	11,18	290,63	One-flexPremium/Super-flexs2

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x120cm			ESQUINA DERECHA			ESQUINA IZQUIERDA		
RIVER ANTRACITA	P8670215 / 100227440	G180	P8670208 / 100227359	G187	P8670204 / 100227443	G187		
RIVER ANTRACITA ANT.	P8670205 / 100227432	G180	P8670221 / 100227369	G187	P8670211 / 100227444	G187		
RIVER STONE	P8670207 / 100227434	G180	P8670212 / 100227379	G187	P8670219 / 100227424	G187		
RIVER STONE ANT.	P8670220 / 100227435	G180	P8670214 / 100227413	G187	P8670216 / 100227425	G187		
RIVER SILVER	P8670206 / 100227433	G180	P8670210 / 100227396	G187	P8670218 / 100227445	G187		
RIVER SILVER ANT.	P8670217 / 100227422	G180	P8670213 / 100227420	G187	P8670209 / 100227414	G187		



INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO
INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT



ZÓCALO	9x120cm		
RIVER ANTRACITA	P4220006 / 100227266	G78	
RIVER SILVER	P4220007 / 100227267	G78	
RIVER STONE	P4220004 / 100227272	G78	



PAVIMENTO: RIVER ANTRACITA 59,6x120cm | REVESTIMIENTO: RIVER ANTRACITA 59,6x120cm



PAVIMENTO: ROCK GRAFITO 80x80cm | REVESTIMIENTO: LEXINGTON COLONIAL 45x120cm

ROCK

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



ROCK GRAFITO
80x80x1 cm P17601381 / 100214660 G369 HIGHKER
Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Antracita B21522250/100236481

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING							
FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
80x80cm	2	1,28	40	51,2	33,32	1332,9	One-flexPremium/Super-flexs2
9x80cm Zócalo	18	1,30	56	72,58	35,78	2003,80	One-flexPremium/Super-flexs2
31,6x80cm Huella Tec.	2	0,56	26	14,52	14,58	379,15	One-flexPremium/Super-flexs2
31,6x80cm Huella Tec.Esq.	1	0,29	26	7,56	7,29	189,57	One-flexPremium/Super-flexs2

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x80cm				ESQUINA DERECHA		ESQUINA IZQUIERDA	
ROCK GRAFITO	P9210591 / 100222024	G153		P9210584 / 100221973	G181	P9210606 / 100221985	G181

1
INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO
INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT



ZÓCALO		9x80cm	
ROCK GRAFITO	P4160040 / 100221455	G63	



PAVIMENTO: SAMOA ANTRACITA 43,5x65,9cm

SAMOA

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



SAMOA ANTRACITA
43,5x65,9x1,1 cm P1981290 / 100145463 G344
Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Negro B21522251/100236475

SAMOA ANTRACITA ANT.
43,5x65,9 cm P1981291 / 100145828 G354
R12 G1 BRV PORCELANATO ANTISLP STEK / RAF

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
43,5x65,9cm	3	0,86	60	51,6	21,18	1270,92	Fr-one n / One-flex Premium
9x65,9cm Zócalo	12	0,71	80	56,94	17,88	1430,79	Fr-one n / One-flex Premium
31,6x65,9cm Huella Tec.	2	0,46	40	18,4	12,34	493,58	Fr-one n / One-flex Premium
31,6x65,9cm Huella Tec. Esq.	1	0,23	40	9,2	6,17	246,79	Fr-one n / One-flex Premium

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x65,9cm			ESQUINA DERECHA			ESQUINA IZQUIERDA		
SAMOA ANTRACITA	P8680192 / 100148419	G130	P8680201 / 100148425	G150	P8680182 / 100148448	G150	G150	
SAMOA ANTRACITA ANT.	P8680195 / 100148421	G130	P8680194 / 100148408	G150	P8680187 / 100148449	G150	G150	

i
INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO
INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT



ZÓCALO	9x65,9cm	
SAMOA ANTRACITA	P4060030 / 100148162	G34



TEIDE

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



TEIDE STONE

45x90x1,2 cm

P1740085 / 100226586

G363

Butech recomienda junta / Butech recommends joint: Colorstuk Rapid n Cemento B21522249/100236449

TEIDE STONE ANTISLIP

45x90x1,2 cm

P1740086 / 100226587

G366



TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
45x90cm	3	1,22	44	53,46	30,25	1330,96	One-flex Premium/ Super-flex2
9x90cm Zócalo	9	0,73	36	26,24	18,98	680,32	One-flex Premium/ Super-flex2
31,6x90cm Huella Tec.	2	0,63	26	16,33	17,73	640,98	One-flex Premium/ Super-flex2
31,6x90cm Huella Tec.Esq.	1	0,33	26	8,47	8,87	230,49	One-flex Premium/ Super-flex2

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x90cm

TEIDE STONE	P8660243 / 100227315	G146	P8660231 / 100227332	G172	P8660224 / 100227313	G172
TEIDE STONE ANT.	P8660227 / 100227316	G146	P8660236 / 100227295	G172	P8660212 / 100227324	G172



ZÓCALO

9x90cm

TEIDE STONE	P9201783 / 100227246	G63
-------------	----------------------	-----

i
INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO
INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT



PAVIMENTO: ASTON ACERO 59,6x59,6cm

ASTON

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



ASTON ACERO
59,6x59,6x1,1 cm P1856868 / 100137568 G354

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING							
FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
59,6x59,6cm	4	1,42	32	45,47	37,24	1127,62	Fr-one n / One-flex Premium
9,x59,6cm Zócalo	18	0,97	56	54,07	23,25	1301,92	Fr-one n / One-flex Premium
31,6x59,6cm Huella Tec.	2	0,42	48	19,97	11,33	543,84	Fr-one n / One-flex Premium
31,6x59,6cm Huella Tec.Esq.	1	0,21	48	9,98	5,67	271,92	Fr-one n / One-flex Premium

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x59,6cm				ESQUINA DERECHA		ESQUINA IZQUIERDA	
ASTON ACERO	P9210058 / 100122095	G130	P9210125 / 100122955	G150	P9210127 / 100122989	G150	

INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO
INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT



ZÓCALO		9x59,6cm	
ASTON ACERO	P9210153 / 100137998	G30	

BOTTEGA

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



BOTTEGA ACERO

59,6x180x1,15cm	P3570032 / 100245332	G371	HIGHKER	PORECELANADO TÉCNICO
120x120x1,15cm	P9201778 / 100227107	G392	HIGHKER	
100x100x1,15cm	P3590017 / 100245537	G377	HIGHKER	
80x80x1,11 cm	P1760136 / 100214633	G369	HIGHKER	
59,6x59,6x1,03 cm	P1857072 / 100214641	G354		

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449

BOTTEGA ACERO ANT.

120x120x1,15 cm	P9202002 / 100236505	G393	HIGHKER	PORECELANADO TÉCNICO
80x80x1,1 cm	P1760145 / 100221486	G373	HIGHKER	
59,6x59,6x1,03 cm	P1857076 / 100221464	G359		
59,6x59,6x1,03 cm C-2	P1857108 / 100242387	G354		



BOTTEGA TOPO

120x120x1,15cm	P9201779 / 100227119	G392	HIGHKER	PORECELANADO TÉCNICO
100x100x1,15cm	P3590011 / 100245642	G377	HIGHKER	
80x80x1,11 cm	P1760137 / 100214622	G369	HIGHKER	
59,6x59,6x1,03 cm	P1857073 / 100214662	G354		

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449

BOTTEGA TOPO ANT.

120x120x1,15 cm	P9202003 / 100236493	G393	HIGHKER	PORECELANADO TÉCNICO
80x80x1,1 cm	P1760144 / 100221465	G373	HIGHKER	
59,6x59,6x1,03	P1857078 / 100221449	G359		



BOTTEGA CALIZA

59,6x180x1,15cm	P3570033 / 100245307	G371	HIGHKER	PORECELANADO TÉCNICO
120x120x1,15cm	P9201603 / 100214898	G392	HIGHKER	
100x100x1,15cm	P3590010 / 100245641	G377	HIGHKER	
80x80x1,11 cm	P1760139 / 100214608	G369	HIGHKER	
59,6x59,6x1,03 cm	P1857071 / 100214648	G354		

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Marfil B21522257/100236794

BOTTEGA CALIZA ANT.

120x120x1,15 cm	P9201929 / 100233956	G393	HIGHKER	PORECELANADO TÉCNICO
80x80x1,1 cm	P1760146 / 100221502	G373	HIGHKER	
59,6x59,6x1,03 cm	P1857075 / 100221473	G359		
59,6x59,6x1,03 cm C-2	P1857109 / 100242388	G354		



BOTTEGA WHITE

120x120x1,15 cm	P92021491 / 100239911	G392	HIGHKER	PORECELANADO TÉCNICO
100x100x1,15cm	P3590009 / 100245650	G377	HIGHKER	
80x80x1,11 cm	P17601711 / 100239885	G369		
59,6x59,6x1,03 cm	P18570971 / 100239864	G354		

Butech recomienda junta / Butech recommends joint:
Colorstuk Especial n Nacaré B24302057/100238235



BOTTEGA ANTRACITA

120x120x1,15 cm	P9202156 / 100239883	G392	HIGHKER	PORECELANADO TÉCNICO
100x100x1,15cm	P3590008 / 100245624	G377	HIGHKER	
80x80x1,11 cm	P1760170 / 100240006	G369	HIGHKER	
59,6x59,6x1,03 cm	P1857102 / 100240051	G354		

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Antracita B21522250/100236481

BOTTEGA ANTRACITA ANT.

120x120x1,15 cm	P9202200 / 100239910	G393	HIGHKER	PORECELANADO TÉCNICO
80x80x1,11 cm	P1760143 / 100221481	G373	HIGHKER	
59,6x59,6x1,03 cm	P1857077 / 100221433	G359		



FORBES

59,6x59,6x1,03 cm	P18571051 / 100239866	G359		
-------------------	-----------------------	------	--	--

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464

- i

- FORBES ESTÁ FORMADA POR 12 DECORADOS DISTINTOS ALEATORIOS.

- FORBES IS MADE IN 12 DIFFERENT RANDOM PATTERNS.

BOTTEGA MARBELLA FORBES

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



MARBELLA BLUE

59,6x59,61,03 cm	P1857069 / 100214643	G359		
------------------	----------------------	------	--	--

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464



MARBELLA STONE

59,6x59,6x1,03 cm	P18570701 / 100214549	G359		
-------------------	-----------------------	------	--	--

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464

- i

- MARBELLA STONE ESTÁ FORMADA POR 3 DECORADOS DISTINTOS ALEATORIOS.

- MARBELLA STONE IS MADE IN 3 DIFFERENT RANDOM PATTERNS.

- MARBELLA BLUE ESTÁ FORMADA POR 12 DECORADOS DISTINTOS ALEATORIOS.

- MARBELLA BLUE IS MADE IN 12 DIFFERENT RANDOM PATTERNS.

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING							
FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
59,6x180	2	2,15	24	51,50	58,99	1.415,86	One-flexPremium/ Super-flexs2
120x120cm	1	1,44	33	47,52	38,72	1277,83	One-flexPremium/ Super-flexs2
100x100	1	1	33	33	27,63	911,89	One-flexPremium/ Super-flexs2
80x80cm	2	1,28	40	51,20	32,40	1296,00	One-flexPremium/ Super-flexs2
59,6x59,6cm	4	1,42	32	45,47	34,38	1100,03	Fr-one n / One-flex Premium
9x120cm Zócalo	6	0,65	40	25,92	8,22	328,80	One-flexPremium/ Super-flexs2
9x100 Zócalo	6	0,54	40	21,6	6,85	273,84	One-flexPremium/ Super-flexs2
9x80cm Zócalo	12	0,86	42	36,29	24	1008	Fr-one n / One-flex Premium
9x59,6cm Zócalo	18	0,97	56	54,07	22,77	1275,12	One-flexPremium/ Super-flexs2
31,6x120cm Huella Tec.	2	0,84	26	21,78	22,36	581,26	One-flexPremium/ Super-flexs2
31,6x120cm Huella Tec. Esq.	1	0,43	26	11,19	11,18	290,63	One-flexPremium/ Super-flexs2
31,6x80cm Huella Tec.	2	0,56	26	14,52	14,90	387,50	One-flexPremium/ Super-flexs2
31,6x80cm Huella Tec. Esq.	1	0,29	26	7,56	7,45	193,75	One-flexPremium/ Super-flexs2
31,6x59,6cm Huella Tec.	2	0,42	48	19,97	12	576	One-flexPremium/ Super-flexs2
31,6x59,6cm Huella Tec. Esq.	1	0,42	48	10,54	6	288	One-flexPremium/ Super-flexs2

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x120cm			ESQUINA DERECHA			ESQUINA IZQUIERDA		
BOTTEGA ACERO	P8670224 / 100230225	G180	P8670225 / 100232103	G187	P8670226 / 100232089	G187		
BOTTEGA ACERO ANT.	P8670240 / 100238179	G180	P8670277 / 100243140	G187	P8670280 / 100243106	G187		
BOTTEGA CALIZA	P8670223 / 100229926	G180	P86702341 / 100234079	G187	P8670222 / 100229927	G187		
BOTTEGA CALIZA ANT.	P8670228 / 100233985	G180	P8670281 / 100243109	G187	P8670279 / 100243108	G187		
BOTTEGA TOPO	P8670229 / 100234062	G180	P8670230 / 100234086	G187	P8670233 / 100234091	G187		
BOTTEGA TOPO ANT.	P8670278 / 100243107	G180	P8670276 / 100243098	G187	P8670282 / 100243086	G187		
BOTTEGA WHITE	P8670253 / 100242258	G180	P8670269 / 100242242	G187	P8670265 / 100242262	G187		
BOTTEGA ANTRACITA	P8670263 / 100242251	G180	P8670255 / 100242264	G187	P8670260 / 100242245	G187		
BOTTEGA ANTRACITA ANT.	P8670248 / 100242290	G180	P8670256 / 100242283	G187	P8670251 / 100242255	G187		

· HUELLA TÉCNICA 31,6x100cm		ESQUINA DERECHA		ESQUINA IZQUIERDA	
BOTTEGA		G164		G183	

· HUELLA TÉCNICA 31,6x80cm			ESQUINA DERECHA			ESQUINA IZQUIERDA		
BOTTEGA ACERO	P9210535 / 100217910	G153	P9210532 / 100217924	G181	P9210536 / 100217927	G181		
BOTTEGA ACERO ANT.	P9210557 / 100221965	G153	P9210551 / 100221942	G181	P9210558 / 100221968	G181		
BOTTEGA CALIZA	P9210564 / 100221998	G153	P9210552 / 100221938	G181	P9210559 / 100221990	G181		
BOTTEGA CALIZA ANT.	P9210565 / 100222043	G153	P9210553 / 110221774	G181	P9210561 / 100222000	G181		
BOTTEGA TOPO	P9210534 / 100217871	G153	P9210533 / 100217874	G181	P9210531 / 100217920	G181		
BOTTEGA TOPO ANT.	P9210550 / 100221922	G153	P9210555 / 100221971	G181	P9210563 / 100222014	G181		
BOTTEGA WHITE	P9210697 / 100242263	G153	P9210702 / 100242228	G181	P9210700 / 100242243	G181		
BOTTEGA ANTRACITA	P9210698 / 100242282	G153	P9210699 / 100242259	G181	P9210701 / 100242254	G181		
BOTTEGA ANTRACITA ANT.	P9210730 / 100242442	G153	P9210743 / 100242422	G181	P9210740 / 100242424	G181		

· HUELLA TÉCNICA 31,6x59,6cm			ESQUINA DERECHA			ESQUINA IZQUIERDA		
BOTTEGA ACERO	P9210577 / 100221729	G130	P9210597 / 100221924	G150	P9210581 / 100221966	G150		
BOTTEGA ACERO ANT.	P9210589 / 100221916	G130	P9210588 / 100221925	G150	P9210575 / 100221967	G150		
BOOTEGA ACERO C-2	P9210745 / 100243084	G130	P9210749 / 100243123	G150	P9210747 / 100243085	G150		
BOTTEGA CALIZA	P9210582 / 100221992	G130	P9210579 / 100221772	G150	P9210580 / 100221948	G150		
BOTTEGA CALIZA ANT.	P9210595 / 100222028	G130	P9210613 / 100221944	G150	P9210590 / 100221949	G150		
BOTTEGA CALIZA C-2	P9210746 / 100243113	G130	P9210750 / 100243150	G150	P9210748 / 100243114	G150		
BOTTEGA TOPO	P9210592 / 100221912	G130	P9210586 / 100221778	G150	P9210605 / 100222021	G150		
BOTTEGA TOPO ANT.	P9210578 / 100221913	G130	P9210612 / 100221970	G150	P9210624 / 100222011	G150		
BOTTEGA WHITE	P9210708 / 100242291	G130	P9210714 / 100242249	G150	P9210717 / 100242274	G150		
BOTTEGA ANTRACITA	P9210720 / 100242303	G130	P9210706 / 100242248	G150	P9210710 / 100242269	G150		
BOTTEGA ANTRACITA ANT.	P9210732 / 100242441	G130	P9210731 / 100242432	G150	P9210736 / 100242423	G150		



INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO
INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT



ZÓCALO	9x120cm	
BOTTEGA ACERO	P4220001 / 100221476	G78
BOTTEGA CALIZA	P4220002 / 100221494	G78
BOTTEGA TOPO	P4220000 / 100221495	G78
BOTTEGA WHITE	P4220012 / 100242383	G78
BOTTEGA ANTRACITA	P4220011 / 100242364	G78



ZÓCALO	9x100cm	
BOTTEGA ACERO	P9202395 / 100246557	G74
BOTTEGA CALIZA	P9202389 / 100246611	G74
BOTTEGA TOPO	P9202391 / 100246597	G74
BOTTEGA WHITE	P9202387 / 100246566	G74
BOTTEGA ANTRACITA	P9202394 / 100246565	G74



ZÓCALO	9x80cm	
BOTTEGA ACERO	P4160036 / 100217892	G63
BOTTEGA CALIZA	P4160038 / 100221485	G63
BOTTEGA TOPO	P4160037 / 100217922	G63
BOTTEGA WHITE	P4160047 / 100242345	G63
BOTTEGA ANTRACITA	P4160048 / 100242326	G63



ZÓCALO	9x59,6cm	
BOTTEGA ACERO	P9210538 /100221483	G30
BOTTEGA CALIZA	P9210543 /100221484	G30
BOTTEGA TOPO	P9210539 /100221437	G30
BOTTEGA WHITE	P9210744 / 100242372	G30
BOTTEGA ANTRACITA	P9210742 / 100242382	G30



PAVIMENTO BOTTEGA ACERO 120x120cm



PAVIMENTO DOVER ANTIQUE 59,6x59,6cm - DOVER CALIZA 59,6x59,6cm | REVESTIMIENTO DOVER CALIZA 31,6x90cm

DOVER

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



DOVER ACERO
80x80x1,1 cm P1760081 / 100155569 G369 HIGHKER
59,6x59,6x1,1 cm P1856952 / 100155568 G354

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834

DOVER ACERO ANTISLIP
59,6x59,6x1,1 cm P1856966 / 100156775 G359





DOVER CALIZA
80x80x1,1 cm P1760084 / 100155621 G369 HIGHKER
59,6x59,6x1,1 cm P1856955 / 100155620 G354

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834

DOVER CALIZA ANTISLIP
59,6x59,6x1,1 cm P1857024 / 100189014 G359



*Para la confección del acabado antislip y con el objetivo de mejorar las propiedades higiénicas, se han eliminado las imágenes más claras de la serie original.
*For the preparation of the antislip finish and to improve the hygienic properties, the clearest images of the original range have been removed.



DOVER ARENA
59,6x59,6x1,1 cm P1856954 / 100155614 G354

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834

DOVER ARENA ANTISLIP
59,6x59,6x1,1 cm P1856967 / 100156776 G359





DOVER TOPO
59,6x59,6x1,1 cm P1856956 / 100155625 G354

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449

DOVER TOPO ANTISLIP
59,6x59,6x1,1 cm P1856965 / 100156777 G359





DOVER ANTIQUE
59,6x59,6x1,1 cm P1856953 / 100155611 G359

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449

DOVER ANTIQUE ANTISLIP
59,6x59,6x1,1 cm P1856964 / 100156778 G359



DOVER ANTIQUE
- DOVER ANTIQUE ESTÁ FORMADO POR 8 DECORADOS DISTINTOS ALEATORIOS.
- DOVER ANTIQUE RANGE IS MADE IN 8 DIFFERENT RANDOM PATTERNS.

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
80x80cm	2	1,28	40	51,2	33,9	1355,48	One-flex Premium / Super-flex s2
59,6x59,6cm	4	1,42	32	45,47	37,24	1127,62	Fr-one n / One-flex Premium
9,x59,6cm Zócalo	18	0,97	56	54,07	23,25	1301,92	Fr-one n / One-flex Premium
9x80cm Zócalo	12	0,86	42	36,29	23,16	972,72	One-flex Premium / Super-flex s2
31,6x59,6cm Huella Tec.	2	0,42	48	19,97	11,33	543,84	One-flex Premium / Super-flex s2
31,6x59,6cm Huella Tec.Esq.	1	0,21	48	9,98	5,67	271,92	One-flex Premium / Super-flex s2

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x59,6cm			ESQUINA DERECHA			ESQUINA IZQUIERDA		
DOVER ACERO	P9210263 / 100156674	G130	P9210255 / 100156670	G150	P9210264 / 100156678	G150		
DOVER ACERO ANT.	P9210268 / 100156798	G130	P9210273 / 100156795	G150	P9210276 / 100156821	G150		
DOVER CALIZA	P9210259 / 100156676	G130	P9210258 / 100156672	G150	P9210266 / 100156637	G150		
DOVER CALIZA ANT.	P9210401 / 100193410	G130	P9210400 / 100193400	G150	P9210402 / 100193420	G150		
DOVER TOPO	P9210262 / 100156677	G130	P9210256 / 100156673	G150	P9210265 / 100156638	G150		
DOVER TOPO ANT.	P9210269 / 100156820	G130	P9210275 / 100156797	G150	P9210272 / 100156823	G150		
DOVER ARENA	P9210261 / 100156675	G130	P9210257 / 100156671	G150	P9210260 / 100156679	G150		
DOVER ARENA ANT.	P9210270 / 100156799	G130	P9210271 / 100156796	G150	P9210274 / 100156822	G150		
· HUELLA TÉCNICA 31,6x80cm		G153	· HUELLA TÉCNICA ESQ. DER/IZQ. 31,6x80cm			G181		

i
INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO
INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT



ZÓCALO	9x80cm	
DOVER ACERO	P4160015 / 100156555	G63
DOVER CALIZA	P4160019 / 100156559	G63



ZÓCALO	9x59,6cm	
DOVER ACERO	P9210251 / 100156554	G30
DOVER CALIZA	P9210253 / 100156558	G30
DOVER TOPO	P9210252 / 100156560	G30
DOVER ARENA	P9210250 / 100156556	G30



PAVIMENTO: DOVER ACERO 59,6x59,6cm | REVESTIMIENTO: DOVER ACERO 31,6x90cm



PAVIMENTO: HARLEM CALIZA 59,6x59,6cm · DECO HARLEM CALIZA 59,6x59,6cm | REVESTIMIENTO: LISTÓN OXFORD ACERO 31,6x90cm

HARLEM

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



HARLEM CALIZA
80x80x1,2 cm P1760061 / 100145837
59,6x59,6x1,1 cm P1856920 / 100145387

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834

G369 **HIGHKER**
G354



HARLEM ACERO
120x120 cm P9201793 / 100229348
80x80x1,2 cm P1760062 / 100145836
59,6x59,6x1,1 cm P1856923 / 100145386

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464

G392 **HIGHKER**
G369 **HIGHKER**
G354



HARLEM SILVER
59,6x59,6x1,1 cm P1856922 / 100145388

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449

G354



DECO HARLEM CALIZA
59,6x59,6x1,1 cm P1856925 / 100145530

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834

G359



DECO HARLEM ACERO
59,6x59,6x1,1 cm P1856926 / 100145489

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464

G359



i
- DECO HARLEM ESTÁ FORMADO POR 8 DECORADOS DISTINTOS ALEATORIOS.
- DECO HARLEM RANGE IS MADE IN 8 DIFFERENT RANDOM PATTERNS.

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
120x120cm	1	1,44	33	47,52	38,72	1277,83	One-flex Premium / Super-flex s2
80x80cm	2	1,28	40	51,2	33,89	1355,9	One-flex Premium / Super-flex s2
59,6x59,6cm	4	1,42	32	45,47	37,24	1127,62	Fr-one n / One-flex Premium
9,x59,6cm Zócalo	18	0,97	56	54,07	23,25	1301,92	Fr-one n / One-flex Premium
9x80cm Zócalo	12	0,86	42	36,29	23,16	972,72	One-flex Premium / Super-flex s2
9x120cm Zócalo	6	0,65	40	25,92	7,93	317,28	One-flex Premium / Super-flex s2
31,6x59,6cm Huella Tec.	2	0,42	48	19,97	11,33	543,84	One-flex Premium / Super-flex s2
31,6x59,6cm Huella Tec. Esq.	1	0,21	48	9,98	5,67	271,92	One-flex Premium / Super-flex s2

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x59,6cm			ESQUINA DERECHA		ESQUINA IZQUIERDA	
HARLEM CALIZA	P9210223 / 100148482	G130	P9210228 / 100148452	G150	P9210218 / 100148475	G150
HARLEM ACERO	P9210221 / 100148481	G130	P9210231 / 100148451	G150	P9210219 / 100148474	G150
HARLEM SILVER	P9210225 / 100148483	G130	P9210216 / 100148453	G150	P9210220 / 100148457	G150
· HUELLA TÉCNICA 31,6x80cm		G153	· HUELLA TÉCNICA ESQ. DER/IZQ. 31,6x80cm		G181	
· HUELLA TÉCNICA 31,6x120cm		G180	· HUELLA TÉCNICA ESQ. DER/IZQ. 31,6x120cm		G187	

1
INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO
INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT



ZÓCALO	9x120cm	
HARLEM ACERO	P4220008 / 100229474	G78



ZÓCALO	9x80cm	
HARLEM CALIZA	P4160012 / 100148436	G63
HARLEM ACERO	P4160014 / 100148435	G63



ZÓCALO	9x59,6cm	
HARLEM CALIZA	P9210209 / 100146862	G30
HARLEM ACERO	P9210210 / 100146861	G30
HARLEM SILVER	P9210208 / 100146863	G30



PAVIMENTO: HARLEM ACERO 59,6x59,6cm. DECO HARLEM ACERO 59,6x59,6cm



PAVIMENTO: MÉXICO STONE 59,6x59,6cm

MÉXICO

Gres Porcelanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



MÉXICO SAND
59,6x59,6x1,03 cm P1857080 / 100226505 G354

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Beige B21522252/100236808



MÉXICO STONE
59,6x59,6x1,03 cm P1857081 / 100226561 G354

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464



MÉXICO CALIZA
59,6x59,6x1,03 cm P1857079 / 100226520 G354

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834



INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO
INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
59,6x59,6cm	4	1,42	32	45,47	34,47	1102,98	Fronen / One-flex Premium
9x59,6cm Zócalo	18	0,97	56	54,07	22,77	1275,12	Fronen / One-flex Premium
31,6x59,6cm Huella Tec.	2	0,42	48	19,97	12	576	Fronen / One-flex Premium
31,6x59,6cm Huella Tec. Esq.	1	0,22	48	10,54	6	288	Fronen / One-flex Premium

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x59,6cm

MÉXICO SAND			ESQUINA DERECHA			ESQUINA IZQUIERDA		
MÉXICO SAND	P9210655 / 100227254	G130	P9210647 / 100227290	G150	P9210643 / 100227275	G150		
MÉXICO CALIZA	P9210651 / 100227280	G130	P9210654 / 100227274	G150	P9210644 / 100227300	G150		
MÉXICO STONE	P9210652 / 100227281	G130	P9210642 / 100227249	G150	P9210650 / 100227282	G150		



ZÓCALO		9x59,6cm	
MÉXICO SAND	P9210638 / 100227265	G30	
MÉXICO CALIZA	P9210637 / 100227264	G30	
MÉXICO STONE	P9210639 / 100227248	G30	



PAVIMENTO: MICROCEMENTO BLANCO 59,6x59,6cm | REVESTIMIENTO: RONDA AQUA 20x31,6cm

MICROCEMENTO BLANCO

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



MICROCEMENTO BLANCO
59,6x59,6x1,1cm P1856883 / 100137638 G354

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING							
FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
59,6x59,6cm	4	1,42	32	45,47	35,24	1127,62	Fr-one n / One-flex Premium
9x59,6cm Zócalo	18	0,97	56	54,07	23,25	1301,92	Fr-one n / One-flex Premium
31,6x59,6cm Huella Tec.	2	0,42	48	19,97	11,33	543,84	Fr-one n / One-flex Premium
31,6x59,6cm Huella Tec. Esq.	1	0,21	48	9,98	5,67	271,92	Fr-one n / One-flex Premium

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x59,6cm				ESQUINA DERECHA		ESQUINA IZQUIERDA	
MICROCEMENTO BLANCO	P9210054 / 100122113	G130		P9210112 / 100122977	G150	P9210099 / 100123011	G150



ZÓCALO				9x59,6cm			
MICROCEMENTO BLANCO	P9210157 / 100138023	G30					

i
INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO
INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT




PAVIMENTO: NANTES ACERO 120x120cm

NANTES BOMBAY

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



NANTES ACERO
120x120x1,15 cm P9202151 / 100239912
59,6x59,6x1,03 cm P1857098 / 100239867
Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834
NANTES ACERO ANT.
59,6x59,6x1,03 cm P1857112 / 100243332



NANTES ARENA
120x120x1,15 cm P9202155 / 100239878
59,6x59,6x1,03 cm P1857096 / 100239839
Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Beige B21522252/100236808
NANTES ARENA ANT.
59,6x59,6x1,03 cm P1857115 / 100243333



NANTES CALIZA
120x120x1,15 cm P9202152 / 100239891
59,6x59,6x1,03 cm P18570989 / 100239881
Butech recomienda junta / Butech recommends joint:
Colorstuk Especial n Nacaré B24302057/100238235
NANTES CALIZA ANT.
59,6x59,6x1,03 cm P1857111 / 100243311



BOMBAY NANTES
59,6x59,6x1,03 cm P1857094 / 100239819 G359
Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464

BOMBAY NANTES ESTÁ FORMADA POR 10 DECORADOS DISTINTOS ALEATORIOS.
- BOMBAY NANTES IS MADE IN 10 DIFFERENT RANDOM PATTERNS.

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
120x120cm	1	1,44	33	47,52	38,72	1277,83	One-flex Premium / Super-flex s2
59,6x59,6cm	4	1,42	32	45,47	34,38	1100,03	Fr-one n / One-flex Premium
9x120cm Zócalo	6	0,65	40	25,92	8,22	328,8	One-flex Premium / Super-flex s2
9x59,6cm Zócalo	18	0,97	56	54,07	22,77	1275,12	One-flex Premium / Super-flex s2
31,6x120cm Huella Tec.	2	0,84	26	21,78	22,36	581,26	One-flex Premium / Super-flex s2
31,6x120cm Huella Tec. Esq.	1	0,43	26	11,19	11,18	290,63	One-flex Premium / Super-flex s2
31,6x59,6cm Huella Tec.	2	0,42	48	19,97	12	576	One-flex Premium / Super-flex s2
31,6x59,6cm Huella Tec. Esq.	1	0,22	48	10,54	6	288	One-flex Premium / Super-flex s2

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x120cm	ESQUINA DERECHA			ESQUINA IZQUIERDA		
NANTES ACERO	P8670252 / 100242272	G180	P8670264 / 100242252	G187	P8670271 / 100242218	G187
NANTES ARENA	P8670254 / 100242280	G180	P8670262 / 100242238	G187	P8670274 / 100242229	G187
NANTES CALIZA	P86702581 / 100242256	G180	P8670273 / 100242217	G187	P8670272 / 100242219	G187

· HUELLA TÉCNICA 31,6x59,6cm	ESQUINA DERECHA			ESQUINA IZQUIERDA		
NANTES ACERO	P9210723 / 100242276	G130	P9210719 / 100242310	G150	P9210715 / 100242309	G150
NANTES ACERO ANT.	P9210772 / 100246537	G130	P9210761 / 100246514	G150	P9210769 / 100246551	G150
NANTES ARENA	P9210718 / 100242296	G130	P9210722 / 100242294	G150	P9210727 / 100242320	G150
NANTES ARENA ANT.	P9210773 / 100246581	G130	P9210760 / 100246478	G150	P9210770 / 100246509	G150
NANTES CALIZA	P9210725 / 100242277	G130	P9210712 / 100242311	G150	P9210704 / 100242275	G150
NANTES CALIZA ANT.	P9210774 / 100246574	G130	P9210762 / 100246515	G150	P9210771 / 100246529	G150



INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO
INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT



ZÓCALO	9x120cm	
NANTES ACERO	P4220014 / 100242355	G78
NANTES ARENA	P4220013 / 100242339	G78
NANTES CALIZA	P4220010 / 100242380	G78



ZÓCALO	9x59,6cm	
NANTES ACERO	P9210738 / 100242338	G30
NANTES ARENA	P9210733 / 100242373	G30
NANTES CALIZA	P9210741 / 100242381	G30



PAVIMENTO: NANTES CALIZA 120x120cm · BOMBAY NANTES 59,6x59,6cm | REVESTIMIENTO: NANTES CALIZA 45x120cm · BOMBAY NANTES 45x120cm

PARK

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



PARK ACERO
59,6x59,6x1,1 cm P1856927 / 100145726 G354

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464



PARK SILVER
59,6x59,6x1,1 cm P1856921 / 100145385 G354

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449

ANTIQUE

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



ANTIQUE ACERO
59,6x59,6x1,1 cm P1856935 / 100147629 G359

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464



ANTIQUE SILVER
59,6x59,6x1,1 cm P1856930 / 100145533 G359

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449



ANTIQUE BLACK
59,6x59,6x1,1cm P1856931 / 100145842 G359

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Negro B21522251/100236475

i
- ANTIQUE ACERO AND BLACK ESTÁ FORMADO POR 6 DECORADOS DISTINTOS ALEATORIOS.
- ANTIQUE ACERO AND BLACK RANGE IS MADE IN 6 DIFFERENT RANDOM PATTERNS.

- ANTIQUE SILVER ESTÁ FORMADO POR 10 DECORADOS DISTINTOS ALEATORIOS.
- ANTIQUE SILVER RANGE IS MADE IN 10 DIFFERENT RANDOM PATTERNS.

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
59,6x59,6cm	4	1,42	32	45,47	35,24	1127,62	Fr-one n / One-flex Premium
9x59,6cm Zócalo	18	0,97	56	54,07	23,25	1301,92	Fr-one n / One-flex Premium
31,6x59,6cm Huella Tec.	2	0,42	48	19,97	11,33	543,84	Fr-one n / One-flex Premium
31,6x59,6cm Huella Tec. Esq.	1	0,21	48	9,98	5,67	271,92	Fr-one n / One-flex Premium

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x59,6cm			ESQUINA DERECHA			ESQUINA IZQUIERDA		
PARK SILVER	P9210224 / 100148480	G130	P9210229 / 100148407	G150	P9210217 / 100148446	G150		
PARK ACERO	P9210222 / 100148458	G130	P9210230 / 100148405	G150	P9210215 / 100148454	G150		



INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO
INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT



ZÓCALO	9x59,6cm		
PARK ACERO	P9210207 / 100146859	G30	
PARK SILVER	P9210211 / 100146860	G30	



PAVIMENTO: PARK ACERO 59,6x59,6cm · ANTIQUE ACERO 59,6x59,6cm



PAVIMENTO: RODANO SILVER 80x80cm

RODANO

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



RODANO ACERO

120x120x1,15 cm P9201769 / 100226489

80x80x1,2 cm P1760079 / 100154670

59,6x59,6x1,1 cm P1856901 / 100138631

G392

G369

G354

HIGHKER

HIGHKER

POPCOLORADO TECHNO

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Manhattan B21522248/100236464

RODANO ACERO ANTISLIP

120x120x1,15cm P9202000 / 100236523

59,6x59,6x1,1cm P1856902 / 100138630

G393

G359

HIGHKER

POPCOLORADO TECHNO

R12

G1

SRV CLASS 1

ANTISLIP

STEX / RAP



RODANO SILVER

80x80x1,2 cm P1760075 / 100153706

59,6x59,6x1,1 cm P1856904 / 100138634

G369

G354

HIGHKER

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449

RODANO SILVER ANTISLIP

59,6x59,6x1,1 cm P1856903 / 100138633

G359

R12

G1

SRV CLASS 1

ANTISLIP

STEX / RAP



RODANO CALIZA

80x80x1,2 cm P1760080 / 100154671

59,6x59,6x1,1 cm P1856900 / 100138632

G369

G354

HIGHKER

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834



RODANO TAUPE

59,6x59,6x1,1 cm P1856905 / 100138636

G354

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449

RODANO TAUPE ANTISLIP

59,6x59,6x1,1cm P1856899 / 100138635

G359

R12

G1

SRV CLASS 1

ANTISLIP

STEX / RAP

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CI	M2/CI	CI/PAL	M2/PAL	*KG/CI	*KG/PAL	Adhesivo
120x120cm	1	1,44	33	47,52	37,37	1233,111	One-flexPremium/ Super-flexs2
80x80cm	2	1,28	40	51,2	35,7	417,32	One-flexPremium/ Super-flexs2
59,6x59,6cm	4	1,42	32	45,47	35,24	1127,62	Fr-onen/ One-flexPremium
9,x120cm Zócalo	6	0,65	40	25,92	7,93	317,28	One-flexPremium/ Super-flexs2
9x80cm Zócalo	12	0,86	42	36,29	23,16	972,72	One-flexPremium/ Super-flexs2
9,x59,6cm Zócalo	18	0,97	56	54,07	23,25	1301,92	Fr-onen/ One-flexPremium
31,6x59,6cm Huella Tec.	2	0,42	48	19,97	11,33	543,84	One-flexPremium/ Super-flexs2
31,6x59,6cm Huella Tec.Esq.	1	0,21	48	9,98	5,67	271,92	One-flexPremium/ Super-flexs2

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x59,6cm			ESQUINA DERECHA		ESQUINA IZQUIERDA	
RODANO ACERO	P9210134 / 100123907	G130	P9210199 / 100140956	G150	P9210133 / 100123908	G150
RODANO ACERO ANT.	P9210234 / 100148524	G130	P9210232 / 100148522	G150	P9210233 / 100148523	G150
RODANO SILVER	P9210180 / 100138071	G130	P9210179 / 100138029	G150	P9210181 / 100138070	G150
RODANO SILVER ANT.	P9210242 / 100149822	G130	P9210238 / 100149618	G150	P9210239 / 100149820	G150
RODANO TAUPE	P9210186 / 100140947	G130	P9210200 / 100140958	G150	P9210193 / 100140967	G150
RODANO TAUPE ANT.	P9210241 / 100149823	G130	P9210240 / 100149619	G150	P9210243 / 100149821	G150
RODANO CALIZA	P9210142 / 100130107	G130	P9210202 / 100140957	G150	P9210198 / 100140966	G150
· HUELLA TÉCNICA 31,6x80cm		G153	· HUELLA TÉCNICA ESQ. DER./IZQ. 31,6x80cm			G181
· HUELLA TÉCNICA 31,6x120cm		G180	· HUELLA TÉCNICA ESQ. DER./IZQ. 31,6x120cm			G187



INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO
INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT



ZÓCALO	9x120cm	
RODANO ACERO	P4220005 / 100227271	G78



ZÓCALO	9x80cm	
RODANO ACERO	P4160006 / 100141005	G63
RODANO SILVER	P4160010 / 100141007	G63
RODANO CALIZA	P4160009 / 100141006	G63



ZÓCALO	9x59,6cm	
RODANO ACERO	P9210163 / 100138027	G30
RODANO SILVER	P9210150 / 100137975	G30
RODANO TAUPE	P9210152 / 100137976	G30
RODANO CALIZA	P9210151 / 100137974	G30



PAVIMENTO: RODANO ACERO 59,6x59,6cm | REVESTIMIENTO: ANTIQUE BLUE 31,6x90cm



PAVIMENTO: SOHO ACERO 80x80cm · MANHATTAN COLONIAL 19,3x120cm

SOHO

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



SOHO BONE
80x80x1,2 cm P1760109 / 100190082 G369 HIGHKER

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834

SOHO BONE ANTISLIP
80x80x1,2 cm P1857047 / 100202872 G373 HIGHKER



SOHO ACERO
80x80x1,2 cm P1760108 / 100190058 G369 HIGHKER

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449

SOHO ACERO ANTISLIP
80x80x1,2 cm P1857053 / 100202915 G373 HIGHKER



SOHO SILVER
80x80x1,2 cm P1760111 / 100190101 G369 HIGHKER

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449

SOHO SILVER ANTISLIP
80x80x1,2 cm P1857048 / 100202883 G373 HIGHKER



SOHO TAUPE
80x80x1,2 cm P1760110 / 100190096 G369 HIGHKER

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Cemento B21522249/100236449

SOHO TAUPE ANTISLIP
80x80x1,2 cm P1857049 / 100202884 G373 HIGHKER



TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
80x80cm	2	1,28	40	51,2	35,7	1427,91	One-flexPremium / Super-flex.s2
9x80cm Zócalo	12	0,86	42	36,29	23,16	972,72	One-flexPremium / Super-flex.s2
31,6x80cm Huella Tec.	2	0,56	26	14,52	14,58	379,15	One-flexPremium / Super-flex.s2
31,6x80cm Huella Tec. Esq.	1	0,29	26	7,56	7,29	189,57	One-flexPremium / Super-flex.s2

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x80cm			ESQUINA DERECHA			ESQUINA IZQUIERDA		
SOHO BONE	P9210394 / 100191388	G153	P9210389 / 100191349	G181		P9210382 / 100191327	G181	
SOHO ACERO	P9210381 / 100191372	G153	P9210372 / 100191316	G181		P9210371 / 100191334	G181	
SOHO SILVER	P9210395 / 100191400	G153	P9210388 / 100191338	G181		P9210378 / 100191348	G181	
SOHO TAUPE	P9210366 / 100191378	G153	P9210383 / 100191329	G181		P9210375 / 100191318	G181	

· HUELLA TÉCNICA 31,6x80cm			ESQUINA DERECHA			ESQUINA IZQUIERDA		
SOHO BONE ANT.	P9210451 / 100203871	G153	P9210453 / 100203857	G181		P9210467 / 100203902	G181	
SOHO ACERO ANT.	P9210450 / 100203864	G153	P9210474 / 100203953	G181		P9210466 / 100203894	G181	
SOHO SILVER ANT.	P9210470 / 100203914	G153	P9210475 / 100203955	G181		P9210468 / 100203879	G181	
SOHO TAUPE ANT.	P9210452 / 100203872	G153	P9210476 / 100203936	G181		P9210469 / 100203920	G181	

1

INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO

INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT



ZÓCALO		9x80cm	
SOHO BONE	P4160030 / 100191366	G63	
SOHO ACERO	P4160029 / 100191371	G63	
SOHO SILVER	P4160031 / 100191382	G63	
SOHO TAUPE	P4160032 / 100191383	G63	



PAVIMENTO: SOHO ACERO 80x80cm · MANHATTAN NATURAL 19,3x20cm



PAVIMENTO: TOSCANA STONE 59,6x59,6cm

TOSCANA

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



TOSCANA STONE
59,6x59,6x1,1 cm P1857029 / 100190065 G354

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834



TOSCANA BONE
59,6x59,6x1,1 cm P1857030 / 100190103 G354

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834



TOSCANA CALIZA
59,6x59,6x1,1 cm P1857031 / 100190077 G354

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Gris B21522258/100236834

i
INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO
INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING								
FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo	
59,6x59,6cm	4	1,42	32	45,47	37,24	1127,62	Fr-one n / One-flexPremium	
9,x59,6cm Zócalo	18	0,97	56	54,07	23,25	1301,92	Fr-one n / One-flexPremium	
31,6x59,6cm Huella Tec.	2	0,42	48	19,97	11,33	543,84	Fr-one n / One-flexPremium	
31,6x59,6cm Huella Tec.Esq.	1	0,21	48	9,98	5,67	271,92	Fr-one n / One-flexPremium	

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x59,6cm

TOSCANA CALIZA	P9210414 / 100193826	G130
TOSCANA BONE	P9210419 / 100193839	G130
TOSCANA STONE	P9210415 / 100193850	G130

ESQUINA DERECHA

P9210390 / 100191370	G150
P9210392 / 100191339	G150
P9210391 / 100191363	G150

ESQUINA IZQUIERDA

P9210416 / 100193827	G150
P9210393 / 100191347	G150
P9210417 / 100193829	G150



ZÓCALO

9x59,6cm


TOSCANA CALIZA	P9210432 / 100193881	G30
TOSCANA BONE	P9210442 / 100193877	G30
TOSCANA STONE	P9210435 / 100193882	G30



PAVIMENTO: EXTREME WHITE 59,6x59,6cm

EXTREME

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



EXTREME WHITE			
59,6x120x1,2 cm	P1976829 / 100158512	G369	HIGHKER
59,6x59,6x1,1 cm	P1856874 / 100137635	G354	

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Blanco B21522247/100236463

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL	Adhesivo
59,6x59,6cm	4	1,42	32	45,47	35,24	1127,62	Fronen / One-flex Premium
59,6x120cm	2	1,43	28	40,05	39,14	1095,92	One-flex Premium / Super-flex s2
9x59,6cm Zócalo	18	0,97	56	54,07	23,25	1301,92	Fronen / One-flex Premium
31,6x59,6cm Huella Tec.	2	0,42	48	19,97	11,33	543,84	One-flex Premium / Super-flex s2
31,6x59,6cm Huella Tec. Esq.	1	0,21	48	9,98	5,67	271,92	One-flex Premium / Super-flex s2

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x120cm				ESQUINA DERECHA		ESQUINA IZQUIERDA	
EXTREME WHITE	P8670063 / 100128966	G180		P98670154 / 100173439	G187	P8670156 / 100173472	G187
· HUELLA TÉCNICA 31,6x59,6cm				ESQUINA DERECHA		ESQUINA IZQUIERDA	
EXTREME WHITE	P9210060 / 100122103	G130		P9210088 / 100122966	G150	P9210097 / 100123000	G150

1
INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO MEDIO
INTENSITY OF PEDESTRIAN TRANSIT: MEDIUM TRANSIT




ZÓCALO	9x59,6cm	
EXTREME WHITE	P9210327 / 100176831	G30



PAVIMENTO: MATT WHITE 100x100cm

MATT

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



MATT WHITE			
100x100x1,1 cm	P3590003 / 100240023	G377	HIGHKER
59,6x59,6x1,03 cm	P1857101 / 100239880	G354	

Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Blanco B21522247/100236463

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING

FORMATO cm	PZ/CI	M2/CI	CI/PAL	M2/PAL	*KG/CI	*KG/PAL	Adhesivo
100x100cm	1	1	32	33	28,46	939,25	One-flexPremium/Superflexs2
59,6x59,6cm	4	1,42	32	45,47	35,24	1127,62	One-flexPremium/Superflexs2
9x100cm Zócalo	6	0,54	40	21,6	6,85	273,84	One-flexPremium/Superflexs2
9x59,6cm Zócalo.	18	0,97	56	54,07	23,25	1301,92	One-flexPremium/Superflexs2
31,6x65,9cm Huella Tec.	2	0,42	48	19,97	12	576	One-flexPremium/Superflexs2
31,6x65,9cm Huella Tec.Esq.	1	0,22	48	10,53	6	288	One-flexPremium/Superflexs2

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x59,6cm			ESQUINA DERECHA		ESQUINA IZQUIERDA	
MATT WHITE	P9210726 / 100242330	G130	P9210729 / 100242305	G150	P9210721 / 100242308	G150
· HUELLA TÉCNICA 31,6x100cm			ESQUINA DERECHA		ESQUINA IZQUIERDA	
MATT WHITE		G164		G183		G183

1
INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO MEDIO
INTENSITY OF PEDESTRIAN TRANSIT: MEDIUM TRANSIT




ZÓCALO	9x100cm	
MATT WHITE	P9202284 / 100243151	G74



ZÓCALO	9x59,6cm	
MATT WHITE	P92107391 / 100242346	G30

TECHNIC

Gres Porcellanato Rectificado · Color Masa / Rectified Porcellanato Tiles · Coloured Biscuit



TECHNIC NIEVE

59,6x120x1,2cm

P1976817 / 100153392

G369 HIGHKER

Butech recomienda junta / Butech recommends joint: Colorstuk Rapid n Blanco B21522247/100236463

*USO EXCLUSIVO PARA FACHADAS

*FACADES USE ONLY


GRUPO DE VENTA MALLA STONKER 31,6x31,6 (ESPECIAL ZONAS AGUA) G396

SALES GROUP STONKER MESH 31,6x31,6 (SPECIAL WATER ZONES) G396

GRUPOS DE VENTA FACHADAS / FACADE PRICE GROUP

FORMATO / SIZE		FORMATO / SIZE	
G415	43,5x65,9 rn4	G432	45x90 rn4
G435	43,5x65,9 mll	G458	45x90 mll
G446	43,5x65,9 mll + rn4	G473	45x90 mll + rn4
		G483	19,3x120 rn4 / 19,3xmll
G420	59,6x59,6 rn4	G490	19,3x120 rn6
G440	59,6x59,6 mll	G494	19,3x120 mll + rn6
G455	59,6x59,6 mll+rn4		
		G462	59,6x120 rn4
G467	59,6x120 rn6		
G479	59,6x120 mll / 80x80 mll		
G484	59,6x120 mll + rn4 ver		
G488	59,6x120 mll + rn6 hor		

DETALLE HUELLA CON REFUERZO METÁLICO



“la H.T. Refuerzo Metálico puede fabricarse a la medida solicitada por el cliente, siempre y cuando no supere los límites longitudinales de la pieza base”.

“the H.T. Metal Reinforcement can be made to order as requested by the customer, as long as it does not exceed the longitudinal limits of the base part ”.



PH



DETROIT ANTRACITA LAPADO
59,6x59,6x1,1cm 1856985 / 100172740 G369
Butech recomienda junta / Butech recommends joint:
Colorstuk Rapid n Negro B21522251/100236475

TECHNICAL SPECS · INFORMACIÓN TÉCNICA

EMBALAJE / PACKING



FORMATO cm	PZ/CJ	M2/CJ	CJ/PAL	M2/PAL	*KG/CJ	*KG/PAL
59,6x59,6cm	4	1,42	32	45,47	35,24	1127,62
9x59,6cm Zócalo	18	0,97	56	54,07	23,25	1301,92
31,6x59,6cm Huella Tec.	2	0,42	48	19,97	11,33	543,84
31,6x65,9cm Huella Tec. Esq	1	0,21	48	9,98	5,67	271,92

*valores aproximados. *approximated values.



· HUELLA TÉCNICA 31,6x59,6cm			ESQUINA DERECHA		ESQUINA IZQUIERDA	
DETROIT ANTRACITA	P9210316 / 100173530	G133	P9210318 / 100173523	G152	P9210313 / 100173524	G152



INTENSIDAD DE TRÁNSITO PEATONAL: TRÁNSITO INTENSO
INTENSITY OF PEDESTRIAN TRANSIT: HARD TRANSIT



ZÓCALO	9x59,6cm
DETROIT ANTRACITA	P9200884 / 100173548 G42